

## Johnson, Mark

---

(EPA)  
**From:** Smith, Molly  
**Sent:** Friday, June 06, 2014 11:55 AM  
**To:** Johnson, Mark  
**Cc:** Caudill, Motria; Bush, Bonnie; Colledge, Michelle; Cantello, Nicole; Frank, Nathan  
**Subject:** Petcoke Wipe Sample Results  
**Attachments:** KCBX wipe sites.pptx; 1404008 FINAL EXCEL 16 May 14 1359.xls; 1404008 FINAL EXCEL 06 May 14 1509.xls

Mark –

Attached is the raw data from the wipe samples, as well as the locations of each sampling point. This information should be available on the website.

We are returning to the field to take additional wipe samples (controls) on June 23<sup>rd</sup>.

Molly Smith (DeSalle)  
Environmental Scientist  
U.S. EPA Region 5  
Air Enforcement and Compliance Assurance, MI/WI Section  
Phone: (312) 353-8773  
Fax: (312) 697-2724

*This message and any attachments may contain confidential information protected by the attorney-client or other privilege. If you believe that it has been sent to you in error, please reply to the sender that you received the message in error. Then delete it. Thank you.*

and whatever else I come up with. Also the PAH ratio comparison from the lab when I find it.

## Johnson, Mark

---

**From:** Johnson, Mark  
**Sent:** Friday, June 06, 2014 10:53 AM  
**To:** Cantello, Nicole; Frank, Nathan  
**Cc:** Caudill, Motria; Bush, Bonnie; Smith, Molly; Colledge, Michelle  
**Subject:** RE: Petcoke air data

OK. I guess we can all call into that teleconference line at 11 AM.

---

Mark D. Johnson, PhD, DABT  
Regional Director/ Senior Environmental Health Scientist  
Agency for Toxic Substances and Disease Registry (ATSDR)  
77 West Jackson Blvd.  
Chicago, IL 60604  
e-mail: [mdjohnson@cdc.gov](mailto:mdjohnson@cdc.gov)  
phone: 312-353-3436 (office)

(EPA)  
**From:** Cantello, Nicole  
**Sent:** Friday, June 06, 2014 10:31 AM  
**To:** Frank, Nathan; Johnson, Mark  
**Cc:** Caudill, Motria; Bush, Bonnie; Smith, Molly; Colledge, Michelle  
**Subject:** RE: Petcoke air data

I could sit in- here's my call in- 866-299-3188, 3128866852

Nicole Cantello  
Attorney/Advisor  
U.S. Environmental Protection Agency  
77 West Jackson Boulevard  
Chicago, Illinois 60604  
312/886-2870  
[cantello.nicole@epa.gov](mailto:cantello.nicole@epa.gov)

---

**From:** Frank, Nathan  
**Sent:** Friday, June 06, 2014 10:30 AM  
**To:** Johnson, Mark  
**Cc:** Caudill, Motria; Cantello, Nicole; Bush, Bonnie; Smith, Molly; Colledge, Michelle  
**Subject:** RE: Petcoke air data

I'm available at 11. Do others want to participate?

---

**From:** Johnson, Mark  
**Sent:** Friday, June 06, 2014 10:27 AM  
**To:** Frank, Nathan  
**Cc:** Caudill, Motria; Cantello, Nicole; Bush, Bonnie; Smith, Molly; Colledge, Michelle  
**Subject:** RE: Petcoke air data

Nathan

Could we arrange a time to meet with you and your staff involved in this investigation so we have a better idea of the overall strategy for this site, and the decisions that are being considered. The ATSDR Petitions team is meeting soon to discuss this site and having an understanding of EPA's plans would be very useful.

Checking everyone's calendar, it looks like you will be out for the next 2 weeks. This may be short notice, but are you available to meet today at 11 AM, noon, or after 3:30 today to have a brief conversation about this site. If so, we could come up there or you could come down to our 4<sup>th</sup> floor conference. Let me know if that works. Thanks.

Mark

---

Mark D. Johnson, PhD, DABT  
Regional Director/ Senior Environmental Health Scientist  
Agency for Toxic Substances and Disease Registry (ATSDR)  
77 West Jackson Blvd.  
Chicago, IL 60604  
e-mail: [mdjohnson@cdc.gov](mailto:mdjohnson@cdc.gov)  
phone: 312-353-3436 (office)

(EPA)  
**From:** Frank, Nathan  
**Sent:** Wednesday, June 04, 2014 4:22 PM  
**To:** Johnson, Mark  
**Cc:** Caudill, Motria; Cantello, Nicole; Bush, Bonnie; Smith, Molly  
**Subject:** RE: Petcoke air data

Mark,

Virtually all of the monitoring data is posted on our Petcoke Website:  
<http://www2.epa.gov/petroleum-coke-chicago/fenceline-air-monitoring-pet-coke-storage-facilities>

We also have some data from April that is not posted, because KCBX used an alternative method to analyze the samples. Right Motria? We'll be getting the April data at the same time as the May data – in late June.

Thanks,

---

Nathan A. Frank, P.E.  
Chief, Air Enforcement and Compliance Assurance Section (IL/IN)  
U.S. EPA, Region 5  
77 W. Jackson Blvd. (AE-17J)  
Chicago, IL 60604

Phone: (312) 886-3850  
Fax: (312) 692-2409  
Email: [frank.nathan@epa.gov](mailto:frank.nathan@epa.gov)

## Johnson, Mark

(EPA)  
**From:** Smith, Molly  
**Sent:** Friday, June 06, 2014 10:33 AM  
**To:** Cantello, Nicole; Frank, Nathan; Johnson, Mark  
**Cc:** Caudill, Motria; Bush, Bonnie; Colledge, Michelle  
**Subject:** RE: Petcoke air data

I can call in at 11am.

Molly Smith (DeSalle)  
Environmental Scientist  
U.S. EPA Region 5  
Air Enforcement and Compliance Assurance, MI/WI Section  
Phone: (312) 353-8773  
Fax: (312) 697-2724

*This message and any attachments may contain confidential information protected by the attorney-client or other privilege. If you believe that it has been sent to you in error, please reply to the sender that you received the message in error. Then delete it. Thank you.*

---

**From:** Cantello, Nicole  
**Sent:** Friday, June 06, 2014 10:31 AM  
**To:** Frank, Nathan; Johnson, Mark  
**Cc:** Caudill, Motria; Bush, Bonnie; Smith, Molly; Colledge, Michelle  
**Subject:** RE: Petcoke air data

I could sit in- here's my call in- 866-299-3188, 3128866852

Nicole Cantello  
Attorney/Advisor  
U.S. Environmental Protection Agency  
77 West Jackson Boulevard  
Chicago, Illinois 60604  
312/886-2870  
[cantello.nicole@epa.gov](mailto:cantello.nicole@epa.gov)

---

**From:** Frank, Nathan  
**Sent:** Friday, June 06, 2014 10:30 AM  
**To:** Johnson, Mark  
**Cc:** Caudill, Motria; Cantello, Nicole; Bush, Bonnie; Smith, Molly; Colledge, Michelle  
**Subject:** RE: Petcoke air data

I'm available at 11. Do others want to participate?

---

**From:** Johnson, Mark  
**Sent:** Friday, June 06, 2014 10:27 AM  
**To:** Frank, Nathan  
**Cc:** Caudill, Motria; Cantello, Nicole; Bush, Bonnie; Smith, Molly; Colledge, Michelle  
**Subject:** RE: Petcoke air data

Nathan

Could we arrange a time to meet with you and your staff involved in this investigation so we have a better idea of the overall strategy for this site, and the decisions that are being considered. The ATSDR Petitions team is meeting soon to discuss this site and having an understanding of EPA's plans would be very useful.

Checking everyone's calendar, it looks like you will be out for the next 2 weeks. This may be short notice, but are you available to meet today at 11 AM, noon, or after 3:30 today to have a brief conversation about this site. If so, we could come up there or you could come down to our 4<sup>th</sup> floor conference. Let me know if that works. Thanks.

Mark

---

Mark D. Johnson, PhD, DABT  
Regional Director/ Senior Environmental Health Scientist  
Agency for Toxic Substances and Disease Registry (ATSDR)  
77 West Jackson Blvd.  
Chicago, IL 60604  
e-mail: [mdjohnson@cdc.gov](mailto:mdjohnson@cdc.gov)  
phone: 312-353-3436 (office)

**From:** Frank, Nathan  
**Sent:** Wednesday, June 04, 2014 4:22 PM  
**To:** Johnson, Mark  
**Cc:** Caudill, Motria; Cantello, Nicole; Bush, Bonnie; Smith, Molly  
**Subject:** RE: Petcoke air data

Mark,

Virtually all of the monitoring data is posted on our Petcoke Website:  
<http://www2.epa.gov/petroleum-coke-chicago/fenceline-air-monitoring-pet-coke-storage-facilities>

We also have some data from April that is not posted, because KCBX used an alternative method to analyze the samples. Right Motria? We'll be getting the April data at the same time as the May data – in late June.

Thanks,

---

Nathan A. Frank, P.E.  
Chief, Air Enforcement and Compliance Assurance Section (IL/IN)  
U.S. EPA, Region 5  
77 W. Jackson Blvd. (AE-17J)  
Chicago, IL 60604

Phone: (312) 886-3850  
Fax: (312) 692-2409  
Email: [frank.nathan@epa.gov](mailto:frank.nathan@epa.gov)

## Johnson, Mark

(EPA)  
**From:** Frank, Nathan  
**Sent:** Friday, June 06, 2014 10:30 AM  
**To:** Johnson, Mark  
**Cc:** Caudill, Motria; Cantello, Nicole; Bush, Bonnie; Smith, Molly; Colledge, Michelle  
**Subject:** RE: Petcoke air data

I'm available at 11. Do others want to participate?

---

**From:** Johnson, Mark  
**Sent:** Friday, June 06, 2014 10:27 AM  
**To:** Frank, Nathan  
**Cc:** Caudill, Motria; Cantello, Nicole; Bush, Bonnie; Smith, Molly; Colledge, Michelle  
**Subject:** RE: Petcoke air data

Nathan

Could we arrange a time to meet with you and your staff involved in this investigation so we have a better idea of the overall strategy for this site, and the decisions that are being considered. The ATSDR Petitions team is meeting soon to discuss this site and having an understanding of EPA's plans would be very useful.

Checking everyone's calendar, it looks like you will be out for the next 2 weeks. This may be short notice, but are you available to meet today at 11 AM, noon, or after 3:30 today to have a brief conversation about this site. If so, we could come up there or you could come down to our 4<sup>th</sup> floor conference. Let me know if that works. Thanks.

Mark

---

Mark D. Johnson, PhD, DABT  
Regional Director/ Senior Environmental Health Scientist  
Agency for Toxic Substances and Disease Registry (ATSDR)  
77 West Jackson Blvd.  
Chicago, IL 60604  
e-mail: [mdjohnson@cdc.gov](mailto:mdjohnson@cdc.gov)  
phone: 312-353-3436 (office)

---

(EPA)  
**From:** Frank, Nathan  
**Sent:** Wednesday, June 04, 2014 4:22 PM  
**To:** Johnson, Mark  
**Cc:** Caudill, Motria; Cantello, Nicole; Bush, Bonnie; Smith, Molly  
**Subject:** RE: Petcoke air data

Mark,

Virtually all of the monitoring data is posted on our Petcoke Website:

<http://www2.epa.gov/petroleum-coke-chicago/fenceline-air-monitoring-pet-coke-storage-facilities>

(EPA)

We also have some data from April that is not posted, because KCBX used an alternative method to analyze the samples. Right Motria? We'll be getting the April data at the same time as the May data – in late June.

Thanks,

---

Nathan A. Frank, P.E.  
Chief, Air Enforcement and Compliance Assurance Section (IL/IN)  
U.S. EPA, Region 5  
77 W. Jackson Blvd. (AE-17J)  
Chicago, IL 60604

Phone: (312) 886-3850  
Fax: (312) 692-2409  
Email: [frank.nathan@epa.gov](mailto:frank.nathan@epa.gov)

---

**From:** Johnson, Mark  
**Sent:** Wednesday, June 04, 2014 12:12 PM  
**To:** Frank, Nathan  
**Subject:** Petcoke air data

Nathan

As you know, Sen. Durbin and Cong. Kelly petitioned ATSDR to conduct a health assessment for community exposures to the emissions from the petcoke piles in SE Chicago. I realize that the air monitoring activities are on-going, but I wanted to see if we would have an opportunity to review that has been collected to date. I wanted to inform my management that we are looking at the data as it becomes available. Thanks.

Mark

---

Mark D. Johnson, PhD, DABT  
Regional Director/ Senior Environmental Health Scientist  
Agency for Toxic Substances and Disease Registry (ATSDR)  
77 West Jackson Blvd.  
Chicago, IL 60604  
e-mail: [mdjohnson@cdc.gov](mailto:mdjohnson@cdc.gov)  
phone: 312-353-3436 (office)

## Johnson, Mark

---

**From:** Johnson, Mark  
**Sent:** Friday, June 06, 2014 10:27 AM  
**To:** Frank, Nathan  
**Cc:** Caudill, Motria; Cantello, Nicole; Bush, Bonnie; Smith, Molly; Michelle Colledge  
**Subject:** RE: Petcoke air data

Nathan

Could we arrange a time to meet with you and your staff involved in this investigation so we have a better idea of the overall strategy for this site, and the decisions that are being considered. The ATSDR Petitions team is meeting soon to discuss this site and having an understanding of EPA's plans would be very useful.

Checking everyone's calendar, it looks like you will be out for the next 2 weeks. This may be short notice, but are you available to meet today at 11 AM, noon, or after 3:30 today to have a brief conversation about this site. If so, we could come up there or you could come down to our 4<sup>th</sup> floor conference. Let me know if that works. Thanks.

Mark

---

Mark D. Johnson, PhD, DABT  
Regional Director/ Senior Environmental Health Scientist  
Agency for Toxic Substances and Disease Registry (ATSDR)  
77 West Jackson Blvd.  
Chicago, IL 60604  
e-mail: mdjohnson@cdc.gov  
phone: 312-353-3436 (office)

(EPA)  
**From:** Frank, Nathan  
**Sent:** Wednesday, June 04, 2014 4:22 PM  
**To:** Johnson, Mark  
**Cc:** Caudill, Motria; Cantello, Nicole; Bush, Bonnie; Smith, Molly  
**Subject:** RE: Petcoke air data

Mark,

Virtually all of the monitoring data is posted on our Petcoke Website:  
<http://www2.epa.gov/petroleum-coke-chicago/fenceline-air-monitoring-pet-coke-storage-facilities>

We also have some data from April that is not posted, because KCBX used an alternative method to analyze the samples. Right Motria? We'll be getting the April data at the same time as the May data – in late June.

Thanks,

---

Nathan A. Frank, P.E.  
Chief, Air Enforcement and Compliance Assurance Section (IL/IN)  
U.S. EPA, Region 5

(EPA)

77 W. Jackson Blvd. (AE-17J)  
Chicago, IL 60604

Phone: (312) 886-3850

Fax: (312) 692-2409

Email: [frank.nathan@epa.gov](mailto:frank.nathan@epa.gov)

---

**From:** Johnson, Mark

**Sent:** Wednesday, June 04, 2014 12:12 PM

**To:** Frank, Nathan

**Subject:** Petcoke air data

Nathan

As you know, Sen. Durbin and Cong. Kelly petitioned ATSDR to conduct a health assessment for community exposures to the emissions from the petcoke piles in SE Chicago. I realize that the air monitoring activities are on-going, but I wanted to see if we would have an opportunity to review that has been collected to date. I wanted to inform my management that we are looking at the data as it becomes available. Thanks.

Mark

---

Mark D. Johnson, PhD, DABT

Regional Director/ Senior Environmental Health Scientist

Agency for Toxic Substances and Disease Registry (ATSDR)

77 West Jackson Blvd.

Chicago, IL 60604

e-mail: [mdjohnson@cdc.gov](mailto:mdjohnson@cdc.gov)

phone: 312-353-3436 (office)

## Johnson, Mark

---

**From:** Johnson, Mark  
**Sent:** Friday, June 06, 2014 9:25 AM  
**To:** Michelle Colledge  
**Subject:** FW: Petcoke air data

---

Mark D. Johnson, PhD, DABT  
Regional Director/ Senior Environmental Health Scientist  
Agency for Toxic Substances and Disease Registry (ATSDR)  
77 West Jackson Blvd.  
Chicago, IL 60604  
e-mail: mdjohnson@cdc.gov  
phone: 312-353-3436 (office)

**From:** Caudill, Motria  
**Sent:** Wednesday, June 04, 2014 4:25 PM  
**To:** Frank, Nathan; Johnson, Mark  
**Cc:** Cantello, Nicole; Bush, Bonnie; Smith, Molly  
**Subject:** RE: Petcoke air data

Nope, I don't think we have the "alternative" April metals data. The Feb/March metals numbers are up. The PM10 data is all up except the latest week that I've promised to Karen in the morning, so she can put it on the web.. along with dust wipe results.

---

**From:** Frank, Nathan  
**Sent:** Wednesday, June 04, 2014 4:22 PM  
**To:** Johnson, Mark  
**Cc:** Caudill, Motria; Cantello, Nicole; Bush, Bonnie; Smith, Molly  
**Subject:** RE: Petcoke air data

Mark,

Virtually all of the monitoring data is posted on our Petcoke Website:  
<http://www2.epa.gov/petroleum-coke-chicago/fenceline-air-monitoring-pet-coke-storage-facilities>

We also have some data from April that is not posted, because KCBX used an alternative method to analyze the samples. Right Motria? We'll be getting the April data at the same time as the May data – in late June.

Thanks,

---

Nathan A. Frank, P.E.  
Chief, Air Enforcement and Compliance Assurance Section (IL/IN)  
U.S. EPA, Region 5  
77 W. Jackson Blvd. (AE-17J)

(EPA)

Chicago, IL 60604

Phone: (312) 886-3850

Fax: (312) 692-2409

Email: [frank.nathan@epa.gov](mailto:frank.nathan@epa.gov)

---

**From:** Johnson, Mark

**Sent:** Wednesday, June 04, 2014 12:12 PM

**To:** Frank, Nathan

**Subject:** Petcoke air data

Nathan

As you know, Sen. Durbin and Cong. Kelly petitioned ATSDR to conduct a health assessment for community exposures to the emissions from the petcoke piles in SE Chicago. I realize that the air monitoring activities are on-going, but I wanted to see if we would have an opportunity to review that has been collected to date. I wanted to inform my management that we are looking at the data as it becomes available. Thanks.

Mark

---

Mark D. Johnson, PhD, DABT

Regional Director/ Senior Environmental Health Scientist

Agency for Toxic Substances and Disease Registry (ATSDR)

77 West Jackson Blvd.

Chicago, IL 60604

e-mail: [mdjohnson@cdc.gov](mailto:mdjohnson@cdc.gov)

phone: 312-353-3436 (office)

## Johnson, Mark

---

**From:** Johnson, Mark  
**Sent:** Thursday, June 05, 2014 9:55 AM  
**To:** Frank, Nathan  
**Cc:** Caudill, Motria; Cantello, Nicole; Bush, Bonnie; Smith, Molly  
**Subject:** RE: Petcoke air data

Nathan

Thanks for the information. I will ask Michelle Colledge to coordinate with Motria about the air monitoring and wipe sample data.

Mark

---

Mark D. Johnson, PhD, DABT  
Regional Director/ Senior Environmental Health Scientist  
Agency for Toxic Substances and Disease Registry (ATSDR)  
77 West Jackson Blvd.  
Chicago, IL 60604  
e-mail: [mdjohnson@cdc.gov](mailto:mdjohnson@cdc.gov)  
phone: 312-353-3436 (office)

---

**From:** Frank, Nathan  
**Sent:** Wednesday, June 04, 2014 4:22 PM  
**To:** Johnson, Mark  
**Cc:** Caudill, Motria; Cantello, Nicole; Bush, Bonnie; Smith, Molly  
**Subject:** RE: Petcoke air data

Mark,

Virtually all of the monitoring data is posted on our Petcoke Website:  
<http://www2.epa.gov/petroleum-coke-chicago/fenceline-air-monitoring-pet-coke-storage-facilities>

We also have some data from April that is not posted, because KCBX used an alternative method to analyze the samples. Right Motria? We'll be getting the April data at the same time as the May data – in late June.

Thanks,

---

Nathan A. Frank, P.E.  
Chief, Air Enforcement and Compliance Assurance Section (IL/IN)  
U.S. EPA, Region 5  
77 W. Jackson Blvd. (AE-17J)  
Chicago, IL 60604

Phone: (312) 886-3850  
Fax: (312) 692-2409  
Email: [frank.nathan@epa.gov](mailto:frank.nathan@epa.gov)

## Johnson, Mark

---

**From:** Caudill, Motria  
**Sent:** Wednesday, June 04, 2014 4:25 PM  
**To:** Frank, Nathan; Johnson, Mark  
**Cc:** Cantello, Nicole; Bush, Bonnie; Smith, Molly  
**Subject:** RE: Petcoke air data

Nope, I don't think we have the "alternative" April metals data. The Feb/March metals numbers are up. The PM10 data is all up except the latest week that I've promised to Karen in the morning, so she can put it on the web.. along with dust wipe results.

---

**From:** Frank, Nathan  
**Sent:** Wednesday, June 04, 2014 4:22 PM  
**To:** Johnson, Mark  
**Cc:** Caudill, Motria; Cantello, Nicole; Bush, Bonnie; Smith, Molly  
**Subject:** RE: Petcoke air data

Mark,

Virtually all of the monitoring data is posted on our Petcoke Website:

<http://www2.epa.gov/petroleum-coke-chicago/fenceline-air-monitoring-pet-coke-storage-facilities>

We also have some data from April that is not posted, because KCBX used an alternative method to analyze the samples. Right Motria? We'll be getting the April data at the same time as the May data – in late June.

Thanks,

---

Nathan A. Frank, P.E.  
Chief, Air Enforcement and Compliance Assurance Section (IL/IN)  
U.S. EPA, Region 5  
77 W. Jackson Blvd. (AE-17J)  
Chicago, IL 60604

Phone: (312) 886-3850  
Fax: (312) 692-2409  
Email: [frank.nathan@epa.gov](mailto:frank.nathan@epa.gov)

---

**From:** Johnson, Mark  
**Sent:** Wednesday, June 04, 2014 12:12 PM  
**To:** Frank, Nathan  
**Subject:** Petcoke air data

Nathan

**Johnson, Mark**

(EPA)  
**From:** Frank, Nathan  
**Sent:** Wednesday, June 04, 2014 4:22 PM  
**To:** Johnson, Mark  
**Cc:** Caudill, Motria; Cantello, Nicole; Bush, Bonnie; Smith, Molly  
**Subject:** RE: Petcoke air data

Mark,

Virtually all of the monitoring data is posted on our Petcoke Website:

<http://www2.epa.gov/petroleum-coke-chicago/fenceline-air-monitoring-pet-coke-storage-facilities>

We also have some data from April that is not posted, because KCBX used an alternative method to analyze the samples. Right Motria? We'll be getting the April data at the same time as the May data – in late June.

Thanks,

---

Nathan A. Frank, P.E.  
Chief, Air Enforcement and Compliance Assurance Section (IL/IN)  
U.S. EPA, Region 5  
77 W. Jackson Blvd. (AE-17J)  
Chicago, IL 60604

Phone: (312) 886-3850  
Fax: (312) 692-2409  
Email: [frank.nathan@epa.gov](mailto:frank.nathan@epa.gov)

---

**From:** Johnson, Mark  
**Sent:** Wednesday, June 04, 2014 12:12 PM  
**To:** Frank, Nathan  
**Subject:** Petcoke air data

Nathan

As you know, Sen. Durbin and Cong. Kelly petitioned ATSDR to conduct a health assessment for community exposures to the emissions from the petcoke piles in SE Chicago. I realize that the air monitoring activities are on-going, but I wanted to see if we would have an opportunity to review that has been collected to date. I wanted to inform my management that we are looking at the data as it becomes available. Thanks.

Mark

---

Mark D. Johnson, PhD, DABT

## Johnson, Mark

---

**From:** Johnson, Mark  
**Sent:** Wednesday, January 22, 2014 2:29 PM  
**To:** Caudill, Motria; Frank, Nathan  
**Cc:** Bush, Bonnie; Cantello, Nicole; Brahmbhatt, Roshni  
**Subject:** RE: Status of Air monitoring at Pet Coke piles

Thanks Motria, Bonnie, and Nathan. We can talk further as the data become available.

Mark

---

Mark D. Johnson, PhD, DABT  
Regional Director/ Senior Environmental Health Scientist  
Agency for Toxic Substances and Disease Registry (ATSDR)  
77 West Jackson Blvd.  
Chicago, IL 60604  
e-mail: [mdjohnson@cdc.gov](mailto:mdjohnson@cdc.gov)  
phone: 312-353-3436 (office)

**From:** Caudill, Motria  
**Sent:** Wednesday, January 22, 2014 1:22 PM  
**To:** Johnson, Mark; Frank, Nathan  
**Cc:** Bush, Bonnie; Cantello, Nicole; Brahmbhatt, Roshni  
**Subject:** RE: Status of Air monitoring at Pet Coke piles

Hi Mark – The QAPP will be written by KCBX and provided to us when monitoring starts. We can share it then. We are requiring them to follow all the appropriate procedures as defined in the CFR for ambient PM10 monitoring.

**From:** Johnson, Mark  
**Sent:** Wednesday, January 22, 2014 12:44 PM  
**To:** Frank, Nathan  
**Cc:** Bush, Bonnie; Cantello, Nicole; Brahmbhatt, Roshni; Caudill, Motria  
**Subject:** RE: Status of Air monitoring at Pet Coke piles

Thanks Nathan. This information will be helpful in providing a formal response from ATSDR back to Sen. Durbin and Cong. Kelly regarding their request for a health assessment. I will ask Loretta for a copy of the QAPP.

One specific question is the frequency that you will be receiving the monitoring data from these facilities. Are they required to report the results to EPA on a monthly basis? Will that data be available for us to review?

Mark

---

Mark D. Johnson, PhD, DABT  
Regional Director/ Senior Environmental Health Scientist  
Agency for Toxic Substances and Disease Registry (ATSDR)  
77 West Jackson Blvd.  
Chicago, IL 60604  
e-mail: [mdjohnson@cdc.gov](mailto:mdjohnson@cdc.gov)  
phone: 312-353-3436 (office)

**From:** Frank, Nathan  
**Sent:** Wednesday, January 22, 2014 12:32 PM  
**To:** Johnson, Mark  
**Cc:** Bush, Bonnie; Cantello, Nicole; Brahmbhatt, Roshni; Caudill, Motria  
**Subject:** FW: Status of Air monitoring at Pet Coke piles

Mark,

Our group answered your questions below in read a couple of weeks ago, but I dropped the ball on my forwarding. Sorry.

Bonnie, thanks for resurrecting this!

---

**From:** Brahmbhatt, Roshni  
**Sent:** Tuesday, January 14, 2014 10:04 AM  
**To:** Frank, Nathan; Caudill, Motria  
**Cc:** Bush, Bonnie; Cantello, Nicole  
**Subject:** RE: Status of Air monitoring at Pet Coke piles

Motria's and my responses are below in red. Please let us know if there's any other questions.

Thanks,  
Roshni

---

**From:** Frank, Nathan  
**Sent:** Monday, January 13, 2014 1:58 PM  
**To:** Caudill, Motria; Brahmbhatt, Roshni  
**Cc:** Bush, Bonnie; Cantello, Nicole  
**Subject:** FW: Status of Air monitoring at Pet Coke piles

Motria and Roshni,

Can you two follow up with Mark on his questions?

Thanks!

---

**From:** Johnson, Mark  
**Sent:** Monday, January 13, 2014 1:07 PM  
**To:** Frank, Nathan  
**Cc:** Colledge, Michelle; Samanic, Claudine; Susan Neurath  
**Subject:** Status of Air monitoring at Pet Coke piles

Nathan

On Dec. 16, 2013, ATSDR received a Congressional petition, signed by Senator Durbin and Congresswoman Kelly regarding community concerns about particulate emissions from the petroleum coke piles. In addition, the Southeast Environmental Task Force has expressed an interest in joining that petition to ATSDR. Their objective is to ensure that all of the facilities are included in the assessment and that it is inclusive of both "pet coke" (product of oil coking) and "met coke" (metallurgical coke that is the product of coal coking) particles. When we spoke a couple weeks ago, you mentioned that EPA Air Enforcement is working with KCBX to install PM monitors at the perimeter of the facility and conduct dust wipe sampling at residences that are downwind.

I wanted to be able to brief my management about the status of those efforts. Here are a few questions that would be helpful to answer:

- 1) How many facilities are included in the assessment that is being planned? Will it include KCBX and Beemsterboer?

(EPA)  
Z KCBX and Beemsterboer

- 2) Is there an estimated timeframe for initiating the monitoring program?

(EPA) Monitoring sites have been approved. The facility is due to send the Quality Assurance Project Plan and start monitoring by end of January. Monitoring is required for one year.

- 3) Will ATSDR be able to provide comment on the air and dust sampling plan?

(EPA) QAPP for the sampling plan has been signed off by Loretta Lehrman already. We can provide ATSDR a copy.

- 4) Has there been a chemical analysis of the source material at these facilities?

(EPA) EPA has asked the companies for these results and we are also requiring onsite petcoke pile sampling for PAH/metals analysis at EPA-CRL.

- 5) Will there be a chemical analysis of the PM filters to determine actual exposure concentrations of contaminants.

(EPA) Filters will be archived and a subset (e.g. high PM samples) will be analyzed at EPA-CRL for metals.

- 6) Has EPA-R5 been in direct contact with the Congressional Offices to brief them on the strategy.

(EPA) We have spoken to IAG and the City of Chicago. Susan Hedman & George Czerniak went on a tour with Senator Durbin, but it wasn't an in-depth briefing on our efforts.

You can respond via email, but feel free to call me to discuss further. Thanks.

Mark

---

Mark D. Johnson, PhD, DABT  
Regional Director/ Senior Environmental Health Scientist  
Agency for Toxic Substances and Disease Registry (ATSDR)  
77 West Jackson Blvd.  
Chicago, IL 60604  
e-mail: [mdjohnson@cdc.gov](mailto:mdjohnson@cdc.gov)  
phone: 312-353-3436 (office)

## Johnson, Mark

---

**From:** Johnson, Mark  
**Sent:** Wednesday, January 22, 2014 12:44 PM  
**To:** Frank, Nathan  
**Cc:** Bush, Bonnie; Cantello, Nicole; Brahmbhatt, Roshni; Caudill, Motria  
**Subject:** RE: Status of Air monitoring at Pet Coke piles

Thanks Nathan. This information will be helpful in providing a formal response from ATSDR back to Sen. Durbin and Cong. Kelly regarding their request for a health assessment. I will ask Loretta for a copy of the QAPP.

One specific question is the frequency that you will be receiving the monitoring data from these facilities. Are they required to report the results to EPA on a monthly basis? Will that data be available for us to review?

Mark

---

Mark D. Johnson, PhD, DABT  
Regional Director/ Senior Environmental Health Scientist  
Agency for Toxic Substances and Disease Registry (ATSDR)  
77 West Jackson Blvd.  
Chicago, IL 60604  
e-mail: mdjohnson@cdc.gov  
phone: 312-353-3436 (office)

(EPA)  
**From:** Frank, Nathan  
**Sent:** Wednesday, January 22, 2014 12:32 PM  
**To:** Johnson, Mark  
**Cc:** Bush, Bonnie; Cantello, Nicole; Brahmbhatt, Roshni; Caudill, Motria  
**Subject:** FW: Status of Air monitoring at Pet Coke piles

Mark,

Our group answered your questions below in read a couple of weeks ago, but I dropped the ball on my forwarding. Sorry.

Bonnie, thanks for resurrecting this!

---

**From:** Brahmbhatt, Roshni  
**Sent:** Tuesday, January 14, 2014 10:04 AM  
**To:** Frank, Nathan; Caudill, Motria  
**Cc:** Bush, Bonnie; Cantello, Nicole  
**Subject:** RE: Status of Air monitoring at Pet Coke piles

Motria's and my responses are below in red. Please let us know if there's any other questions.

Thanks,  
Roshni

---

**From:** Frank, Nathan  
**Sent:** Monday, January 13, 2014 1:58 PM  
**To:** Caudill, Motria; Brahmbhatt, Roshni

**From:** EPA  
**Cc:** Bush, Bonnie; Cantello, Nicole  
**Subject:** FW: Status of Air monitoring at Pet Coke piles

Motria and Roshni,

Can you two follow up with Mark on his questions?

Thanks!

**From:** Johnson, Mark  
**Sent:** Monday, January 13, 2014 1:07 PM  
**To:** Frank, Nathan  
**Cc:** Colledge, Michelle; Samanic, Claudine; Susan Neurath  
**Subject:** Status of Air monitoring at Pet Coke piles

Nathan

On Dec. 16, 2013, ATSDR received a Congressional petition, signed by Senator Durbin and Congresswoman Kelly regarding community concerns about particulate emissions from the petroleum coke piles. In addition, the Southeast Environmental Task Force has expressed an interest in joining that petition to ATSDR. Their objective is to ensure that all of the facilities are included in the assessment and that it is inclusive of both "pet coke" (product of oil coking) and "met coke" (metallurgical coke that is the product of coal coking) particles. When we spoke a couple weeks ago, you mentioned that EPA Air Enforcement is working with KCBX to install PM monitors at the perimeter of the facility and conduct dust wipe sampling at residences that are downwind. I wanted to be able to brief my management about the status of those efforts. Here are a few questions that would be helpful to answer:

- 1) How many facilities are included in the assessment that is being planned? Will it include KCBX and Beemsterboer?

(EPA) KCBX and Beemsterboer

- 2) Is there an estimated timeframe for initiating the monitoring program?

(EPA) Monitoring sites have been approved. The facility is due to send the Quality Assurance Project Plan and start monitoring by end of January. Monitoring is required for one year.

- 3) Will ATSDR be able to provide comment on the air and dust sampling plan?

(EPA) QAPP for the sampling plan has been signed off by Loretta Lehrman already. We can provide ATSDR a copy.

- 4) Has there been a chemical analysis of the source material at these facilities?

(EPA) has asked the companies for these results and we are also requiring onsite petcoke pile sampling for PAH/metals analysis at EPA-CRL.

- 5) Will there be a chemical analysis of the PM filters to determine actual exposure concentrations of contaminants.

(EPA) Filters will be archived and a subset (e.g. high PM samples) will be analyzed at EPA-CRL for metals.

- 6) Has EPA-R5 been in direct contact with the Congressional Offices to brief them on the strategy.

(EPA) We have spoken to IAG and the City of Chicago. Susan Hedman & George Czerniak went on a tour with Senator Durbin, but it wasn't an in-depth briefing on our efforts.

SAMPDATA

sCommen	SNOTE1	SNOTE2	SNOTE3	SNOTE4	SNOTE5	SNOTE6	SNOTE7	SNOTE8	SNOTE9	SNOTE10	ANALYTEORDER
											1
											10
											11
											12
											13
											14
											15
											16
											17
											18
											19
											2
											20
											21
											22
											23
											3
											4
											5
											6
											7
											8
											9
											1
											10
											11
											12
											13
											14
											15
											16
											17
											18
											19
											2
											20

SAMPDATA

											21	
											22	
											23	
											3	
											4	
											5	
											6	
											7	
											8	
											9	
											1	
											10	
											11	
											12	
											13	
											14	
											15	
											16	
											17	
											18	
											19	
											2	
											20	
											21	
											22	
											23	
											3	
											4	
											5	
											6	
											7	
											8	
											9	
											1	
											10	
											11	
											12	

SAMPDATA

FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	173			ng/Wipe	FALSE	NA	1	250.0	69.4	94.9	50	ZZZ			
FALSE	179			ng/Wipe	FALSE	NA	1	250.0	71.5	108	48.1	ZZZ			
FALSE	214			ng/Wipe	FALSE	NA	1	250.0	85.5	127	59.4	ZZZ			
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1				ZZZ				

SAMPDATA

FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1						ZZZ						
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1						ZZZ						
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1						ZZZ						
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1						ZZZ						
FALSE	147			ng/Wipe	FALSE	NA	1	250.0	58.7	94.9	50		ZZZ						
FALSE	161			ng/Wipe	FALSE	NA	1	250.0	64.3	108	48.1		ZZZ						
FALSE	212			ng/Wipe	FALSE	NA	1	250.0	84.8	127	59.4		ZZZ						
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1						ZZZ						
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1						ZZZ						
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1						ZZZ						
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1						ZZZ						
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1						ZZZ						
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1						ZZZ						
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1						ZZZ						
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1						ZZZ						
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1						ZZZ						
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1						ZZZ						
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1						ZZZ						
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1						ZZZ						
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1						ZZZ						
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1						ZZZ						
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1						ZZZ						
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1						ZZZ						
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1						ZZZ						
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1						ZZZ						
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1						ZZZ						
FALSE	180			ng/Wipe	FALSE	NA	1	250.0	71.8	94.9	50		ZZZ						
FALSE	187			ng/Wipe	FALSE	NA	1	250.0	74.7	108	48.1		ZZZ						
FALSE	214			ng/Wipe	FALSE	NA	1	250.0	85.6	127	59.4		ZZZ						
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1						ZZZ						
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1						ZZZ						
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1						ZZZ						
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1						ZZZ						
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1						ZZZ						
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1						ZZZ						
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1						ZZZ						

SAMPDATA

FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1				ZZZ		J		
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	175			ng/Wipe	FALSE	NA	1	250.0	70.1	94.9	50	ZZZ			
FALSE	186			ng/Wipe	FALSE	NA	1	250.0	74.5	108	48.1	ZZZ			
FALSE	211			ng/Wipe	FALSE	NA	1	250.0	84.3	127	59.4	ZZZ			
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	20.6	10.0	20.0	ng/Wipe	FALSE	NA	1				ZZZ		K		
FALSE	37.5	10.0	20.0	ng/Wipe	FALSE	NA	1				ZZZ		K		
FALSE	32.3	10.0	20.0	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	48.8	10.0	20.0	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	33.5	10.0	20.0	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1				ZZZ		J		
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	44.1	10.0	20.0	ng/Wipe	FALSE	NA	1				ZZZ				
FALSE	193			ng/Wipe	FALSE	NA	1	250.0	77.3	94.9	50	ZZZ			

SAMPDATA

FALSE	193			ng/Wipe	FALSE	NA	1	250.0	77.3	108	48.1	ZZZ					
FALSE	217			ng/Wipe	FALSE	NA	1	250.0	86.7	127	59.4	ZZZ					
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	43.1	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				K	
FALSE	77.8	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				K	
FALSE	60.7	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	122	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	84.7	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				J	
FALSE	33.2	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	26.0	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	120	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	156			ng/Wipe	FALSE	NA	1	250.0	62.5	94.9	50	ZZZ					
FALSE	177			ng/Wipe	FALSE	NA	1	250.0	70.8	108	48.1	ZZZ					
FALSE	213			ng/Wipe	FALSE	NA	1	250.0	85.1	127	59.4	ZZZ					
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	26.3	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				K	
FALSE	50.0	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				K	
FALSE	34.7	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ					

SAMPDATA

FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	76.6	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	52.3	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ			J	
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	73.9	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	130			ng/Wipe	FALSE	NA	1	250.0	51.9	94.9	50	ZZZ				
FALSE	149			ng/Wipe	FALSE	NA	1	250.0	59.4	108	48.1	ZZZ				
FALSE	211			ng/Wipe	FALSE	NA	1	250.0	84.5	127	59.4	ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	52.6	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ			K	
FALSE	93.4	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	71.5	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	152	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	104	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ			J	
FALSE	37.2	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	33.2	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	148	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	147			ng/Wipe	FALSE	NA	1	250.0	59.0	94.9	50	ZZZ				
FALSE	166			ng/Wipe	FALSE	NA	1	250.0	66.4	108	48.1	ZZZ				
FALSE	214			ng/Wipe	FALSE	NA	1	250.0	85.6	127	59.4	ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ				

SAMPDATA

FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1						ZZZ					
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1						ZZZ					
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1						ZZZ					
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1						ZZZ					
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1						ZZZ					
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1						ZZZ					
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1						ZZZ					
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1						ZZZ					
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1						ZZZ					
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1						ZZZ					
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1						ZZZ					
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1						ZZZ					
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1						ZZZ					
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1						ZZZ					
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1						ZZZ					
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1						ZZZ					
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1						ZZZ					
FALSE	157			ng/Wipe	FALSE	NA	1		250.0	62.9	94.9	50	ZZZ					
FALSE	165			ng/Wipe	FALSE	NA	1		250.0	66.0	108	48.1	ZZZ					
FALSE	210			ng/Wipe	FALSE	NA	1		250.0	83.9	127	59.4	ZZZ					
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1						ZZZ					
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1						ZZZ					
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1						ZZZ					
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1						ZZZ					
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1						ZZZ					
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1						ZZZ					
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1						ZZZ					

SAMPDATA

									13	
									14	
									15	
									16	
									17	
									18	
									19	
									2	
									20	
									21	
									22	
									23	
									3	
									4	
									5	
									6	
									7	
									8	
									9	
									1	
									10	
									11	
									12	
									13	
									14	
									15	
									16	
									17	
									18	
									19	
									2	
									20	
									21	
									22	
									23	
									3	
									4	

SAMPDATA

											5	
											6	
											7	
											8	
											9	
											1	
											10	
											11	
											12	
											13	
											14	
											15	
											16	
											17	
											18	
											19	
											2	
											20	
											21	
											22	
											23	
											3	
											4	
											5	
											6	
											7	
											8	
											9	
											1	
											10	
											11	
											12	
											13	
											14	
											15	
											16	
											17	

SAMPDATA

									18
									19
									2
									20
									21
									22
									23
									3
									4
									5
									6
									7
									8
									9
									1
									10
									11
									12
									13
									14
									15
									16
									17
									18
									19
									2
									20
									21
									22
									23
									3
									4
									5
									6
									7
									8
									9

SAMPDATA

												1	
												10	
												11	
												12	
												13	
												14	
												15	
												16	
												17	
												18	
												19	
												2	
												20	
												21	
												22	
												23	
												3	
												4	
												5	
												6	
												7	
												8	
												9	
												1	
												10	
												11	
												12	
												13	
												14	
												15	
												16	
												17	
												18	
												19	
												2	
												20	
												21	

SAMPDATA

											22	
											23	
											3	
											4	
											5	
											6	
											7	
											8	
											9	
											1	
											10	
											11	
											12	
											13	
											14	
											15	
											16	
											17	
											18	
											19	
											2	
											20	
											21	
											22	
											23	
											3	
											4	
											5	
											6	
											7	
											8	
											9	
											1	
											10	
											11	
											12	
											13	

SAMPDATA

											14	
											15	
											16	
											17	
											18	
											19	
											2	
											20	
											21	
											22	
											23	
											3	
											4	
											5	
											6	
											7	
											8	
											9	
											1	
											10	
											11	
											12	
											13	
											14	
											15	
											16	
											17	
											18	
											19	
											2	
											20	
											21	
											22	
											23	
											3	
											4	
											5	

SAMPDATA

						6	
						7	
						8	
						9	
						1	
						10	
						11	
						12	
						13	
						14	
						15	
						16	
						17	
						18	
						19	
						2	
						20	
						21	
						22	
						23	
						3	
						4	
						5	
						6	
						7	
						8	
						9	

SAMPDATA

FALSE	167			ng/Wipe	FALSE	NA	1	250.0	66.7	94.9	50	ZZZ				
FALSE	180			ng/Wipe	FALSE	NA	1	250.0	71.9	108	48.1	ZZZ				
FALSE	218			ng/Wipe	FALSE	NA	1	250.0	87.3	127	59.4	ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	165			ng/Wipe	FALSE	NA	1	250.0	66.1	94.9	50	ZZZ				
FALSE	179			ng/Wipe	FALSE	NA	1	250.0	71.5	108	48.1	ZZZ				
FALSE	217			ng/Wipe	FALSE	NA	1	250.0	87.0	127	59.4	ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				

SAMPDATA

FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	151			ng/Wipe	FALSE	NA	1	250.0	60.4	94.9	50	ZZZ				
FALSE	179			ng/Wipe	FALSE	NA	1	250.0	71.7	108	48.1	ZZZ				
FALSE	218			ng/Wipe	FALSE	NA	1	250.0	87.3	127	59.4	ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	37.0	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	23.2	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	41.6	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	25.6	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	39.3	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	185			ng/Wipe	FALSE	NA	1	250.0	74.0	94.9	50	ZZZ				
FALSE	194			ng/Wipe	FALSE	NA	1	250.0	77.5	108	48.1	ZZZ				
FALSE	212			ng/Wipe	FALSE	NA	1	250.0	84.7	127	59.4	ZZZ				
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ				
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ				

## Page 5

Air Divisor	SE Chicag [none]	US EPA R 7B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Indeno(1,2	193-39-5	FALSE
Air Divisor	SE Chicag [none]	US EPA R 7B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Dibenz(a,h)	53-70-3	FALSE
Air Divisor	SE Chicag [none]	US EPA R 7B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	2-Methylna	91-57-6	FALSE
Air Divisor	SE Chicag [none]	US EPA R 7B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Benzo(g,h)	191-24-2	FALSE
Air Divisor	SE Chicag [none]	US EPA R 7B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Nitrobenze	4165-60-0	TRUE
Air Divisor	SE Chicag [none]	US EPA R 7B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	2-Fluorobi	321-60-8	TRUE
Air Divisor	SE Chicag [none]	US EPA R 7B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Terphenyl-	1718-51-0	TRUE
Air Divisor	SE Chicag [none]	US EPA R 7B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	1-Methylna	90-12-0	FALSE
Air Divisor	SE Chicag [none]	US EPA R 7B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Acenaphth	208-96-8	FALSE
Air Divisor	SE Chicag [none]	US EPA R 7B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Acenaphth	83-32-9	FALSE
Air Divisor	SE Chicag [none]	US EPA R 7B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Fluorene	86-73-7	FALSE
Air Divisor	SE Chicag [none]	US EPA R 7B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Phenanthr	85-01-8	FALSE
Air Divisor	SE Chicag [none]	US EPA R 7B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Anthracen	120-12-7	FALSE
Air Divisor	SE Chicag [none]	US EPA R 7B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Fluoranth	206-44-0	FALSE
Air Divisor	SE Chicag [none]	US EPA R 8B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Naphthale	91-20-3	FALSE
Air Divisor	SE Chicag [none]	US EPA R 8B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Pyrene	129-00-0	FALSE
Air Divisor	SE Chicag [none]	US EPA R 8B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Benzo (a)	56-55-3	FALSE
Air Divisor	SE Chicag [none]	US EPA R 8B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Chrysene	218-01-9	FALSE
Air Divisor	SE Chicag [none]	US EPA R 8B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Benzo(b)fl	205-99-2	FALSE
Air Divisor	SE Chicag [none]	US EPA R 8B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Benzo(k)fl	207-08-9	FALSE
Air Divisor	SE Chicag [none]	US EPA R 8B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Benzo (e)	192-97-2	FALSE
Air Divisor	SE Chicag [none]	US EPA R 8B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Benzo(a)p	50-32-8	FALSE
Air Divisor	SE Chicag [none]	US EPA R 8B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Perylene	1985-5-0	FALSE
Air Divisor	SE Chicag [none]	US EPA R 8B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Indeno(1,2	193-39-5	FALSE
Air Divisor	SE Chicag [none]	US EPA R 8B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Dibenz(a,h)	53-70-3	FALSE
Air Divisor	SE Chicag [none]	US EPA R 8B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	2-Methylna	91-57-6	FALSE
Air Divisor	SE Chicag [none]	US EPA R 8B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Benzo(g,h)	191-24-2	FALSE
Air Divisor	SE Chicag [none]	US EPA R 8B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Nitrobenze	4165-60-0	TRUE
Air Divisor	SE Chicag [none]	US EPA R 8B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	2-Fluorobi	321-60-8	TRUE
Air Divisor	SE Chicag [none]	US EPA R 8B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Terphenyl-	1718-51-0	TRUE
Air Divisor	SE Chicag [none]	US EPA R 8B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	1-Methylna	90-12-0	FALSE
Air Divisor	SE Chicag [none]	US EPA R 8B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Acenaphth	208-96-8	FALSE
Air Divisor	SE Chicag [none]	US EPA R 8B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Acenaphth	83-32-9	FALSE
Air Divisor	SE Chicag [none]	US EPA R 8B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Fluorene	86-73-7	FALSE
Air Divisor	SE Chicag [none]	US EPA R 8B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Phenanthr	85-01-8	FALSE
Air Divisor	SE Chicag [none]	US EPA R 8B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Anthracen	120-12-7	FALSE
Air Divisor	SE Chicag [none]	US EPA R 8B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Fluoranth	206-44-0	FALSE

SAMPDATA

Air Divisior SE Chicag [none]	US EPA R 9B	1404008-1 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex Naphthale	91-20-3	FALSE
Air Divisior SE Chicag [none]	US EPA R 9B	1404008-1 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex Pyrene	129-00-0	FALSE
Air Divisior SE Chicag [none]	US EPA R 9B	1404008-1 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex Benzo (a)	56-55-3	FALSE
Air Divisior SE Chicag [none]	US EPA R 9B	1404008-1 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex Chrysene	218-01-9	FALSE
Air Divisior SE Chicag [none]	US EPA R 9B	1404008-1 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex Benzo(b)fl	205-99-2	FALSE
Air Divisior SE Chicag [none]	US EPA R 9B	1404008-1 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex Benzo(k)fl	207-08-9	FALSE
Air Divisior SE Chicag [none]	US EPA R 9B	1404008-1 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex Benzo (e)	192-97-2	FALSE
Air Divisior SE Chicag [none]	US EPA R 9B	1404008-1 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex Benzo(a)p	50-32-8	FALSE
Air Divisior SE Chicag [none]	US EPA R 9B	1404008-1 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex Perylene	1985-5-0	FALSE
Air Divisior SE Chicag [none]	US EPA R 9B	1404008-1 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex Indeno(1,2	193-39-5	FALSE
Air Divisior SE Chicag [none]	US EPA R 9B	1404008-1 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex Dibenz(a,f	53-70-3	FALSE
Air Divisior SE Chicag [none]	US EPA R 9B	1404008-1 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex 2-Methylnz	91-57-6	FALSE
Air Divisior SE Chicag [none]	US EPA R 9B	1404008-1 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex Benzo(g,h	191-24-2	FALSE
Air Divisior SE Chicag [none]	US EPA R 9B	1404008-1 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex Nitrobenze	4165-60-0	TRUE
Air Divisior SE Chicag [none]	US EPA R 9B	1404008-1 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex 2-Fluorobi	321-60-8	TRUE
Air Divisior SE Chicag [none]	US EPA R 9B	1404008-1 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex Terphenyl	1718-51-0	TRUE
Air Divisior SE Chicag [none]	US EPA R 9B	1404008-1 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex 1-Methylnz	90-12-0	FALSE
Air Divisior SE Chicag [none]	US EPA R 9B	1404008-1 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex Acenaphth	208-96-8	FALSE
Air Divisior SE Chicag [none]	US EPA R 9B	1404008-1 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex Acenaphth	83-32-9	FALSE
Air Divisior SE Chicag [none]	US EPA R 9B	1404008-1 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex Fluorene	86-73-7	FALSE
Air Divisior SE Chicag [none]	US EPA R 9B	1404008-1 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex Phenanthr	85-01-8	FALSE
Air Divisior SE Chicag [none]	US EPA R 9B	1404008-1 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex Anthracen	120-12-7	FALSE
Air Divisior SE Chicag [none]	US EPA R 9B	1404008-1 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex Fluoranth	206-44-0	FALSE
Air Divisior SE Chicag [none]	US EPA R 10B	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex Naphthale	91-20-3	FALSE
Air Divisior SE Chicag [none]	US EPA R 10B	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex Pyrene	129-00-0	FALSE
Air Divisior SE Chicag [none]	US EPA R 10B	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex Benzo (a)	56-55-3	FALSE
Air Divisior SE Chicag [none]	US EPA R 10B	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex Chrysene	218-01-9	FALSE
Air Divisior SE Chicag [none]	US EPA R 10B	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex Benzo(b)fl	205-99-2	FALSE
Air Divisior SE Chicag [none]	US EPA R 10B	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex Benzo(k)fl	207-08-9	FALSE
Air Divisior SE Chicag [none]	US EPA R 10B	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex Benzo (e)	192-97-2	FALSE
Air Divisior SE Chicag [none]	US EPA R 10B	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex Benzo(a)p	50-32-8	FALSE
Air Divisior SE Chicag [none]	US EPA R 10B	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex Perylene	1985-5-0	FALSE
Air Divisior SE Chicag [none]	US EPA R 10B	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex Indeno(1,2	193-39-5	FALSE
Air Divisior SE Chicag [none]	US EPA R 10B	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex Dibenz(a,f	53-70-3	FALSE
Air Divisior SE Chicag [none]	US EPA R 10B	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex 2-Methylnz	91-57-6	FALSE
Air Divisior SE Chicag [none]	US EPA R 10B	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex Benzo(g,h	191-24-2	FALSE
Air Divisior SE Chicag [none]	US EPA R 10B	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex Nitrobenze	4165-60-0	TRUE

## Page 3

Air Division	SE Chicag	[none]	US EPA R 4B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex	Benzo(b)fl	205-99-2	FALSE
Air Division	SE Chicag	[none]	US EPA R 4B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex	Benzo(k)fl	207-08-9	FALSE
Air Division	SE Chicag	[none]	US EPA R 4B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex	Benzo (e)	192-97-2	FALSE
Air Division	SE Chicag	[none]	US EPA R 4B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex	Benzo(a)p	50-32-8	FALSE
Air Division	SE Chicag	[none]	US EPA R 4B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex	Perylene	1985-5-0	FALSE
Air Division	SE Chicag	[none]	US EPA R 4B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex	Indeno(1,2	193-39-5	FALSE
Air Division	SE Chicag	[none]	US EPA R 4B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex	Dibenz(a,r	53-70-3	FALSE
Air Division	SE Chicag	[none]	US EPA R 4B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex	2-Methyln	91-57-6	FALSE
Air Division	SE Chicag	[none]	US EPA R 4B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex	Benzo(g,h	191-24-2	FALSE
Air Division	SE Chicag	[none]	US EPA R 4B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex	Nitrobenze	4165-60-0	TRUE
Air Division	SE Chicag	[none]	US EPA R 4B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex	2-Fluorobi	321-60-8	TRUE
Air Division	SE Chicag	[none]	US EPA R 4B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex	Terphenyl	1718-51-0	TRUE
Air Division	SE Chicag	[none]	US EPA R 4B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex	1-Methyln	90-12-0	FALSE
Air Division	SE Chicag	[none]	US EPA R 4B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex	Acenaphth	208-96-8	FALSE
Air Division	SE Chicag	[none]	US EPA R 4B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex	Acenaphth	83-32-9	FALSE
Air Division	SE Chicag	[none]	US EPA R 4B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex	Fluorene	86-73-7	FALSE
Air Division	SE Chicag	[none]	US EPA R 4B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex	Phenanthr	85-01-8	FALSE
Air Division	SE Chicag	[none]	US EPA R 4B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex	Anthracen	120-12-7	FALSE
Air Division	SE Chicag	[none]	US EPA R 4B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex	Fluoranth	206-44-0	FALSE
Air Division	SE Chicag	[none]	US EPA R 5B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex	Naphthal	91-20-3	FALSE
Air Division	SE Chicag	[none]	US EPA R 5B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex	Pyrene	129-00-0	FALSE
Air Division	SE Chicag	[none]	US EPA R 5B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex	Benzo (a)	56-55-3	FALSE
Air Division	SE Chicag	[none]	US EPA R 5B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex	Chrysene	218-01-9	FALSE
Air Division	SE Chicag	[none]	US EPA R 5B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex	Benzo(b)fl	205-99-2	FALSE
Air Division	SE Chicag	[none]	US EPA R 5B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex	Benzo(k)fl	207-08-9	FALSE
Air Division	SE Chicag	[none]	US EPA R 5B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex	Benzo (e)	192-97-2	FALSE
Air Division	SE Chicag	[none]	US EPA R 5B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex	Benzo(a)p	50-32-8	FALSE
Air Division	SE Chicag	[none]	US EPA R 5B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex	Perylene	1985-5-0	FALSE
Air Division	SE Chicag	[none]	US EPA R 5B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex	Indeno(1,2	193-39-5	FALSE
Air Division	SE Chicag	[none]	US EPA R 5B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex	Dibenz(a,r	53-70-3	FALSE
Air Division	SE Chicag	[none]	US EPA R 5B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex	2-Methyln	91-57-6	FALSE
Air Division	SE Chicag	[none]	US EPA R 5B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex	Benzo(g,h	191-24-2	FALSE
Air Division	SE Chicag	[none]	US EPA R 5B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex	Nitrobenze	4165-60-0	TRUE
Air Division	SE Chicag	[none]	US EPA R 5B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex	2-Fluorobi	321-60-8	TRUE
Air Division	SE Chicag	[none]	US EPA R 5B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex	Terphenyl	1718-51-0	TRUE
Air Division	SE Chicag	[none]	US EPA R 5B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex	1-Methyln	90-12-0	FALSE
Air Division	SE Chicag	[none]	US EPA R 5B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	*** DEFAL	Solvent Ex	Acenaphth	208-96-8	FALSE

## Page 4

Air Divisor	SE Chicag [none]	US EPA R 5B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Acenaphth	83-32-9	FALSE
Air Divisor	SE Chicag [none]	US EPA R 5B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Fluorene	86-73-7	FALSE
Air Divisor	SE Chicag [none]	US EPA R 5B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Phenanthr	85-01-8	FALSE
Air Divisor	SE Chicag [none]	US EPA R 5B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Anthracen	120-12-7	FALSE
Air Divisor	SE Chicag [none]	US EPA R 5B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Fluoranth	206-44-0	FALSE
Air Divisor	SE Chicag [none]	US EPA R 6B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Naphthale	91-20-3	FALSE
Air Divisor	SE Chicag [none]	US EPA R 6B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Pyrene	129-00-0	FALSE
Air Divisor	SE Chicag [none]	US EPA R 6B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Benzo (a)	56-55-3	FALSE
Air Divisor	SE Chicag [none]	US EPA R 6B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Chrysene	218-01-9	FALSE
Air Divisor	SE Chicag [none]	US EPA R 6B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Benzo(b)fl	205-99-2	FALSE
Air Divisor	SE Chicag [none]	US EPA R 6B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Benzo(k)fl	207-08-9	FALSE
Air Divisor	SE Chicag [none]	US EPA R 6B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Benzo (e)	192-97-2	FALSE
Air Divisor	SE Chicag [none]	US EPA R 6B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Benzo(a)p	50-32-8	FALSE
Air Divisor	SE Chicag [none]	US EPA R 6B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Perylene	1985-5-0	FALSE
Air Divisor	SE Chicag [none]	US EPA R 6B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Indeno(1,2	193-39-5	FALSE
Air Divisor	SE Chicag [none]	US EPA R 6B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Dibenz(a,h	53-70-3	FALSE
Air Divisor	SE Chicag [none]	US EPA R 6B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	2-Methylne	91-57-6	FALSE
Air Divisor	SE Chicag [none]	US EPA R 6B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Benzo(g,h	191-24-2	FALSE
Air Divisor	SE Chicag [none]	US EPA R 6B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Nitrobenze	4165-60-0	TRUE
Air Divisor	SE Chicag [none]	US EPA R 6B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	2-Fluorobi	321-80-8	TRUE
Air Divisor	SE Chicag [none]	US EPA R 6B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Terphenyl	1718-51-0	TRUE
Air Divisor	SE Chicag [none]	US EPA R 6B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	1-Methylne	90-12-0	FALSE
Air Divisor	SE Chicag [none]	US EPA R 6B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Acenaphth	208-96-8	FALSE
Air Divisor	SE Chicag [none]	US EPA R 6B	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Acenaphth	83-32-9	FALSE



Air Divisor	SE Chicag [none]	US EPA R 6A	1404008-1	Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7	Hot Block	Aluminum	7429-90-5	FALSE
Air Divisor	SE Chicag [none]	US EPA R 6A	1404008-1	Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7	Hot Block	Cobalt	7440-48-4	FALSE
Air Divisor	SE Chicag [none]	US EPA R 6A	1404008-1	Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7	Hot Block	Copper	7440-50-8	FALSE
Air Divisor	SE Chicag [none]	US EPA R 6A	1404008-1	Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7	Hot Block	Iron	7439-89-6	FALSE
Air Divisor	SE Chicag [none]	US EPA R 6A	1404008-1	Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7	Hot Block	Lead	7439-92-1	FALSE
Air Divisor	SE Chicag [none]	US EPA R 6A	1404008-1	Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7	Hot Block	Magnesiur	7439-95-4	FALSE
Air Divisor	SE Chicag [none]	US EPA R 6A	1404008-1	Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7	Hot Block	Manganes	7439-96-5	FALSE
Air Divisor	SE Chicag [none]	US EPA R 6A	1404008-1	Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7	Hot Block	Nickel	7440-02-2	FALSE
Air Divisor	SE Chicag [none]	US EPA R 6A	1404008-1	Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7	Hot Block	Potassium	7440-09-7	FALSE
Air Divisor	SE Chicag [none]	US EPA R 6A	1404008-1	Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7	Hot Block	Antimony	7440-36-0	FALSE
Air Divisor	SE Chicag [none]	US EPA R 6A	1404008-1	Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7	Hot Block	Selenium	7782-49-2	FALSE
Air Divisor	SE Chicag [none]	US EPA R 6A	1404008-1	Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7	Hot Block	Silver	7440-22-4	FALSE
Air Divisor	SE Chicag [none]	US EPA R 6A	1404008-1	Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7	Hot Block	Sodium	7440-23-5	FALSE
Air Divisor	SE Chicag [none]	US EPA R 6A	1404008-1	Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7	Hot Block	Thallium	7440-28-0	FALSE
Air Divisor	SE Chicag [none]	US EPA R 6A	1404008-1	Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7	Hot Block	Vanadium	7440-62-2	FALSE
Air Divisor	SE Chicag [none]	US EPA R 6A	1404008-1	Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7	Hot Block	Zinc	7440-66-6	FALSE
Air Divisor	SE Chicag [none]	US EPA R 6A	1404008-1	Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7	Hot Block	Arsenic	7440-38-2	FALSE
Air Divisor	SE Chicag [none]	US EPA R 6A	1404008-1	Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7	Hot Block	Barium	7440-39-3	FALSE
Air Divisor	SE Chicag [none]	US EPA R 6A	1404008-1	Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7	Hot Block	Beryllium	7440-41-7	FALSE
Air Divisor	SE Chicag [none]	US EPA R 6A	1404008-1	Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7	Hot Block	Cadmium	7440-43-9	FALSE
Air Divisor	SE Chicag [none]	US EPA R 6A	1404008-1	Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7	Hot Block	Calcium	7440-70-2	FALSE
Air Divisor	SE Chicag [none]	US EPA R 6A	1404008-1	Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7	Hot Block	Chromium	7440-47-3	FALSE
Air Divisor	SE Chicag [none]	US EPA R 7A	1404008-1	Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7	Hot Block	Aluminum	7429-90-5	FALSE
Air Divisor	SE Chicag [none]	US EPA R 7A	1404008-1	Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7	Hot Block	Cobalt	7440-48-4	FALSE
Air Divisor	SE Chicag [none]	US EPA R 7A	1404008-1	Wipe	Wipe	04/17									

SAMPDATA

Air Divisior SE Chicag [none]	US EPA R	13B	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Fluorene	86-73-7	FALSE
Air Divisior SE Chicag [none]	US EPA R	13B	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Phenanthr	85-01-8	FALSE
Air Divisior SE Chicag [none]	US EPA R	13B	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Anthracen	120-12-7	FALSE
Air Divisior SE Chicag [none]	US EPA R	13B	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Fluoranth	206-44-0	FALSE
Air Divisior SE Chicag [none]	US EPA R	14B	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Naphthale	91-20-3	FALSE
Air Divisior SE Chicag [none]	US EPA R	14B	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Pyrene	129-00-0	FALSE
Air Divisior SE Chicag [none]	US EPA R	14B	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Benzo (a)	56-55-3	FALSE
Air Divisior SE Chicag [none]	US EPA R	14B	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Chrysene	218-01-9	FALSE
Air Divisior SE Chicag [none]	US EPA R	14B	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Benzo(b)fi	205-99-2	FALSE
Air Divisior SE Chicag [none]	US EPA R	14B	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Benzo(k)fi	207-08-9	FALSE
Air Divisior SE Chicag [none]	US EPA R	14B	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Benzo (e)	192-97-2	FALSE
Air Divisior SE Chicag [none]	US EPA R	14B	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Benzo(a)p	50-32-8	FALSE
Air Divisior SE Chicag [none]	US EPA R	14B	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Perylene	1985-5-0	FALSE
Air Divisior SE Chicag [none]	US EPA R	14B	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Indeno(1,2	193-39-5	FALSE
Air Divisior SE Chicag [none]	US EPA R	14B	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Dibenz(a,f	53-70-3	FALSE
Air Divisior SE Chicag [none]	US EPA R	14B	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	2-Methyln	91-57-6	FALSE
Air Divisior SE Chicag [none]	US EPA R	14B	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Benzo(g,h	191-24-2	FALSE
Air Divisior SE Chicag [none]	US EPA R	14B	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Nitrobenze	4165-60-0	TRUE
Air Divisior SE Chicag [none]	US EPA R	14B	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	2-Fluorobi	321-60-8	TRUE
Air Divisior SE Chicag [none]	US EPA R	14B	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Terphenyl	1718-51-0	TRUE
Air Divisior SE Chicag [none]	US EPA R	14B	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	1-Methyln	90-12-0	FALSE
Air Divisior SE Chicag [none]	US EPA R	14B	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Acenaphth	208-96-8	FALSE
Air Divisior SE Chicag [none]	US EPA R	14B	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Acenaphth	83-32-9	FALSE
Air Divisior SE Chicag [none]	US EPA R	14B	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Fluorene	86-73-7	FALSE
Air Divisior SE Chicag [none]	US EPA R	14B	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Phenanthr	85-01-8	FALSE
Air Divisior SE Chicag [none]	US EPA R	14B	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Anthracen	120-12-7	FALSE
Air Divisior SE Chicag [none]	US EPA R	14B	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Fluoranth	206-44-0	FALSE

SAMPDATA

TIC	Result	DL	RL	UNITS	RPTMDL	BASIS	DILUTION	SPIKELEV	RECOVER	UPPERCL	LOWERCL	ANALYST	PSOLIDS	LNOTE	ANOTE	LATITUDE	LONGITUDE
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	193			ng/Wipe	FALSE	NA	1	250.0	77.2	94.9	50	ZZZ					
FALSE	189			ng/Wipe	FALSE	NA	1	250.0	75.6	108	48.1	ZZZ					
FALSE	218			ng/Wipe	FALSE	NA	1	250.0	87.3	127	59.4	ZZZ					
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	35.4	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ			K		
FALSE	28.1	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	41.8	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	30.8	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	U	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	U	10.0	100	ng/Wipe	FALSE	NA	1					ZZZ					
FALSE	40.1	10.0	20.0	ng/Wipe	FALSE	NA	1					ZZZ					

## Page 7

Air Divisor	SE Chicag [none]	US EPA R 10B	1404008-2	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAU Solvent Ex 2-Fluorobi	321-60-8	TRUE
Air Divisor	SE Chicag [none]	US EPA R 10B	1404008-2	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAU Solvent Ex Terphenyl	1718-51-0	TRUE
Air Divisor	SE Chicag [none]	US EPA R 10B	1404008-2	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAU Solvent Ex 1-Methylin	90-12-0	FALSE
Air Divisor	SE Chicag [none]	US EPA R 10B	1404008-2	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAU Solvent Ex Acenaphth	208-96-8	FALSE
Air Divisor	SE Chicag [none]	US EPA R 10B	1404008-2	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAU Solvent Ex Acenaphth	83-32-9	FALSE
Air Divisor	SE Chicag [none]	US EPA R 10B	1404008-2	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAU Solvent Ex Fluorene	86-73-7	FALSE
Air Divisor	SE Chicag [none]	US EPA R 10B	1404008-2	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAU Solvent Ex Phenanthr	85-01-8	FALSE
Air Divisor	SE Chicag [none]	US EPA R 10B	1404008-2	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAU Solvent Ex Anthracen	120-12-7	FALSE
Air Divisor	SE Chicag [none]	US EPA R 10B	1404008-2	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAU Solvent Ex Fluoranth	206-44-0	FALSE
Air Divisor	SE Chicag [none]	US EPA R 11B	1404008-2	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAU Solvent Ex Naphthale	91-20-3	FALSE
Air Divisor	SE Chicag [none]	US EPA R 11B	1404008-2	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAU Solvent Ex Pyrene	129-00-0	FALSE
Air Divisor	SE Chicag [none]	US EPA R 11B	1404008-2	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAU Solvent Ex Benzo (a)	56-55-3	FALSE
Air Divisor	SE Chicag [none]	US EPA R 11B	1404008-2	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAU Solvent Ex Chrysene	218-01-9	FALSE
Air Divisor	SE Chicag [none]	US EPA R 11B	1404008-2	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAU Solvent Ex Benzo(b)fl	205-99-2	FALSE
Air Divisor	SE Chicag [none]	US EPA R 11B	1404008-2	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAU Solvent Ex Benzo(k)fl	207-08-9	FALSE
Air Divisor	SE Chicag [none]	US EPA R 11B	1404008-2	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAU Solvent Ex Benzo (e)	192-97-2	FALSE
Air Divisor	SE Chicag [none]	US EPA R 11B	1404008-2	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAU Solvent Ex Benzo(a)p	50-32-8	FALSE
Air Divisor	SE Chicag [none]	US EPA R 11B	1404008-2	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAU Solvent Ex Perylene	1985-5-0	FALSE
Air Divisor	SE Chicag [none]	US EPA R 11B	1404008-2	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAU Solvent Ex Indeno(1,2	193-39-5	FALSE
Air Divisor	SE Chicag [none]	US EPA R 11B	1404008-2	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAU Solvent Ex Dibenz(a,h	53-70-3	FALSE
Air Divisor	SE Chicag [none]	US EPA R 11B	1404008-2	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAU Solvent Ex 2-Methylin	91-57-6	FALSE
Air Divisor	SE Chicag [none]	US EPA R 11B	1404008-2	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAU Solvent Ex Benzo(g,h	191-24-2	FALSE
Air Divisor	SE Chicag [none]	US EPA R 11B	1404008-2	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAU Solvent Ex Nitrobenze	4165-60-0	TRUE
Air Divisor	SE Chicag [none]	US EPA R 11B	1404008-2	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAU Solvent Ex 2-Fluorobi	321-60-8	TRUE
Air Divisor	SE Chicag [none]	US EPA R 11B	1404008-2	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAU Solvent Ex Terphenyl	1718-51-0	TRUE
Air Divisor	SE Chicag [none]	US EPA R 11B	1404008-2	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAU Solvent Ex 1-Methylin	90-12-0	FALSE
Air Divisor	SE Chicag [none]	US EPA R 11B	1404008-2	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAU Solvent Ex Acenaphth	208-96-8	FALSE
Air Divisor	SE Chicag [none]	US EPA R 11B	1404008-2	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAU Solvent Ex Acenaphth	83-32-9	FALSE
Air Divisor	SE Chicag [none]	US EPA R 11B	1404008-2	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAU Solvent Ex Fluorene	86-73-7	FALSE
Air Divisor	SE Chicag [none]	US EPA R 11B	1404008-2	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAU Solvent Ex Phenanthr	85-01-8	FALSE
Air Divisor	SE Chicag [none]	US EPA R 11B	1404008-2	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAU Solvent Ex Anthracen	120-12-7	FALSE
Air Divisor	SE Chicag [none]	US EPA R 11B	1404008-2	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAU Solvent Ex Fluoranth	206-44-0	FALSE
Air Divisor	SE Chicag [none]	US EPA R 12B	1404008-2	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAU Solvent Ex Naphthale	91-20-3	FALSE
Air Divisor	SE Chicag [none]	US EPA R 12B	1404008-2	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAU Solvent Ex Pyrene	129-00-0	FALSE
Air Divisor	SE Chicag [none]	US EPA R 12B	1404008-2	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAU Solvent Ex Benzo (a)	56-55-3	FALSE
Air Divisor	SE Chicag [none]	US EPA R 12B	1404008-2	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAU Solvent Ex Chrysene	218-01-9	FALSE
Air Divisor	SE Chicag [none]	US EPA R 12B	1404008-2	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAU Solvent Ex Benzo(b)fl	205-99-2	FALSE

## Page 8

Air Division	SE Chicag	[none]	US EPA R 12B	1404008-2	Wipe	Wipe	04/17/2011	04/23/2011	04/29/2011	B404081	SVOA PAI *** DEFAL	Solvent Ex Benzo(k)fl	207-08-9	FALSE
Air Division	SE Chicag	[none]	US EPA R 12B	1404008-2	Wipe	Wipe	04/17/2011	04/23/2011	04/29/2011	B404081	SVOA PAI *** DEFAL	Solvent Ex Benzo (e)	192-97-2	FALSE
Air Division	SE Chicag	[none]	US EPA R 12B	1404008-2	Wipe	Wipe	04/17/2011	04/23/2011	04/29/2011	B404081	SVOA PAI *** DEFAL	Solvent Ex Benzo(a)p	50-32-8	FALSE
Air Division	SE Chicag	[none]	US EPA R 12B	1404008-2	Wipe	Wipe	04/17/2011	04/23/2011	04/29/2011	B404081	SVOA PAI *** DEFAL	Solvent Ex Perylene	1985-5-0	FALSE
Air Division	SE Chicag	[none]	US EPA R 12B	1404008-2	Wipe	Wipe	04/17/2011	04/23/2011	04/29/2011	B404081	SVOA PAI *** DEFAL	Solvent Ex Indeno(1,2	193-39-5	FALSE
Air Division	SE Chicag	[none]	US EPA R 12B	1404008-2	Wipe	Wipe	04/17/2011	04/23/2011	04/29/2011	B404081	SVOA PAI *** DEFAL	Solvent Ex Dibenz(a,h	53-70-3	FALSE
Air Division	SE Chicag	[none]	US EPA R 12B	1404008-2	Wipe	Wipe	04/17/2011	04/23/2011	04/29/2011	B404081	SVOA PAI *** DEFAL	Solvent Ex 2-Methylna	91-57-6	FALSE
Air Division	SE Chicag	[none]	US EPA R 12B	1404008-2	Wipe	Wipe	04/17/2011	04/23/2011	04/29/2011	B404081	SVOA PAI *** DEFAL	Solvent Ex Benzo(g,h	191-24-2	FALSE
Air Division	SE Chicag	[none]	US EPA R 12B	1404008-2	Wipe	Wipe	04/17/2011	04/23/2011	04/29/2011	B404081	SVOA PAI *** DEFAL	Solvent Ex Nitrobenze	4165-60-0	TRUE
Air Division	SE Chicag	[none]	US EPA R 12B	1404008-2	Wipe	Wipe	04/17/2011	04/23/2011	04/29/2011	B404081	SVOA PAI *** DEFAL	Solvent Ex 2-Fluorobi	321-60-8	TRUE
Air Division	SE Chicag	[none]	US EPA R 12B	1404008-2	Wipe	Wipe	04/17/2011	04/23/2011	04/29/2011	B404081	SVOA PAI *** DEFAL	Solvent Ex Terphenyl	1718-51-0	TRUE
Air Division	SE Chicag	[none]	US EPA R 12B	1404008-2	Wipe	Wipe	04/17/2011	04/23/2011	04/29/2011	B404081	SVOA PAI *** DEFAL	Solvent Ex 1-Methylna	90-12-0	FALSE
Air Division	SE Chicag	[none]	US EPA R 12B	1404008-2	Wipe	Wipe	04/17/2011	04/23/2011	04/29/2011	B404081	SVOA PAI *** DEFAL	Solvent Ex Acenaphth	208-96-8	FALSE
Air Division	SE Chicag	[none]	US EPA R 12B	1404008-2	Wipe	Wipe	04/17/2011	04/23/2011	04/29/2011	B404081	SVOA PAI *** DEFAL	Solvent Ex Acenaphth	83-32-9	FALSE
Air Division	SE Chicag	[none]	US EPA R 12B	1404008-2	Wipe	Wipe	04/17/2011	04/23/2011	04/29/2011	B404081	SVOA PAI *** DEFAL	Solvent Ex Fluorene	86-73-7	FALSE
Air Division	SE Chicag	[none]	US EPA R 12B	1404008-2	Wipe	Wipe	04/17/2011	04/23/2011	04/29/2011	B404081	SVOA PAI *** DEFAL	Solvent Ex Phenanthr	85-01-8	FALSE
Air Division	SE Chicag	[none]	US EPA R 12B	1404008-2	Wipe	Wipe	04/17/2011	04/23/2011	04/29/2011	B404081	SVOA PAI *** DEFAL	Solvent Ex Anthracen	120-12-7	FALSE
Air Division	SE Chicag	[none]	US EPA R 12B	1404008-2	Wipe	Wipe	04/17/2011	04/23/2011	04/29/2011	B404081	SVOA PAI *** DEFAL	Solvent Ex Fluoranth	206-44-0	FALSE
Air Division	SE Chicag	[none]	US EPA R 13B	1404008-2	Wipe	Wipe	04/17/2011	04/23/2011	04/29/2011	B404081	SVOA PAI *** DEFAL	Solvent Ex Naphthal	91-20-3	FALSE
Air Division	SE Chicag	[none]	US EPA R 13B	1404008-2	Wipe	Wipe	04/17/2011	04/23/2011	04/29/2011	B404081	SVOA PAI *** DEFAL	Solvent Ex Pyrene	129-00-0	FALSE
Air Division	SE Chicag	[none]	US EPA R 13B	1404008-2	Wipe	Wipe	04/17/2011	04/23/2011	04/29/2011	B404081	SVOA PAI *** DEFAL	Solvent Ex Benzo (a)	56-55-3	FALSE
Air Division	SE Chicag	[none]	US EPA R 13B	1404008-2	Wipe	Wipe	04/17/2011	04/23/2011	04/29/2011	B404081	SVOA PAI *** DEFAL	Solvent Ex Chrysene	218-01-9	FALSE
Air Division	SE Chicag	[none]	US EPA R 13B	1404008-2	Wipe	Wipe	04/17/2011	04/23/2011	04/29/2011	B404081	SVOA PAI *** DEFAL	Solvent Ex Benzo(b)fl	205-99-2	FALSE
Air Division	SE Chicag	[none]	US EPA R 13B	1404008-2	Wipe	Wipe	04/17/2011	04/23/2011	04/29/2011	B404081	SVOA PAI *** DEFAL	Solvent Ex Benzo(k)fl	207-08-9	FALSE
Air Division	SE Chicag	[none]	US EPA R 13B	1404008-2	Wipe	Wipe	04/17/2011	04/23/2011	04/29/2011	B404081	SVOA PAI *** DEFAL	Solvent Ex Benzo(e)	192-97-2	FALSE
Air Division	SE Chicag	[none]	US EPA R 13B	1404008-2	Wipe	Wipe	04/17/2011	04/23/2011	04/29/2011	B404081	SVOA PAI *** DEFAL	Solvent Ex Benzo(a)p	50-32-8	FALSE
Air Division	SE Chicag	[none]	US EPA R 13B	1404008-2	Wipe	Wipe	04/17/2011	04/23/2011	04/29/2011	B404081	SVOA PAI *** DEFAL	Solvent Ex Perylene	1985-5-0	FALSE
Air Division	SE Chicag	[none]	US EPA R 13B	1404008-2	Wipe	Wipe	04/17/2011	04/23/2011	04/29/2011	B404081	SVOA PAI *** DEFAL	Solvent Ex Indeno(1,2	193-39-5	FALSE
Air Division	SE Chicag	[none]	US EPA R 13B	1404008-2	Wipe	Wipe	04/17/2011	04/23/2011	04/29/2011	B404081	SVOA PAI *** DEFAL	Solvent Ex Dibenz(a,h	53-70-3	FALSE
Air Division	SE Chicag	[none]	US EPA R 13B	1404008-2	Wipe	Wipe	04/17/2011	04/23/2011	04/29/2011	B404081	SVOA PAI *** DEFAL	Solvent Ex 2-Methylna	91-57-6	FALSE
Air Division	SE Chicag	[none]	US EPA R 13B	1404008-2	Wipe	Wipe	04/17/2011	04/23/2011	04/29/2011	B404081	SVOA PAI *** DEFAL	Solvent Ex Benzo(g,h	191-24-2	FALSE
Air Division	SE Chicag	[none]	US EPA R 13B	1404008-2	Wipe	Wipe	04/17/2011	04/23/2011	04/29/2011	B404081	SVOA PAI *** DEFAL	Solvent Ex Nitrobenze	4165-60-0	TRUE
Air Division	SE Chicag	[none]	US EPA R 13B	1404008-2	Wipe	Wipe	04/17/2011	04/23/2011	04/29/2011	B404081	SVOA PAI *** DEFAL	Solvent Ex 2-Fluorobi	321-60-8	TRUE
Air Division	SE Chicag	[none]	US EPA R 13B	1404008-2	Wipe	Wipe	04/17/2011	04/23/2011	04/29/2011	B404081	SVOA PAI *** DEFAL	Solvent Ex Terphenyl	1718-51-0	TRUE
Air Division	SE Chicag	[none]	US EPA R 13B	1404008-2	Wipe	Wipe	04/17/2011	04/23/2011	04/29/2011	B404081	SVOA PAI *** DEFAL	Solvent Ex 1-Methylna	90-12-0	FALSE
Air Division	SE Chicag	[none]	US EPA R 13B	1404008-2	Wipe	Wipe	04/17/2011	04/23/2011	04/29/2011	B404081	SVOA PAI *** DEFAL	Solvent Ex Acenaphth	208-96-8	FALSE
Air Division	SE Chicag	[none]	US EPA R 13B	1404008-2	Wipe	Wipe	04/17/2011	04/23/2011	04/29/2011	B404081	SVOA PAI *** DEFAL	Solvent Ex Acenaphth	83-32-9	FALSE

SAMPDATA

Air Division	SE Chicag	[none]	US EPA R 14A	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7	Hot Block	Antimony	7440-36-0	FALSE
Air Division	SE Chicag	[none]	US EPA R 14A	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7	Hot Block	Selenium	7782-49-2	FALSE
Air Division	SE Chicag	[none]	US EPA R 14A	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7	Hot Block	Silver	7440-22-4	FALSE
Air Division	SE Chicag	[none]	US EPA R 14A	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7	Hot Block	Sodium	7440-23-5	FALSE
Air Division	SE Chicag	[none]	US EPA R 14A	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7	Hot Block	Thallium	7440-28-0	FALSE
Air Division	SE Chicag	[none]	US EPA R 14A	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7	Hot Block	Vanadium	7440-62-2	FALSE
Air Division	SE Chicag	[none]	US EPA R 14A	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7	Hot Block	Zinc	7440-66-6	FALSE
Air Division	SE Chicag	[none]	US EPA R 14A	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7	Hot Block	Arsenic	7440-38-2	FALSE
Air Division	SE Chicag	[none]	US EPA R 14A	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7	Hot Block	Barium	7440-39-3	FALSE
Air Division	SE Chicag	[none]	US EPA R 14A	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7	Hot Block	Beryllium	7440-41-7	FALSE
Air Division	SE Chicag	[none]	US EPA R 14A	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7	Hot Block	Cadmium	7440-43-9	FALSE
Air Division	SE Chicag	[none]	US EPA R 14A	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7	Hot Block	Calcium	7440-70-2	FALSE
Air Division	SE Chicag	[none]	US EPA R 14A	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7	Hot Block	Chromium	7440-47-3	FALSE

SAMPDATA

TIC	Result	DL	RL	UNITS	RPTMDL	BASIS	DILUTION	SPIKELEV	RECOVER	UPPERCL	LOWERCL	ANALYST	PSOLIDS	LNOTE	ANOTE	LATITUDE	LONGITUDE
FALSE	0.125	0.00175	0.0100	mg/Wipe	FALSE	NA	1					AW					
FALSE	U	8.50E-5	0.0003	mg/Wipe	FALSE	NA	1					AW					
FALSE	0.00311	0.00017	0.001	mg/Wipe	FALSE	NA	1					AW			K		
FALSE	0.180	3.80E-4	0.004	mg/Wipe	FALSE	NA	1					AW					
FALSE	0.00614	0.0003	0.0015	mg/Wipe	FALSE	NA	1					AW					
FALSE	0.317	0.0022	0.0100	mg/Wipe	FALSE	NA	1					AW			K		
FALSE	0.0150	0.00003	0.0004	mg/Wipe	FALSE	NA	1					AW					
FALSE	U	6.50E-5	0.0003	mg/Wipe	FALSE	NA	1					AW			L		
FALSE	0.103	0.0115	0.0400	mg/Wipe	FALSE	NA	1					AW			K		
FALSE	U	0.00025	0.001	mg/Wipe	FALSE	NA	1					AW					
FALSE	0.00817	0.0006	0.0025	mg/Wipe	FALSE	NA	1					AW			K		
FALSE	U	1.20E-4	0.0005	mg/Wipe	FALSE	NA	1					AW					
FALSE	0.496	0.009	0.0200	mg/Wipe	FALSE	NA	1					AW			K		
FALSE	U	0.00065	0.003	mg/Wipe	FALSE	NA	1					AW					
FALSE	0.00043	6.50E-5	0.00025	mg/Wipe	FALSE	NA	1					AW					
FALSE	0.174	1.80E-4	0.0015	mg/Wipe	FALSE	NA	1					AW			K		
FALSE	0.00261	0.00039	0.002	mg/Wipe	FALSE	NA	1					AW			K		
FALSE	0.00199	3.10E-5	0.00015	mg/Wipe	FALSE	NA	1					AW					
FALSE	U	1.10E-5	0.0001	mg/Wipe	FALSE	NA	1					AW					
FALSE	U	1.40E-5	0.0001	mg/Wipe	FALSE	NA	1					AW					
FALSE	0.398	0.0013	0.0100	mg/Wipe	FALSE	NA	1					AW					
FALSE	0.0013	8.50E-5	0.00025	mg/Wipe	FALSE	NA	1					AW					
FALSE	0.463	0.00175	0.0100	mg/Wipe	FALSE	NA	1					AW					
FALSE	U	8.50E-5	0.0003	mg/Wipe	FALSE	NA	1					AW					
FALSE	0.00844	0.00017	0.001	mg/Wipe	FALSE	NA	1					AW			K		
FALSE	0.492	3.80E-4	0.004	mg/Wipe	FALSE	NA	1					AW					
FALSE	0.00457	0.0003	0.0015	mg/Wipe	FALSE	NA	1					AW					
FALSE	0.489	0.0022	0.0100	mg/Wipe	FALSE	NA	1					AW			K		
FALSE	0.301	0.00003	0.0004	mg/Wipe	FALSE	NA	1					AW					
FALSE	0.00077	6.50E-5	0.0003	mg/Wipe	FALSE	NA	1					AW			L		
FALSE	0.104	0.0115	0.0400	mg/Wipe	FALSE	NA	1					AW			K		
FALSE	U	0.00025	0.001	mg/Wipe	FALSE	NA	1					AW					
FALSE	0.00695	0.0006	0.0025	mg/Wipe	FALSE	NA	1					AW			K		
FALSE	U	1.20E-4	0.0005	mg/Wipe	FALSE	NA	1					AW					
FALSE	0.411	0.009	0.0200	mg/Wipe	FALSE	NA	1					AW			K		
FALSE	U	0.00065	0.003	mg/Wipe	FALSE	NA	1					AW					



## Page 8

Air Divisor SE Chicag [none]	US EPA R 12A	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Arsenic	7440-38-2	FALSE
Air Divisor SE Chicag [none]	US EPA R 12A	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Barium	7440-39-3	FALSE
Air Divisor SE Chicag [none]	US EPA R 12A	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Beryllium	7440-41-7	FALSE
Air Divisor SE Chicag [none]	US EPA R 12A	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Cadmium	7440-43-9	FALSE
Air Divisor SE Chicag [none]	US EPA R 12A	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Calcium	7440-70-2	FALSE
Air Divisor SE Chicag [none]	US EPA R 12A	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Chromium	7440-47-3	FALSE
Air Divisor SE Chicag [none]	US EPA R 13A	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Aluminum	7429-90-5	FALSE
Air Divisor SE Chicag [none]	US EPA R 13A	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Cobalt	7440-48-4	FALSE
Air Divisor SE Chicag [none]	US EPA R 13A	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Copper	7440-50-8	FALSE
Air Divisor SE Chicag [none]	US EPA R 13A	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Iron	7439-89-6	FALSE
Air Divisor SE Chicag [none]	US EPA R 13A	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Lead	7439-92-1	FALSE
Air Divisor SE Chicag [none]	US EPA R 13A	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Magnesium	7439-95-4	FALSE
Air Divisor SE Chicag [none]	US EPA R 13A	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Manganese	7439-96-5	FALSE
Air Divisor SE Chicag [none]	US EPA R 13A	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Nickel	7440-02-2	FALSE
Air Divisor SE Chicag [none]	US EPA R 13A	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Potassium	7440-09-7	FALSE
Air Divisor SE Chicag [none]	US EPA R 13A	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Antimony	7440-36-0	FALSE
Air Divisor SE Chicag [none]	US EPA R 13A	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Selenium	7782-49-2	FALSE
Air Divisor SE Chicag [none]	US EPA R 13A	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Silver	7440-22-4	FALSE
Air Divisor SE Chicag [none]	US EPA R 13A	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Sodium	7440-23-5	FALSE
Air Divisor SE Chicag [none]	US EPA R 13A	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Thallium	7440-28-0	FALSE
Air Divisor SE Chicag [none]	US EPA R 13A	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Vanadium	7440-62-2	FALSE
Air Divisor SE Chicag [none]	US EPA R 13A	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Zinc	7440-66-6	FALSE
Air Divisor SE Chicag [none]	US EPA R 13A	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Arsenic	7440-38-2	FALSE
Air Divisor SE Chicag [none]	US EPA R 13A	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Barium	7440-39-3	FALSE
Air Divisor SE Chicag [none]	US EPA R 13A	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Beryllium	7440-41-7	FALSE
Air Divisor SE Chicag [none]	US EPA R 13A	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Cadmium	7440-43-9	FALSE
Air Divisor SE Chicag [none]	US EPA R 13A	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Calcium	7440-70-2	FALSE
Air Divisor SE Chicag [none]	US EPA R 13A	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Chromium	7440-47-3	FALSE
Air Divisor SE Chicag [none]	US EPA R 14A	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Aluminum	7429-90-5	FALSE
Air Divisor SE Chicag [none]	US EPA R 14A	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Cobalt	7440-48-4	FALSE
Air Divisor SE Chicag [none]	US EPA R 14A	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Copper	7440-50-8	FALSE
Air Divisor SE Chicag [none]	US EPA R 14A	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Iron	7439-89-6	FALSE
Air Divisor SE Chicag [none]	US EPA R 14A	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Lead	7439-92-1	FALSE
Air Divisor SE Chicag [none]	US EPA R 14A	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Magnesium	7439-95-4	FALSE
Air Divisor SE Chicag [none]	US EPA R 14A	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Manganese	7439-96-5	FALSE
Air Divisor SE Chicag [none]	US EPA R 14A	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Nickel	7440-02-2	FALSE
Air Divisor SE Chicag [none]	US EPA R 14A	1404008-2 Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Potassium	7440-09-7	FALSE

Air Division	SE Chicag[none]	US EPA R 7A	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Zinc	7440-66-6	FALSE
Air Division	SE Chicag[none]	US EPA R 7A	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Arsenic	7440-38-2	FALSE
Air Division	SE Chicag[none]	US EPA R 7A	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Barium	7440-39-3	FALSE
Air Division	SE Chicag[none]	US EPA R 7A	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Beryllium	7440-41-7	FALSE
Air Division	SE Chicag[none]	US EPA R 7A	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Cadmium	7440-43-9	FALSE
Air Division	SE Chicag[none]	US EPA R 7A	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Calcium	7440-70-2	FALSE
Air Division	SE Chicag[none]	US EPA R 7A	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Chromium	7440-47-3	FALSE
Air Division	SE Chicag[none]	US EPA R 8A	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Aluminum	7429-90-5	FALSE
Air Division	SE Chicag[none]	US EPA R 8A	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Cobalt	7440-48-4	FALSE
Air Division	SE Chicag[none]	US EPA R 8A	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Copper	7440-50-8	FALSE
Air Division	SE Chicag[none]	US EPA R 8A	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Iron	7439-89-6	FALSE
Air Division	SE Chicag[none]	US EPA R 8A	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Lead	7439-92-1	FALSE
Air Division	SE Chicag[none]	US EPA R 8A	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Magnesium	7439-95-4	FALSE
Air Division	SE Chicag[none]	US EPA R 8A	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Manganese	7439-96-5	FALSE
Air Division	SE Chicag[none]	US EPA R 8A	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Nickel	7440-02-2	FALSE
Air Division	SE Chicag[none]	US EPA R 8A	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Potassium	7440-09-7	FALSE
Air Division	SE Chicag[none]	US EPA R 8A	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Antimony	7440-36-0	FALSE
Air Division	SE Chicag[none]	US EPA R 8A	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Selenium	7782-49-2	FALSE
Air Division	SE Chicag[none]	US EPA R 8A	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Silver	7440-22-4	FALSE
Air Division	SE Chicag[none]	US EPA R 8A	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Sodium	7440-23-5	FALSE
Air Division	SE Chicag[none]	US EPA R 8A	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Thallium	7440-28-0	FALSE
Air Division	SE Chicag[none]	US EPA R 8A	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Vanadium	7440-62-2	FALSE
Air Division	SE Chicag[none]	US EPA R 8A	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Zinc	7440-66-6	FALSE
Air Division	SE Chicag[none]	US EPA R 8A	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070	Metals full	EPA 200.7 Hot Block	Arsenic	7440-38-2	FALSE
Air Division	SE Chicag[none]	US EPA R 8A	1404008-1	Wipe	Wipe	04/17/2014	04/23/2014	04/23/2014	B404070					





## Page 2

Air Divisor	SE Chicag	[none]	US EPA R 2A	1404008-C Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7 Hot Block	Vanadium	7440-62-2	FALSE
Air Divisor	SE Chicag	[none]	US EPA R 2A	1404008-C Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7 Hot Block	Zinc	7440-66-6	FALSE
Air Divisor	SE Chicag	[none]	US EPA R 2A	1404008-C Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7 Hot Block	Arsenic	7440-38-2	FALSE
Air Divisor	SE Chicag	[none]	US EPA R 2A	1404008-C Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7 Hot Block	Barium	7440-39-3	FALSE
Air Divisor	SE Chicag	[none]	US EPA R 2A	1404008-C Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7 Hot Block	Beryllium	7440-41-7	FALSE
Air Divisor	SE Chicag	[none]	US EPA R 2A	1404008-C Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7 Hot Block	Cadmium	7440-43-9	FALSE
Air Divisor	SE Chicag	[none]	US EPA R 2A	1404008-C Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7 Hot Block	Calcium	7440-70-2	FALSE
Air Divisor	SE Chicag	[none]	US EPA R 2A	1404008-C Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7 Hot Block	Chromium	7440-47-3	FALSE
Air Divisor	SE Chicag	[none]	US EPA R 3A	1404008-C Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7 Hot Block	Aluminum	7429-90-5	FALSE
Air Divisor	SE Chicag	[none]	US EPA R 3A	1404008-C Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7 Hot Block	Cobalt	7440-48-4	FALSE
Air Divisor	SE Chicag	[none]	US EPA R 3A	1404008-C Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7 Hot Block	Copper	7440-50-8	FALSE
Air Divisor	SE Chicag	[none]	US EPA R 3A	1404008-C Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7 Hot Block	Iron	7439-89-6	FALSE
Air Divisor	SE Chicag	[none]	US EPA R 3A	1404008-C Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7 Hot Block	Lead	7439-92-1	FALSE
Air Divisor	SE Chicag	[none]	US EPA R 3A	1404008-C Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7 Hot Block	Magnesium	7439-95-4	FALSE
Air Divisor	SE Chicag	[none]	US EPA R 3A	1404008-C Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7 Hot Block	Manganese	7439-96-5	FALSE
Air Divisor	SE Chicag	[none]	US EPA R 3A	1404008-C Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7 Hot Block	Nickel	7440-02-2	FALSE
Air Divisor	SE Chicag	[none]	US EPA R 3A	1404008-C Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7 Hot Block	Potassium	7440-09-7	FALSE
Air Divisor	SE Chicag	[none]	US EPA R 3A	1404008-C Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7 Hot Block	Antimony	7440-36-0	FALSE
Air Divisor	SE Chicag	[none]	US EPA R 3A	1404008-C Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7 Hot Block	Selenium	7782-49-2	FALSE
Air Divisor	SE Chicag	[none]	US EPA R 3A	1404008-C Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7 Hot Block	Silver	7440-22-4	FALSE
Air Divisor	SE Chicag	[none]	US EPA R 3A	1404008-C Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7 Hot Block	Sodium	7440-23-5	FALSE
Air Divisor	SE Chicag	[none]	US EPA R 3A	1404008-C Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7 Hot Block	Thallium	7440-28-0	FALSE
Air Divisor	SE Chicag	[none]	US EPA R 3A	1404008-C Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7 Hot Block	Vanadium	7440-62-2	FALSE
Air Divisor	SE Chicag	[none]	US EPA R 3A	1404008-C Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7 Hot Block	Zinc	7440-66-6	FALSE
Air Divisor	SE Chicag	[none]	US EPA R 3A	1404008-C Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7 Hot Block	Arsenic	7440-38-2	FALSE
Air Divisor	SE Chicag	[none]	US EPA R 3A	1404008-C Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7 Hot Block	Barium	7440-39-3	FALSE
Air Divisor	SE Chicag	[none]	US EPA R 3A	1404008-C Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7 Hot Block	Beryllium	7440-41-7	FALSE
Air Divisor	SE Chicag	[none]	US EPA R 3A	1404008-C Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7 Hot Block	Cadmium	7440-43-9	FALSE
Air Divisor	SE Chicag	[none]	US EPA R 3A	1404008-C Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7 Hot Block	Calcium	7440-70-2	FALSE
Air Divisor	SE Chicag	[none]	US EPA R 3A	1404008-C Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7 Hot Block	Chromium	7440-47-3	FALSE
Air Divisor	SE Chicag	[none]	US EPA R 4A	1404008-C Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7 Hot Block	Aluminum	7429-90-5	FALSE
Air Divisor	SE Chicag	[none]	US EPA R 4A	1404008-C Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7 Hot Block	Cobalt	7440-48-4	FALSE
Air Divisor	SE Chicag	[none]	US EPA R 4A	1404008-C Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7 Hot Block	Copper	7440-50-8	FALSE
Air Divisor	SE Chicag	[none]	US EPA R 4A	1404008-C Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7 Hot Block	Iron	7439-89-6	FALSE
Air Divisor	SE Chicag	[none]	US EPA R 4A	1404008-C Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7 Hot Block	Lead	7439-92-1	FALSE
Air Divisor	SE Chicag	[none]	US EPA R 4A	1404008-C Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7 Hot Block	Magnesium	7439-95-4	FALSE
Air Divisor	SE Chicag	[none]	US EPA R 4A	1404008-C Wipe	Wipe	04/17/201	04/23/201	04/23/201	B404070	Metals full	EPA 200.7 Hot Block	Manganese	7439-96-5	FALSE

SAMPDATA

FALSE	0.00075	6.50E-5	0.00025	mg/Wipe	FALSE	NA	1					AW			
FALSE	0.167	1.80E-4	0.0015	mg/Wipe	FALSE	NA	1					AW		K	
FALSE	0.00223	0.00039	0.002	mg/Wipe	FALSE	NA	1					AW		K	
FALSE	0.00538	3.10E-5	0.00015	mg/Wipe	FALSE	NA	1					AW			
FALSE	U	1.10E-5	0.0001	mg/Wipe	FALSE	NA	1					AW			
FALSE	U	1.40E-5	0.0001	mg/Wipe	FALSE	NA	1					AW			
FALSE	1.03	0.0013	0.0100	mg/Wipe	FALSE	NA	1					AW			
FALSE	0.00159	8.50E-5	0.00025	mg/Wipe	FALSE	NA	1					AW			
FALSE	U	0.00175	0.0100	mg/Wipe	FALSE	NA	1					AW			
FALSE	U	8.50E-5	0.0003	mg/Wipe	FALSE	NA	1					AW			
FALSE	0.00225	0.00017	0.001	mg/Wipe	FALSE	NA	1					AW		K	
FALSE	0.0417	3.80E-4	0.004	mg/Wipe	FALSE	NA	1					AW			
FALSE	U	0.0003	0.0015	mg/Wipe	FALSE	NA	1					AW			
FALSE	0.200	0.0022	0.0100	mg/Wipe	FALSE	NA	1					AW		K	
FALSE	0.0072	0.00003	0.0004	mg/Wipe	FALSE	NA	1					AW			
FALSE	U	6.50E-5	0.0003	mg/Wipe	FALSE	NA	1					AW		L	
FALSE	0.0861	0.0115	0.0400	mg/Wipe	FALSE	NA	1					AW		K	
FALSE	U	0.00025	0.001	mg/Wipe	FALSE	NA	1					AW			
FALSE	0.00793	0.0006	0.0025	mg/Wipe	FALSE	NA	1					AW		K	
FALSE	U	1.20E-4	0.0005	mg/Wipe	FALSE	NA	1					AW			
FALSE	0.361	0.009	0.0200	mg/Wipe	FALSE	NA	1					AW		K	
FALSE	U	0.00065	0.003	mg/Wipe	FALSE	NA	1					AW			
FALSE	U	6.50E-5	0.00025	mg/Wipe	FALSE	NA	1					AW			
FALSE	0.150	1.80E-4	0.0015	mg/Wipe	FALSE	NA	1					AW		K	
FALSE	0.00225	0.00039	0.002	mg/Wipe	FALSE	NA	1					AW		K	
FALSE	0.00035	3.10E-5	0.00015	mg/Wipe	FALSE	NA	1					AW		K	
FALSE	U	1.10E-5	0.0001	mg/Wipe	FALSE	NA	1					AW			
FALSE	U	1.40E-5	0.0001	mg/Wipe	FALSE	NA	1					AW			
FALSE	0.143	0.0013	0.0100	mg/Wipe	FALSE	NA	1					AW		K	
FALSE	0.00044	8.50E-5	0.00025	mg/Wipe	FALSE	NA	1					AW			
FALSE	0.0142	0.00175	0.0100	mg/Wipe	FALSE	NA	1					AW			
FALSE	U	8.50E-5	0.0003	mg/Wipe	FALSE	NA	1					AW			
FALSE	0.00207	0.00017	0.001	mg/Wipe	FALSE	NA	1					AW		K	
FALSE	0.0974	3.80E-4	0.004	mg/Wipe	FALSE	NA	1					AW			
FALSE	0.00298	0.0003	0.0015	mg/Wipe	FALSE	NA	1					AW			
FALSE	0.191	0.0022	0.0100	mg/Wipe	FALSE	NA	1					AW		K	
FALSE	0.00343	0.00003	0.0004	mg/Wipe	FALSE	NA	1					AW			

SAMPDATA

FALSE	U	6.50E-5	0.0003	mg/Wipe	FALSE	NA	1						AW				
FALSE	0.0807	0.0115	0.0400	mg/Wipe	FALSE	NA	1						AW			K	
FALSE	U	0.00025	0.001	mg/Wipe	FALSE	NA	1						AW				
FALSE	0.00784	0.0006	0.0025	mg/Wipe	FALSE	NA	1						AW			K	
FALSE	U	1.20E-4	0.0005	mg/Wipe	FALSE	NA	1						AW				
FALSE	0.338	0.009	0.0200	mg/Wipe	FALSE	NA	1						AW			K	
FALSE	U	0.00065	0.003	mg/Wipe	FALSE	NA	1						AW				
FALSE	U	6.50E-5	0.00025	mg/Wipe	FALSE	NA	1						AW				
FALSE	0.147	1.80E-4	0.0015	mg/Wipe	FALSE	NA	1						AW			K	
FALSE	0.00213	0.00039	0.002	mg/Wipe	FALSE	NA	1						AW			K	
FALSE	0.00067	3.10E-5	0.00015	mg/Wipe	FALSE	NA	1						AW				
FALSE	U	1.10E-5	0.0001	mg/Wipe	FALSE	NA	1						AW				
FALSE	U	1.40E-5	0.0001	mg/Wipe	FALSE	NA	1						AW				
FALSE	0.106	0.0013	0.0100	mg/Wipe	FALSE	NA	1						AW			K	
FALSE	0.0003	8.50E-5	0.00025	mg/Wipe	FALSE	NA	1						AW				
FALSE	0.423	0.00175	0.0100	mg/Wipe	FALSE	NA	1						AW				
FALSE	0.00088	8.50E-5	0.0003	mg/Wipe	FALSE	NA	1						AW				
FALSE	0.00738	0.00017	0.001	mg/Wipe	FALSE	NA	1						AW			K	
FALSE	0.929	3.80E-4	0.004	mg/Wipe	FALSE	NA	1						AW				
FALSE	0.0602	0.0003	0.0015	mg/Wipe	FALSE	NA	1						AW				
FALSE	0.495	0.0022	0.0100	mg/Wipe	FALSE	NA	1						AW			K	
FALSE	0.224	0.00003	0.0004	mg/Wipe	FALSE	NA	1						AW				
FALSE	0.0014	6.50E-5	0.0003	mg/Wipe	FALSE	NA	1						AW				
FALSE	0.138	0.0115	0.0400	mg/Wipe	FALSE	NA	1						AW				
FALSE	0.00453	0.00025	0.001	mg/Wipe	FALSE	NA	1						AW				
FALSE	0.00825	0.0006	0.0025	mg/Wipe	FALSE	NA	1						AW			K	
FALSE	U	1.20E-4	0.0005	mg/Wipe	FALSE	NA	1						AW				
FALSE	0.740	0.009	0.0200	mg/Wipe	FALSE	NA	1						AW			K	
FALSE	U	0.00065	0.003	mg/Wipe	FALSE	NA	1						AW				
FALSE	0.00236	6.50E-5	0.00025	mg/Wipe	FALSE	NA	1						AW				
FALSE	0.282	1.80E-4	0.0015	mg/Wipe	FALSE	NA	1						AW			K	
FALSE	0.00284	0.00039	0.002	mg/Wipe	FALSE	NA	1						AW			K	
FALSE	0.00901	3.10E-5	0.00015	mg/Wipe	FALSE	NA	1						AW				
FALSE	U	1.10E-5	0.0001	mg/Wipe	FALSE	NA	1						AW				
FALSE	0.0003	1.40E-5	0.0001	mg/Wipe	FALSE	NA	1						AW				
FALSE	0.680	0.0013	0.0100	mg/Wipe	FALSE	NA	1						AW				
FALSE	0.00258	8.50E-5	0.00025	mg/Wipe	FALSE	NA	1						AW				

## Page 13

FALSE	U	0.00175	0.0100	mg/Wipe	FALSE	NA	1										AW			
FALSE	U	8.50E-5	0.0003	mg/Wipe	FALSE	NA	1										AW			
FALSE	0.00172	0.00017	0.001	mg/Wipe	FALSE	NA	1										AW		K	
FALSE	U	3.80E-4	0.004	mg/Wipe	FALSE	NA	1										AW			
FALSE	U	0.0003	0.0015	mg/Wipe	FALSE	NA	1										AW			
FALSE	0.179	0.0022	0.0100	mg/Wipe	FALSE	NA	1										AW		K	
FALSE	U	0.00003	0.0004	mg/Wipe	FALSE	NA	1										AW			
FALSE	U	6.50E-5	0.0003	mg/Wipe	FALSE	NA	1										AW			
FALSE	0.0755	0.0115	0.0400	mg/Wipe	FALSE	NA	1										AW		K	
FALSE	U	0.00025	0.001	mg/Wipe	FALSE	NA	1										AW			
FALSE	0.00726	0.0006	0.0025	mg/Wipe	FALSE	NA	1										AW		K	
FALSE	U	1.20E-4	0.0005	mg/Wipe	FALSE	NA	1										AW			
FALSE	0.313	0.009	0.0200	mg/Wipe	FALSE	NA	1										AW		K	
FALSE	U	0.00065	0.003	mg/Wipe	FALSE	NA	1										AW			
FALSE	U	6.50E-5	0.00025	mg/Wipe	FALSE	NA	1										AW			
FALSE	0.130	1.80E-4	0.0015	mg/Wipe	FALSE	NA	1										AW		K	
FALSE	0.00218	0.00039	0.002	mg/Wipe	FALSE	NA	1										AW		K	
FALSE	U	3.10E-5	0.00015	mg/Wipe	FALSE	NA	1										AW			
FALSE	U	1.10E-5	0.0001	mg/Wipe	FALSE	NA	1										AW			
FALSE	U	1.40E-5	0.0001	mg/Wipe	FALSE	NA	1										AW			
FALSE	0.128	0.0013	0.0100	mg/Wipe	FALSE	NA	1										AW		K	
FALSE	U	8.50E-5	0.00025	mg/Wipe	FALSE	NA	1										AW			
FALSE	0.0316	0.00175	0.0100	mg/Wipe	FALSE	NA	1										AW			
FALSE	U	8.50E-5	0.0003	mg/Wipe	FALSE	NA	1										AW			
FALSE	0.002	0.00017	0.001	mg/Wipe	FALSE	NA	1										AW		K	
FALSE	0.0927	3.80E-4	0.004	mg/Wipe	FALSE	NA	1										AW			
FALSE	0.00941	0.0003	0.0015	mg/Wipe	FALSE	NA	1										AW			
FALSE	0.191	0.0022	0.0100	mg/Wipe	FALSE	NA	1										AW		K	
FALSE	0.0129	0.00003	0.0004	mg/Wipe	FALSE	NA	1										AW			
FALSE	U	6.50E-5	0.0003	mg/Wipe	FALSE	NA	1										AW			
FALSE	0.108	0.0115	0.0400	mg/Wipe	FALSE	NA	1										AW			
FALSE	U	0.00025	0.001	mg/Wipe	FALSE	NA	1										AW			
FALSE	0.00784	0.0006	0.0025	mg/Wipe	FALSE	NA	1										AW		K	
FALSE	U	1.20E-4	0.0005	mg/Wipe	FALSE	NA	1										AW			
FALSE	0.309	0.009	0.0200	mg/Wipe	FALSE	NA	1										AW		K	
FALSE	U	0.00065	0.003	mg/Wipe	FALSE	NA	1										AW			
FALSE	U	6.50E-5	0.00025	mg/Wipe	FALSE	NA	1										AW			

SAMPDATA

FALSE	0.105	1.80E-4	0.0015	mg/Wipe	FALSE	NA	1						AW			K	
FALSE	0.00219	0.00039	0.002	mg/Wipe	FALSE	NA	1						AW			K	
FALSE	0.00091	3.10E-5	0.00015	mg/Wipe	FALSE	NA	1						AW				
FALSE	U	1.10E-5	0.0001	mg/Wipe	FALSE	NA	1						AW				
FALSE	U	1.40E-5	0.0001	mg/Wipe	FALSE	NA	1						AW				
FALSE	0.213	0.0013	0.0100	mg/Wipe	FALSE	NA	1						AW			K	
FALSE	0.00203	8.50E-5	0.00025	mg/Wipe	FALSE	NA	1						AW				
FALSE	0.0181	0.00175	0.0100	mg/Wipe	FALSE	NA	1						AW				
FALSE	U	8.50E-5	0.0003	mg/Wipe	FALSE	NA	1						AW				
FALSE	0.00209	0.00017	0.001	mg/Wipe	FALSE	NA	1						AW			K	
FALSE	0.0505	3.80E-4	0.004	mg/Wipe	FALSE	NA	1						AW				
FALSE	U	0.0003	0.0015	mg/Wipe	FALSE	NA	1						AW				
FALSE	0.200	0.0022	0.0100	mg/Wipe	FALSE	NA	1						AW			K	
FALSE	0.00512	0.00003	0.0004	mg/Wipe	FALSE	NA	1						AW				
FALSE	U	6.50E-5	0.0003	mg/Wipe	FALSE	NA	1						AW				
FALSE	0.0963	0.0115	0.0400	mg/Wipe	FALSE	NA	1						AW			K	
FALSE	U	0.00025	0.001	mg/Wipe	FALSE	NA	1						AW				
FALSE	0.00905	0.0006	0.0025	mg/Wipe	FALSE	NA	1						AW			K	
FALSE	U	1.20E-4	0.0005	mg/Wipe	FALSE	NA	1						AW				
FALSE	0.371	0.009	0.0200	mg/Wipe	FALSE	NA	1						AW			K	
FALSE	U	0.00065	0.003	mg/Wipe	FALSE	NA	1						AW				
FALSE	U	6.50E-5	0.00025	mg/Wipe	FALSE	NA	1						AW				
FALSE	0.153	1.80E-4	0.0015	mg/Wipe	FALSE	NA	1						AW			K	
FALSE	0.00252	0.00039	0.002	mg/Wipe	FALSE	NA	1						AW			K	
FALSE	0.00042	3.10E-5	0.00015	mg/Wipe	FALSE	NA	1						AW			K	
FALSE	U	1.10E-5	0.0001	mg/Wipe	FALSE	NA	1						AW				
FALSE	U	1.40E-5	0.0001	mg/Wipe	FALSE	NA	1						AW				
FALSE	0.140	0.0013	0.0100	mg/Wipe	FALSE	NA	1						AW			K	
FALSE	U	8.50E-5	0.00025	mg/Wipe	FALSE	NA	1						AW				
FALSE	U	0.00175	0.0100	mg/Wipe	FALSE	NA	1						AW				
FALSE	U	8.50E-5	0.0003	mg/Wipe	FALSE	NA	1						AW				
FALSE	0.00181	0.00017	0.001	mg/Wipe	FALSE	NA	1						AW			K	
FALSE	U	3.80E-4	0.004	mg/Wipe	FALSE	NA	1						AW				
FALSE	U	0.0003	0.0015	mg/Wipe	FALSE	NA	1						AW				
FALSE	0.176	0.0022	0.0100	mg/Wipe	FALSE	NA	1						AW			K	
FALSE	U	0.00003	0.0004	mg/Wipe	FALSE	NA	1						AW				
FALSE	U	6.50E-5	0.0003	mg/Wipe	FALSE	NA	1						AW				

SAMPDATA

FALSE	0.0825	0.0115	0.0400	mg/Wipe	FALSE	NA	1					AW			K		
FALSE	U	0.00025	0.001	mg/Wipe	FALSE	NA	1					AW					
FALSE	0.00765	0.0006	0.0025	mg/Wipe	FALSE	NA	1					AW			K		
FALSE	U	1.20E-4	0.0005	mg/Wipe	FALSE	NA	1					AW					
FALSE	0.330	0.009	0.0200	mg/Wipe	FALSE	NA	1					AW			K		
FALSE	U	0.00065	0.003	mg/Wipe	FALSE	NA	1					AW					
FALSE	U	6.50E-5	0.00025	mg/Wipe	FALSE	NA	1					AW					
FALSE	0.137	1.80E-4	0.0015	mg/Wipe	FALSE	NA	1					AW			K		
FALSE	0.00214	0.00039	0.002	mg/Wipe	FALSE	NA	1					AW			K		
FALSE	U	3.10E-5	0.00015	mg/Wipe	FALSE	NA	1					AW					
FALSE	U	1.10E-5	0.0001	mg/Wipe	FALSE	NA	1					AW					
FALSE	U	1.40E-5	0.0001	mg/Wipe	FALSE	NA	1					AW					
FALSE	0.104	0.0013	0.0100	mg/Wipe	FALSE	NA	1					AW			K		
FALSE	U	8.50E-5	0.00025	mg/Wipe	FALSE	NA	1					AW					
FALSE	0.183	0.00175	0.0100	mg/Wipe	FALSE	NA	1					AW					
FALSE	U	8.50E-5	0.0003	mg/Wipe	FALSE	NA	1					AW					
FALSE	0.00585	0.00017	0.001	mg/Wipe	FALSE	NA	1					AW			K		
FALSE	0.604	3.80E-4	0.004	mg/Wipe	FALSE	NA	1					AW					
FALSE	0.00842	0.0003	0.0015	mg/Wipe	FALSE	NA	1					AW					
FALSE	0.531	0.0022	0.0100	mg/Wipe	FALSE	NA	1					AW			K		
FALSE	0.0750	0.00003	0.0004	mg/Wipe	FALSE	NA	1					AW					
FALSE	0.00061	6.50E-5	0.0003	mg/Wipe	FALSE	NA	1					AW			L		
FALSE	0.110	0.0115	0.0400	mg/Wipe	FALSE	NA	1					AW					
FALSE	U	0.00025	0.001	mg/Wipe	FALSE	NA	1					AW					
FALSE	0.00775	0.0006	0.0025	mg/Wipe	FALSE	NA	1					AW			K		
FALSE	U	1.20E-4	0.0005	mg/Wipe	FALSE	NA	1					AW					
FALSE	0.385	0.009	0.0200	mg/Wipe	FALSE	NA	1					AW			K		
FALSE	U	0.00065	0.003	mg/Wipe	FALSE	NA	1					AW					
FALSE	0.00084	6.50E-5	0.00025	mg/Wipe	FALSE	NA	1					AW					
FALSE	0.242	1.80E-4	0.0015	mg/Wipe	FALSE	NA	1					AW			K		
FALSE	0.00252	0.00039	0.002	mg/Wipe	FALSE	NA	1					AW			K		
FALSE	0.00406	3.10E-5	0.00015	mg/Wipe	FALSE	NA	1					AW					
FALSE	U	1.10E-5	0.0001	mg/Wipe	FALSE	NA	1					AW					
FALSE	U	1.40E-5	0.0001	mg/Wipe	FALSE	NA	1					AW			L		
FALSE	0.810	0.0013	0.0100	mg/Wipe	FALSE	NA	1					AW			K		
FALSE	0.00221	8.50E-5	0.00025	mg/Wipe	FALSE	NA	1					AW					
FALSE	0.161	0.00175	0.0100	mg/Wipe	FALSE	NA	1					AW					

SAMPDATA

FALSE	U	8.50E-5	0.0003	mg/Wipe	FALSE	NA	1						AW				
FALSE	0.00596	0.00017	0.001	mg/Wipe	FALSE	NA	1						AW			K	
FALSE	0.660	3.80E-4	0.004	mg/Wipe	FALSE	NA	1						AW				
FALSE	0.00832	0.0003	0.0015	mg/Wipe	FALSE	NA	1						AW				
FALSE	0.840	0.0022	0.0100	mg/Wipe	FALSE	NA	1						AW			K	
FALSE	0.0700	0.00003	0.0004	mg/Wipe	FALSE	NA	1						AW				
FALSE	0.00093	6.50E-5	0.0003	mg/Wipe	FALSE	NA	1						AW			L	
FALSE	0.137	0.0115	0.0400	mg/Wipe	FALSE	NA	1						AW				
FALSE	U	0.00025	0.001	mg/Wipe	FALSE	NA	1						AW				
FALSE	0.00836	0.0006	0.0025	mg/Wipe	FALSE	NA	1						AW			K	
FALSE	U	1.20E-4	0.0005	mg/Wipe	FALSE	NA	1						AW				
FALSE	0.567	0.009	0.0200	mg/Wipe	FALSE	NA	1						AW			K	
FALSE	U	0.00065	0.003	mg/Wipe	FALSE	NA	1						AW				
FALSE	0.00104	6.50E-5	0.00025	mg/Wipe	FALSE	NA	1						AW				
FALSE	0.280	1.80E-4	0.0015	mg/Wipe	FALSE	NA	1						AW			K	
FALSE	0.00258	0.00039	0.002	mg/Wipe	FALSE	NA	1						AW			K	
FALSE	0.0101	3.10E-5	0.00015	mg/Wipe	FALSE	NA	1						AW				
FALSE	U	1.10E-5	0.0001	mg/Wipe	FALSE	NA	1						AW				
FALSE	0.00017	1.40E-5	0.0001	mg/Wipe	FALSE	NA	1						AW			L	
FALSE	2.23	0.0013	0.0100	mg/Wipe	FALSE	NA	1						AW			K	
FALSE	0.00255	8.50E-5	0.00025	mg/Wipe	FALSE	NA	1						AW				
FALSE	0.0558	0.00175	0.0100	mg/Wipe	FALSE	NA	1						AW				
FALSE	U	8.50E-5	0.0003	mg/Wipe	FALSE	NA	1						AW				
FALSE	0.00258	0.00017	0.001	mg/Wipe	FALSE	NA	1						AW			K	
FALSE	0.209	3.80E-4	0.004	mg/Wipe	FALSE	NA	1						AW				
FALSE	0.00286	0.0003	0.0015	mg/Wipe	FALSE	NA	1						AW				
FALSE	0.326	0.0022	0.0100	mg/Wipe	FALSE	NA	1						AW			K	
FALSE	0.0244	0.00003	0.0004	mg/Wipe	FALSE	NA	1						AW				
FALSE	U	6.50E-5	0.0003	mg/Wipe	FALSE	NA	1						AW			L	
FALSE	0.112	0.0115	0.0400	mg/Wipe	FALSE	NA	1						AW				
FALSE	U	0.00025	0.001	mg/Wipe	FALSE	NA	1						AW				
FALSE	0.00649	0.0006	0.0025	mg/Wipe	FALSE	NA	1						AW			K	
FALSE	U	1.20E-4	0.0005	mg/Wipe	FALSE	NA	1						AW				
FALSE	0.378	0.009	0.0200	mg/Wipe	FALSE	NA	1						AW			K	
FALSE	U	0.00065	0.003	mg/Wipe	FALSE	NA	1						AW				
FALSE	0.00038	6.50E-5	0.00025	mg/Wipe	FALSE	NA	1						AW				
FALSE	0.152	1.80E-4	0.0015	mg/Wipe	FALSE	NA	1						AW			K	

SAMPDATA

											10	
											11	
											12	
											13	
											15	
											16	
											18	
											19	
											2	
											20	
											21	
											22	
											24	
											27	
											28	
											3	
											4	
											5	
											7	
											8	
											9	
											1	
											10	
											11	
											12	
											13	
											15	
											16	
											18	
											19	
											2	
											20	
											21	
											22	
											24	
											27	
											28	

SAMPDATA

											3	
											4	
											5	
											7	
											8	
											9	
											1	
											10	
											11	
											12	
											13	
											15	
											16	
											18	
											19	
											2	
											20	
											21	
											22	
											24	
											27	
											28	
											3	
											4	
											5	
											7	
											8	
											9	
											1	
											10	
											11	
											12	
											13	
											15	
											16	
											18	
											19	

SAMPDATA

sCommen	SNOTE1	SNOTE2	SNOTE3	SNOTE4	SNOTE5	SNOTE6	SNOTE7	SNOTE8	SNOTE9	SNOTE10	ANALYTEORDER
											1
											10
											11
											12
											13
											15
											16
											18
											19
											2
											20
											21
											22
											24
											27
											28
											3
											4
											5
											7
											8
											9
											1
											10
											11
											12
											13
											15
											16
											18
											19
											2
											20
											21
											22
											24

SAMPDATA

											27	
											28	
											3	
											4	
											5	
											7	
											8	
											9	
											1	
											10	
											11	
											12	
											13	
											15	
											16	
											18	
											19	
											2	
											20	
											21	
											22	
											24	
											27	
											28	
											3	
											4	
											5	
											7	
											8	
											9	
											1	
											10	
											11	
											12	
											13	
											15	
											16	

SAMPDATA

											18	
											19	
											2	
											20	
											21	
											22	
											24	
											27	
											28	
											3	
											4	
											5	
											7	
											8	
											9	
											1	
											10	
											11	
											12	
											13	
											15	
											16	
											18	
											19	
											2	
											20	
											21	
											22	
											24	
											27	
											28	
											3	
											4	
											5	
											7	
											8	
											9	

SAMPDATA

											1	
											10	
											11	
											12	
											13	
											15	
											16	
											18	
											19	
											2	
											20	
											21	
											22	
											24	
											27	
											28	
											3	
											4	
											5	
											7	
											8	
											9	
											1	
											10	
											11	
											12	
											13	
											15	
											16	
											18	
											19	
											2	
											20	
											21	
											22	
											24	
											27	

SAMPDATA

								2	
								20	
								21	
								22	
								24	
								27	
								28	
								3	
								4	
								5	
								7	
								8	
								9	

SAMPDATA

CLIENT	PROJECT	PROJECT	LabName	SAMPLEN	LABSAMP	MATRIX	RPTMATR	SAMPDAT	PREPDATE	ANALDATE	BATCH	METHOD	METHOD	PREPNAME	ANALYTE	CASNUM	SURROG
Air Division	SE Chicag	[none]	US EPA R 1B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Naphthalene	91-20-3	FALSE	
Air Division	SE Chicag	[none]	US EPA R 1B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Pyrene	129-00-0	FALSE	
Air Division	SE Chicag	[none]	US EPA R 1B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Benzo (a)	56-55-3	FALSE	
Air Division	SE Chicag	[none]	US EPA R 1B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Chrysene	218-01-9	FALSE	
Air Division	SE Chicag	[none]	US EPA R 1B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Benzo(b)fl	205-99-2	FALSE	
Air Division	SE Chicag	[none]	US EPA R 1B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Benzo(k)fl	207-08-9	FALSE	
Air Division	SE Chicag	[none]	US EPA R 1B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Benzo (e)	192-97-2	FALSE	
Air Division	SE Chicag	[none]	US EPA R 1B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Benzo(a)p	50-32-8	FALSE	
Air Division	SE Chicag	[none]	US EPA R 1B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Perylene	1985-5-0	FALSE	
Air Division	SE Chicag	[none]	US EPA R 1B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Indeno(1,2	193-39-5	FALSE	
Air Division	SE Chicag	[none]	US EPA R 1B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Dibenz(a,h	53-70-3	FALSE	
Air Division	SE Chicag	[none]	US EPA R 1B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	2-Methyln	91-57-6	FALSE	
Air Division	SE Chicag	[none]	US EPA R 1B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Benzo(g,h	191-24-2	FALSE	
Air Division	SE Chicag	[none]	US EPA R 1B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Nitrobenze	4165-60-0	TRUE	
Air Division	SE Chicag	[none]	US EPA R 1B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	2-Fluorobi	321-60-8	TRUE	
Air Division	SE Chicag	[none]	US EPA R 1B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Terphenyl	1718-51-0	TRUE	
Air Division	SE Chicag	[none]	US EPA R 1B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	1-Methyln	90-12-0	FALSE	
Air Division	SE Chicag	[none]	US EPA R 1B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Acenaphth	208-96-8	FALSE	
Air Division	SE Chicag	[none]	US EPA R 1B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Acenaphth	83-32-9	FALSE	
Air Division	SE Chicag	[none]	US EPA R 1B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Fluorene	86-73-7	FALSE	
Air Division	SE Chicag	[none]	US EPA R 1B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Phenanthr	85-01-8	FALSE	
Air Division	SE Chicag	[none]	US EPA R 1B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Anthracen	120-12-7	FALSE	
Air Division	SE Chicag	[none]	US EPA R 1B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Fluoranth	206-44-0	FALSE	
Air Division	SE Chicag	[none]	US EPA R 2B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Naphthalene	91-20-3	FALSE	
Air Division	SE Chicag	[none]	US EPA R 2B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Pyrene	129-00-0	FALSE	
Air Division	SE Chicag	[none]	US EPA R 2B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Benzo (a)	56-55-3	FALSE	
Air Division	SE Chicag	[none]	US EPA R 2B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Chrysene	218-01-9	FALSE	
Air Division	SE Chicag	[none]	US EPA R 2B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Benzo(b)fl	205-99-2	FALSE	
Air Division	SE Chicag	[none]	US EPA R 2B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Benzo(k)fl	207-08-9	FALSE	
Air Division	SE Chicag	[none]	US EPA R 2B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Benzo (e)	192-97-2	FALSE	
Air Division	SE Chicag	[none]	US EPA R 2B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Benzo(a)p	50-32-8	FALSE	
Air Division	SE Chicag	[none]	US EPA R 2B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Perylene	1985-5-0	FALSE	
Air Division	SE Chicag	[none]	US EPA R 2B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Indeno(1,2	193-39-5	FALSE	
Air Division	SE Chicag	[none]	US EPA R 2B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Dibenz(a,h	53-70-3	FALSE	
Air Division	SE Chicag	[none]	US EPA R 2B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	2-Methyln	91-57-6	FALSE	
Air Division	SE Chicag	[none]	US EPA R 2B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI ***	DEFAL	Solvent Ex	Benzo(g,h	191-24-2	FALSE	

## Page 2

Air Divisor	SE Chicag	[none]	US EPA R2B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Nitrobenze	4165-60-0	TRUE
Air Divisor	SE Chicag	[none]	US EPA R2B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	2-Fluorobi	321-60-8	TRUE
Air Divisor	SE Chicag	[none]	US EPA R2B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Terphenyl-	1718-51-0	TRUE
Air Divisor	SE Chicag	[none]	US EPA R2B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	1-Methyln	90-12-0	FALSE
Air Divisor	SE Chicag	[none]	US EPA R2B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Acenaphth	208-96-8	FALSE
Air Divisor	SE Chicag	[none]	US EPA R2B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Acenaphth	83-32-9	FALSE
Air Divisor	SE Chicag	[none]	US EPA R2B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Fluorene	86-73-7	FALSE
Air Divisor	SE Chicag	[none]	US EPA R2B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Phenanthr	85-01-8	FALSE
Air Divisor	SE Chicag	[none]	US EPA R2B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Anthracen	120-12-7	FALSE
Air Divisor	SE Chicag	[none]	US EPA R2B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Fluoranth	206-44-0	FALSE
Air Divisor	SE Chicag	[none]	US EPA R3B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Naphthale	91-20-3	FALSE
Air Divisor	SE Chicag	[none]	US EPA R3B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Pyrene	129-00-0	FALSE
Air Divisor	SE Chicag	[none]	US EPA R3B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Benzo (a)	56-55-3	FALSE
Air Divisor	SE Chicag	[none]	US EPA R3B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Chrysene	218-01-9	FALSE
Air Divisor	SE Chicag	[none]	US EPA R3B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Benzo (b)fl	205-99-2	FALSE
Air Divisor	SE Chicag	[none]	US EPA R3B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Benzo (k)fl	207-08-9	FALSE
Air Divisor	SE Chicag	[none]	US EPA R3B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Benzo (e)	192-97-2	FALSE
Air Divisor	SE Chicag	[none]	US EPA R3B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Benzo (a)p	50-32-8	FALSE
Air Divisor	SE Chicag	[none]	US EPA R3B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Perylene	1985-5-0	FALSE
Air Divisor	SE Chicag	[none]	US EPA R3B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Indeno (1,2	193-39-5	FALSE
Air Divisor	SE Chicag	[none]	US EPA R3B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Dibenz (a,h	53-70-3	FALSE
Air Divisor	SE Chicag	[none]	US EPA R3B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	2-Methyln	91-57-6	FALSE
Air Divisor	SE Chicag	[none]	US EPA R3B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Benzo (g,h	191-24-2	FALSE
Air Divisor	SE Chicag	[none]	US EPA R3B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Nitrobenze	4165-60-0	TRUE
Air Divisor	SE Chicag	[none]	US EPA R3B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	2-Fluorobi	321-60-8	TRUE
Air Divisor	SE Chicag	[none]	US EPA R3B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Terphenyl-	1718-51-0	TRUE
Air Divisor	SE Chicag	[none]	US EPA R3B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	1-Methyln	90-12-0	FALSE
Air Divisor	SE Chicag	[none]	US EPA R3B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Acenaphth	208-96-8	FALSE
Air Divisor	SE Chicag	[none]	US EPA R3B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Acenaphth	83-32-9	FALSE
Air Divisor	SE Chicag	[none]	US EPA R3B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Fluorene	86-73-7	FALSE
Air Divisor	SE Chicag	[none]	US EPA R3B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Phenanthr	85-01-8	FALSE
Air Divisor	SE Chicag	[none]	US EPA R3B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Anthracen	120-12-7	FALSE
Air Divisor	SE Chicag	[none]	US EPA R3B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Fluoranth	206-44-0	FALSE
Air Divisor	SE Chicag	[none]	US EPA R4B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Naphthale	91-20-3	FALSE
Air Divisor	SE Chicag	[none]	US EPA R4B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Pyrene	129-00-0	FALSE
Air Divisor	SE Chicag	[none]	US EPA R4B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Benzo (a)	56-55-3	FALSE
Air Divisor	SE Chicag	[none]	US EPA R4B	1404008-C	Wipe	Wipe	04/17/2014	04/23/2014	04/29/2014	B404081	SVOA PAI	***	DEFAU	Solvent Ex	Chrysene	218-01-9	FALSE

SAMPDATA

FALSE	0.00205	0.00039	0.002	mg/Wipe	FALSE	NA	1					AW			K	
FALSE	0.00284	3.10E-5	0.00015	mg/Wipe	FALSE	NA	1					AW				
FALSE	U	1.10E-5	0.0001	mg/Wipe	FALSE	NA	1					AW				
FALSE	U	1.40E-5	0.0001	mg/Wipe	FALSE	NA	1					AW				
FALSE	0.625	0.0013	0.0100	mg/Wipe	FALSE	NA	1					AW			K	
FALSE	0.00092	8.50E-5	0.00025	mg/Wipe	FALSE	NA	1					AW				
FALSE	0.130	0.00175	0.0100	mg/Wipe	FALSE	NA	1					AW				
FALSE	U	8.50E-5	0.0003	mg/Wipe	FALSE	NA	1					AW				
FALSE	0.00517	0.00017	0.001	mg/Wipe	FALSE	NA	1					AW			K	
FALSE	0.700	3.80E-4	0.004	mg/Wipe	FALSE	NA	1					AW				
FALSE	0.00755	0.0003	0.0015	mg/Wipe	FALSE	NA	1					AW				
FALSE	0.497	0.0022	0.0100	mg/Wipe	FALSE	NA	1					AW			K	
FALSE	0.0413	0.00003	0.0004	mg/Wipe	FALSE	NA	1					AW				
FALSE	0.00116	6.50E-5	0.0003	mg/Wipe	FALSE	NA	1					AW				
FALSE	0.113	0.0115	0.0400	mg/Wipe	FALSE	NA	1					AW				
FALSE	0.0083	0.00025	0.001	mg/Wipe	FALSE	NA	1					AW				
FALSE	0.00852	0.0006	0.0025	mg/Wipe	FALSE	NA	1					AW			K	
FALSE	U	1.20E-4	0.0005	mg/Wipe	FALSE	NA	1					AW				
FALSE	0.481	0.009	0.0200	mg/Wipe	FALSE	NA	1					AW			K	
FALSE	U	0.00065	0.003	mg/Wipe	FALSE	NA	1					AW				
FALSE	0.00078	6.50E-5	0.00025	mg/Wipe	FALSE	NA	1					AW				
FALSE	0.237	1.80E-4	0.0015	mg/Wipe	FALSE	NA	1					AW			K	
FALSE	0.00411	0.00039	0.002	mg/Wipe	FALSE	NA	1					AW			K	
FALSE	0.00396	3.10E-5	0.00015	mg/Wipe	FALSE	NA	1					AW				
FALSE	U	1.10E-5	0.0001	mg/Wipe	FALSE	NA	1					AW				
FALSE	0.00023	1.40E-5	0.0001	mg/Wipe	FALSE	NA	1					AW				
FALSE	0.964	0.0013	0.0100	mg/Wipe	FALSE	NA	1					AW			K	
FALSE	0.00324	8.50E-5	0.00025	mg/Wipe	FALSE	NA	1					AW				
FALSE	U	0.00175	0.0100	mg/Wipe	FALSE	NA	1					AW				
FALSE	U	8.50E-5	0.0003	mg/Wipe	FALSE	NA	1					AW				
FALSE	0.0022	0.00017	0.001	mg/Wipe	FALSE	NA	1					AW			K	
FALSE	0.00456	3.80E-4	0.004	mg/Wipe	FALSE	NA	1					AW				
FALSE	U	0.0003	0.0015	mg/Wipe	FALSE	NA	1					AW				
FALSE	0.182	0.0022	0.0100	mg/Wipe	FALSE	NA	1					AW			K	
FALSE	U	0.00003	0.0004	mg/Wipe	FALSE	NA	1					AW				
FALSE	U	6.50E-5	0.0003	mg/Wipe	FALSE	NA	1					AW				
FALSE	0.0922	0.0115	0.0400	mg/Wipe	FALSE	NA	1					AW			K	

SAMPDATA

FALSE	U	0.00025	0.001	mg/Wipe	FALSE	NA	1						AW				
FALSE	0.00852	0.0006	0.0025	mg/Wipe	FALSE	NA	1						AW			K	
FALSE	U	1.20E-4	0.0005	mg/Wipe	FALSE	NA	1						AW				
FALSE	0.376	0.009	0.0200	mg/Wipe	FALSE	NA	1						AW			K	
FALSE	U	0.00065	0.003	mg/Wipe	FALSE	NA	1						AW				
FALSE	U	6.50E-5	0.00025	mg/Wipe	FALSE	NA	1						AW				
FALSE	0.153	1.80E-4	0.0015	mg/Wipe	FALSE	NA	1						AW			K	
FALSE	0.00242	0.00039	0.002	mg/Wipe	FALSE	NA	1						AW			K	
FALSE	U	3.10E-5	0.00015	mg/Wipe	FALSE	NA	1						AW				
FALSE	U	1.10E-5	0.0001	mg/Wipe	FALSE	NA	1						AW				
FALSE	U	1.40E-5	0.0001	mg/Wipe	FALSE	NA	1						AW				
FALSE	0.0980	0.0013	0.0100	mg/Wipe	FALSE	NA	1						AW			K	
FALSE	U	8.50E-5	0.00025	mg/Wipe	FALSE	NA	1						AW				

SAMPDATA

										28	
										3	
										4	
										5	
										7	
										8	
										9	
										1	
										10	
										11	
										12	
										13	
										15	
										16	
										18	
										19	
										2	
										20	
										21	
										22	
										24	
										27	
										28	
										3	
										4	
										5	
										7	
										8	
										9	
										1	
										10	
										11	
										12	
										13	
										15	
										16	
										18	

SAMPDATA

											19	
											2	
											20	
											21	
											22	
											24	
											27	
											28	
											3	
											4	
											5	
											7	
											8	
											9	
											1	
											10	
											11	
											12	
											13	
											15	
											16	
											18	
											19	
											2	
											20	
											21	
											22	
											24	
											27	
											28	
											3	
											4	
											5	
											7	
											8	
											9	
											1	

(EPA)

RECEIVED  
6-7-00

2000 JAN -5 AM 7:33

201-16667A

**PETROLEUM COKE CATEGORY ANALYSIS AND HAZARD CHARACTERIZATION**

**Submitted to the US EPA**

**by**

**The American Petroleum Institute  
Petroleum HPV Testing Group**

**Consortium Registration #**

**December 28, 2007**

## Contents

1.	DESCRIPTION OF PETROLEUM COKE .....	1
1.1.	Composition and Structure.....	1
1.2.	Coking Processes and Terminology .....	2
1.3.	Analytical Characterization.....	3
2.	CATEGORY DEFINITION AND JUSTIFICATION .....	4
3.	TEST MATERIALS .....	4
3.1.	Previous Studies .....	4
3.2.	New Studies .....	4
4.	PHYSICAL-CHEMICAL PROPERTIES.....	5
4.1.	Physical-Chemical Screening Information Data Set (SIDS) .....	5
4.2.	Assessment Summary for Physical-Chemical Endpoints .....	6
5.	ENVIRONMENTAL FATE .....	6
5.1.	Environmental Fate Endpoints .....	6
5.1.1.	Photodegradation.....	6
5.1.1.1.	Direct .....	6
5.1.1.2.	Indirect.....	6
5.1.2.	Stability in Water .....	6
5.1.3.	Transport Between Environment Compartments Fugacity/Distribution.....	7
5.1.4.	Biodegradation .....	7
5.2.	Assessment Summary for Environmental Fate.....	7
6.	ENVIRONMENTAL EFFECTS .....	8
6.1.	Aquatic Toxicity .....	8
6.1.1.	Aquatic Endpoints.....	8
6.1.2.	Acute Toxicity to Aquatic Vertebrates.....	8
6.1.3.	Acute Toxicity to Freshwater Invertebrates .....	9
6.1.4.	Acute Toxicity to Aquatic Plants .....	9
6.2.	Terrestrial Toxicity.....	10
6.2.1.	Terrestrial Endpoints.....	10
6.2.2.	Toxicity to Terrestrial Plants .....	10
6.2.3.	Toxicity to Soil Dwelling Organisms.....	11
6.3.	Assessment Summary for Environmental Effects.....	11
7.	HUMAN HEALTH ENDPOINTS.....	12
7.1.	Human Health Effects .....	12
7.1.1.	Acute Toxicity.....	12
7.1.2.	Repeated-Dose Toxicity.....	13
7.1.3.	Genetic Toxicity .....	14
7.1.3.1.	<i>In Vitro</i> .....	14
7.1.3.2.	<i>In Vivo</i> .....	15
7.1.4.	Reproductive and Developmental Toxicity .....	16
7.2.	Health Effects Other .....	17
7.2.1.	Carcinogenicity .....	17
7.3.	Assessment Summary for Health Effects .....	17
8.	MATRIX OF PETROLEUM COKE CATEGORY DATA .....	18
9.	CATEGORY ANALYSIS CONCLUSIONS .....	19
10.	REFERENCES .....	20
11.	LIST OF ABBREVIATIONS AND ACRONYMS .....	25
12.	GLOSSARY .....	26
	APPENDIX A - Category Members .....	31
	APPENDIX B - Composition of Green Coke Samples Used in Toxicology Studies .....	32

Petroleum Coke Robust Summaries located at <http://www.epa.gov/hpvis/index.html>

## SUMMARY

The Petroleum Coke category consists of two substances; green coke and calcined coke. These two substances are grouped together in a category based on their similarity of manufacturing processes which results in similar physical chemical characteristics and chemical composition. The principal difference is the amount of residual hydrocarbon (also termed volatile matter) in the two products. Petroleum coke (both green and calcined) is a black-colored solid produced by the high pressure thermal decomposition of heavy (high boiling) petroleum process streams and residues. Green coke is the initial product from the cracking and carbonization of the feedstocks to produce a substance with a high carbon-to-hydrogen ratio. Green coke undergoes additional thermal processing to produce calcined coke. The additional processing removes volatile matter and increases the percentage of elemental carbon, which results in a lower potential for toxicity for calcined coke.

The hazard potential for the petroleum coke category has been characterized by evaluating existing data, testing green coke to fill data gaps, then 'reading across' the green coke results to the other category member, calcined coke. This is justified because, as stated above, green coke contains higher levels of volatile matter, and therefore, it is "worse case" by comparison to calcined coke. Physical-chemical properties, environmental fate, environmental effects and health effects are summarized below, and more fully discussed in the body of the category analysis. The primary routes for human exposure are dermal and inhalation. With the exception of *in vitro* studies, the mammalian health data provided in this report are from inhalation and dermal studies.

### Physical-Chemical Properties:

Because petroleum coke (both green coke and calcined coke) is the substance remaining from treating heavy petroleum feedstocks with high temperature and pressure, many of the physical-chemical properties are not meaningful at ambient environmental conditions. At ambient temperature and pressure, petroleum coke exists as a solid, and because it consists predominantly of elemental carbon and a hardened residuum remaining from the feedstocks, the High Production Volume (HPV) Chemical Challenge Program physical-chemical endpoints either cannot be measured using recommended testing procedures or would not provide meaningful information.

### Environmental Fate:

If released to the environment, both forms of petroleum coke would not be expected to undergo many of the HPV environmental fate pathways. Because petroleum coke is predominantly elemental carbon and a hardened residuum, it would not be subject to photolytic processes. These substances do not contain hydrolysable chemical bonds, nor are they susceptible to biodegradation by microorganisms. Depending on the particle size and density of the material, terrestrial releases will become incorporated into the soil or transported via wind or surface water flow. If released to the aquatic environment, petroleum coke will either incorporate into sediment or float on the surface, depending on the particle size and density in relation to water.

### Ecotoxicity:

Aquatic and terrestrial ecotoxicity tests were performed to assess the hazard of green petroleum coke to representative aquatic organisms and terrestrial soil-dwelling invertebrates and vascular plants. Testing of selected terrestrial species was included because petroleum coke is sometimes used in a manner that can result in exposure to terrestrial organisms. Aquatic exposures were prepared as water accommodated fractions (WAFs) and attempts were made to analytically quantify specific organic and inorganic constituents of petroleum coke in the WAF solutions. None of those constituents of petroleum coke were present in the WAF solutions at

their analytical detection limits. Because a solubility level could not be established by analytical means, aquatic toxicity test endpoints were presented as nominal WAF loading rates. Loading rate refers to the total amount of petroleum coke added per unit volume of water to produce the WAF. Similarly, endpoints of terrestrial toxicity tests were reported as nominal concentrations of green petroleum coke in soil because constituents of petroleum coke could not be measured in soil at the established exposure level.

**Aquatic Hazard:** Results of acute aquatic toxicity testing of three species were:

Fish (fathead minnow, <i>Pimephales promelas</i> ):	96-h $LL_{50}$ > 1000 mg/L 96-h NOELR = 1000 mg/L
Invertebrate ( <i>Daphnia magna</i> ):	48-h $EL_{50}$ > 1000 mg/L 48-h NOELR = 1000 mg/L
Alga ( <i>Selenastrum capricornutum</i> ):	96-h $E_bL_{50}$ > 1000 mg/L 96-h $E_rL_{50}$ > 1000 mg/L 96-h NOELR < 1000 mg/L

Green petroleum coke has a low potential to cause adverse effects on the aquatic environment.

**Terrestrial Hazard:** Results of terrestrial toxicity testing resulted in the following:

Earthworm ( <i>Eisenia fetida</i> ):	14-d $LC_{50}$ > 1000 mg/kg 14-d NOEC = 1000 mg/kg
Terrestrial plant (corn, <i>Zea mays</i> ):	21-d $LC_{50}$ > 1000 mg/kg 21-d NOEC = 1000 mg/kg
Terrestrial plant (radish, <i>Raphanus sativus</i> ):	21-d $LC_{50}$ > 1000 mg/kg 21-d NOEC = 1000 mg/kg
Terrestrial plant (soybean, <i>Glycine max</i> ):	21-d $LC_{50}$ > 1000 mg/kg 21-d NOEC = 1000 mg/kg

Green petroleum coke has a low potential to cause adverse effect on the terrestrial environment.

#### **Human Health Effects:**

Humans can be exposed to petroleum coke primarily via the dermal and inhalation routes. The majority of the existing animal toxicity studies have been conducted on green coke which has a higher volatile matter content than calcined coke. Due to the physical-chemical characteristics of coke described above, and the lack of systemic toxicity observed in a mouse lifetime dermal study, inhalation was considered to be the route of exposure with the greatest potential to demonstrate hazard. The majority of the mammalian health data provided in this report describe inhalation studies.

**Acute Toxicity:** There are no single dose acute studies on petroleum coke. Repeated-dose inhalation studies on green coke demonstrated a low degree of toxicity with no treatment-related deaths. Based on the OECD 421 Reproductive/Developmental Toxicity Screening Test (see below), the acute inhalation  $LC_{50}$  for both green and calcined coke is estimated to be > 300 mg/m<sup>3</sup>. Petroleum coke has a low acute toxicity hazard potential.

**Repeated-Dose Toxicity:** No Screening Information Data Set (SIDS) guideline repeated-dose studies have been conducted on petroleum coke. Two-year carcinogenicity/chronic toxicity studies on green coke have been conducted in rats and monkeys. Inhalation of petroleum coke in these two studies caused inflammatory and non-oncogenic proliferative changes in the nose and lungs in rats, but not monkeys. These portal-of-entry effects were considered to be non-specific

responses of the respiratory tract to high concentrations of insoluble particles rather than compound specific-induced effects, and are supported by the lack of systemic toxicity observed in the two-year animal studies. Using results of two-year chronic toxicity/carcinogenicity studies in rats and monkeys, a conservative estimate of the portal-of-entry repeated-dose LOAEL was  $< 10 \text{ mg/m}^3$ , and the inhalation repeated-dose systemic NOAEL was estimated to be  $> 30 \text{ mg/m}^3$ . Additionally, green coke was not carcinogenic in rats or monkeys at  $30 \text{ mg/m}^3$  (the highest concentration tested). Petroleum coke repeated-dose hazard potential is low.

***In Vitro Genetic Toxicity – Gene mutation:*** Green coke was not mutagenic in standard *in vitro* genetic toxicity tests in bacteria and mammalian cells. However, when tested in a modification of the *Salmonella* bacterial mutagenicity assay developed for petroleum substance testing, the dimethyl sulfoxide (DMSO) extracts of petroleum coke were mutagenic.

***In Vivo Genetic Toxicity:*** Green coke has been evaluated in three inhalation studies for the ability to produce chromosome aberrations in a bone marrow cytogenetics assay. In the first study, no aberrations were observed in rats after 20 days of exposure to 10 or  $40 \text{ mg/m}^3$  petroleum coke. In a second study, an increase in chromosomal abnormalities was seen after 5 days of treatment at the same exposure concentrations used in the first study. However, it was later determined that the slides from the second study had been misread, and that the results from the second study should be considered inconclusive. To resolve uncertainty, a third *in vivo* cytogenetics study was conducted on bone marrow from male and female rats in the chronic inhalation study. Chromosomal aberrations were not seen in this third study after 5 days, 12 months or 22 months of exposure to petroleum coke at 10 or  $30 \text{ mg/m}^3$ . The weight of the evidence from these three studies indicates that green coke was not genotoxic in *in vivo* bone marrow chromosome cytogenetic assays. Petroleum coke has a low potential to cause genetic toxicity based on *in vivo* testing.

***Reproductive and Developmental Toxicity:*** No reproductive or developmental effects were observed in an OECD 421 Reproductive/Developmental Toxicity Screening Test at green coke concentrations up to  $300 \text{ mg/m}^3$  (the highest concentration tested). The parental systemic toxicity, reproductive toxicity, and developmental toxicity NOAELs were all  $> 300 \text{ mg/m}^3$ . The reproductive and developmental toxicity hazard potential for petroleum coke is low.

***Carcinogenicity:*** Petroleum coke was not carcinogenic in three carcinogenicity studies. Rats and monkeys were exposed via inhalation five days/week for two years to 0, 10, or  $30 \text{ mg/m}^3$  green coke. No excess cancers were observed. In a lifetime skin painting study, mice were exposed to 0 or 100  $\mu\text{l}$  of 250  $\text{mg/mL}$  green coke and no excess skin or visceral cancers were observed.

**Conclusions:** Based on the data summarized above and discussed in greater detail in the body of this document, both green coke and calcined coke (using read-across from green coke) have a low potential for inducing adverse effects to the environment and, with the exception of non-compound-specific, insoluble particle portal-of-entry effects, to human health.

## 1. DESCRIPTION OF PETROLEUM COKE

Petroleum coke is produced through the thermal decomposition of heavy petroleum process streams and residues. The three most common feedstocks used in coking operations are 1) reduced crude (vacuum residue), 2) thermal tar, and 3) decant oil (catalytically cracked clarified oil) (Onder and Bagdoyan, 1993). These feedstocks are heated to thermal cracking temperatures and pressures (485 to 505°C at 400 kPa) that create petroleum liquid and gas product streams. The material remaining from this process is a solid concentrated carbon material, petroleum coke (Ellis and Paul, 2000b; EC, 2003).

Petroleum cokes can be categorized as either green or calcined coke. The initial product of the coking process, green coke, is used as fuel, in gasification and metallurgical processes, or as feedstock to produce calcined coke. Calcined coke is produced when green coke is treated to higher temperatures (1200 to 1350°C). The primary use of calcined coke is in making carbon anodes for the aluminum industry. Other uses include making graphite electrodes for arc furnaces, titanium dioxide, polycarbonate plastics, steel, carbon refractory bricks for blast furnaces, packing media for anode baking furnaces, and material for cathodic protection of pipelines (Ellis and Paul, 2000a; EC, 2003).

### 1.1. Composition and Structure

Petroleum coke is composed primarily of elemental carbon organized as a porous polycrystalline carbon matrix. In green coke, the pores of the matrix are filled with a hardened residuum remaining from the coker feed (Al-Haj-Ibrahim and Morsi, 1992; Al-Haj-Ibrahim and Ali, 2005). This residuum is referred to as volatile matter<sup>1</sup> (sometimes referred to as residual hydrocarbon) because it distills off during the calcining process (Al-Haj-Ibrahim and Ali, 2005; ASTM International, 2004a). Volatile matter consists of the heavy hydrocarbons remaining from the feedstocks that have not undergone complete carbonization (EC, 2003). Green coke normally contains between 4% and 15% volatile matter, but can contain up to 21% (CONCAWE, 1993; Al-Haj-Ibrahim and Morsi, 1992; IUPAC, 1995). The temperature of the coking drum as well as cycle time and drum pressure all affect the amount of volatile matter in green and calcined coke (Ellis and Paul, 2000b). Because of the lower temperature used in its production, green coke contains higher levels of volatile matter than calcined coke.

The specific chemical composition of any given batch of petroleum coke is determined by the composition of the feedstocks used in the coking process, which in turn are dependent upon the composition of the crude oil and refinery processing from which the feedstock is derived (Al-Haj-Ibrahim and Morsi, 1992; CONCAWE, 1993; Dalbey *et al.*, 1998; Ellis and Paul, 2000b). Cokes produced from feedstocks high in asphaltenes will contain higher concentrations of sulfur and metals than cokes produced from high aromatic feedstocks (Onder and Bagdoyan, 1993). This is because asphaltenes contain a disproportionate fraction of those heteroatoms (Onder and Bagdoyan, 1993; Siskin *et al.*, 2006). Most of the sulfur in coke exists as organic sulfur bound to the carbon matrix. However, the structure of organic sulfur compounds in petroleum coke is largely unknown, and no precise analytical methods are available to determine these structures (Al-Haj-Ibrahim and Morsi, 1992). Other forms of sulfur found in coke include sulfates and pyritic sulfur, but these rarely make up more than 0.02% of the total sulfur in coke (Al-Haj-Ibrahim and Morsi, 1992). Metals, mainly vanadium and nickel, occur as metal chelates or porphyrins in the asphaltene fraction (Ellis and Paul, 2000a,b). Some metals are intercalated in the coke structure and are not chemically bonded, so they become

<sup>1</sup>Volatile matter is hydrocarbons that are driven out of petroleum coke at 950°C (1742°F) under strictly controlled conditions per ASTM method D 6374-99

part of the ash and particulates (Ellis and Paul, 2000b). Metal concentrations in coke normally increase upon calcining due to the weight loss from evolution of the volatile matter (Lee *et al.*, 1997; Ellis and Paul, 2000a). In practice, however, calcined cokes typically contain lower metal concentrations than many grades of green coke due to the selection of low-metal green cokes for calcining (Lee *et al.*, 1997).

## 1.2. Coking Processes and Terminology

Petroleum coke is formed from two basic reactions, dealkylation and dehydrogenation (Onder and Bagdoyan, 1993).

**Dealkylation** – When high molecular weight compounds such as asphaltenes and resins are subject to elevated temperatures in the coker unit, the resulting carbon residue is a highly disordered and cross-linked structure. This is marked by a significant difference in the concentration of hydrogen atoms measured in the resin-asphaltene feed and the formed coke. The carbon to hydrogen ratio increases from a range of 8-10 in the feed to 20-24 in the coke. This amorphous character, combined with high concentrations of impurities, render the coke produced from resin-asphaltene compounds unsuitable for special applications.

**Dehydrogenation** – This mechanism depends on the dehydrogenation of heavy oils with subsequent condensation of free radicals to form high molecular weight compounds with high carbon-to-hydrogen ratios. The coke thus produced contains fewer cross-linkages and has a more crystalline appearance than the resin-asphaltene based coke. Coke formed from feedstocks such as thermal cracker tars, catalytic cracker slurry, and decant oil, which are high in aromatics and low in resin-asphaltenes, is a premium grade product suitable for calcining and graphitization.

Green coke can be produced by one of three processes: delayed, fluid or flexicoking. Delayed process coke is produced by a semi-continuous batch process and accounts for more than 92% of total coke production in the United States (Pace Consultants Inc., 2001). Fluid coke is produced by a continuous fluidized bed process. Fluid coke typically contains less volatile matter than delayed process green coke but more than calcined coke, and occurs as spherical grains less than 1 cm in diameter (CONCAWE, 1993). Flexicoke is produced by a variant of the fluidized bed process in which most of the coke (up to 97%) is converted to a low heating value (20 to 40 Btu/scf) fuel gas for use at the refinery where it was produced. Solid flexicoke has a smaller particle size than fluid coke and is dustier due to its lower volatile matter content (CONCAWE, 1993; Roundtree, 1998).

Depending on its physical form, green coke produced in delayed cokers may also be classified as shot, sponge or needle coke. Shot coke occurs as small, hard spheres and is derived from low API gravity and high asphaltene and resin petroleum precursors via the dealkylation reaction mechanism. Sponge coke is the most common form of green coke and it has a macroscopically amorphous appearance. Visibly, it has a dull black color and a porous consistency with walls and pores that vary in size. It is normally derived from virgin petroleum feedstocks, which contain large numbers of cross linkages. Gas bubble percolation inside the coke drum may also account for generation of some sponge coke. In reality, sponge coke is a mixture of shot and needle coke structures. Needle coke appears as silver-gray colored ocular structures (ribbon-like, crystalline needles) and is derived from feedstocks with high aromatic hydrocarbon content via the dehydrogenation reaction mechanism (Lee *et al.*, 1997; Ellis & Paul, 2000b).

Calcined coke is produced from green coke by a process of further heating at temperatures in excess of 1200°C (CONCAWE, 1993). Most uses other than for fuel or gasification require green coke to be calcined in order to improve its properties. The

process of calcining removes moisture, reduces the volatile matter to less than 0.4%, increases the density of the coke structure, increases physical strength, and increases the electrical conductivity of the material (Ellis and Paul, 2000a). When green coke is calcined, devolatilization of volatile matter occurs at 500 to 1000°C. Heating further to 1200 to 1400°C causes additional dehydrogenation, some desulfurization, and coke structural shrinkage (densification) (Ellis and Paul, 2000a). The result is a hard, dense substance with low hydrogen content, a low coefficient of thermal expansion, and good electrical conductivity. These properties along with low metals and ash contents make calcined petroleum coke highly desirable for use in the aluminum smelting industry (Ellis and Paul, 2000a). Calcined coke is characterized as either anode-grade coke or graphite needle-grade coke depending upon its physical and chemical characteristics, with needle-grade coke having a higher purity (i.e., lower ash, sulfur, and metals contents (Lee *et al.*, 1997) than anode-grade coke, which is used in electric furnaces in aluminum and steel smelting. The physical characteristics of petroleum coke are important in determining the suitability of a coke sample for a specific use. These characteristics are typically the real and bulk densities and, in the case of anode and needle grade coke, the resistivity and coefficient of thermal expansion. Fuel grade coke may also be characterized by its fuel value (Btu/lb).

Green coke and calcined coke are covered by two separate definitions of petroleum coke in the Chemical Abstract Service and EINECS Registry systems. They are: Petroleum coke and Coke (petroleum) calcined. The definitions of these substances are listed in Appendix 1.

### 1.3. Analytical Characterization

Physical and compositional characteristics considered important in petroleum coke include weight % ash, weight % sulfur, weight % volatile matter, nickel (mg/kg), and vanadium (mg/kg) (Lee *et al.*, 1997). Examples of selected physical and compositional characteristics between fuel grade green and aluminum grade calcined coke are shown in Table 1.

<b>Table 1<sup>1</sup></b>		
<b>Comparison of Green and Calcined Coke Composition</b>		
<b>Properties<sup>2</sup></b>	<b>Fuel-Grade Green Coke</b>	<b>Anode-grade calcined Coke</b>
Sulfur (wt%)	2.5 – 5.5	1.7 – 3.0
Ash (wt%)	0.1 – 0.3	0.1 – 0.3
Nickel (ppm)	N.D. <sup>3</sup>	165 – 350
Vanadium (ppm)	200 – 400	120 – 350
Volatile matter (wt%)	9 – 12	<0.25
Bulk density (g/cm <sup>3</sup> )	N.D.	0.80
Real density (g/cm <sup>3</sup> )	N.D.	2.06

<sup>1</sup>From Lee *et al.*, 1997

<sup>2</sup>The above values are given for illustration and may vary depending upon the feedstock or crude oil of origin

<sup>3</sup>Not determined

Analyses of green petroleum coke have measured various polyaromatic compounds (PACs) and metals in neat samples. Organic solvent extracts of green petroleum coke prepared for gas chromatographic analyses have revealed various parent and alkylated polyaromatic hydrocarbons (CONCAWE, 1993; Dalbey, *et al.*, 1998). Metals also have been measured in neat green coke samples by X-ray fluorescence or inductively coupled plasma spectroscopic methods (Ellis and Paul, 2000a). Characterization data of green coke test samples used in HPV testing confirmed low concentrations of both PACs and metals in such preparations (Appendix B). In contrast, metals and selected PACs were

not found in detectable concentrations in aqueous WAF solutions used in aquatic toxicity tests conducted for the HPV testing program (Wildlife International Ltd., 2006a-c).

## 2. CATEGORY DEFINITION AND JUSTIFICATION

The petroleum coke category contains two substances (see Appendix 1 for full CAS definitions):

*Coke (petroleum)* [also known as green coke] CAS # 64741-79-3

*Coke (petroleum), calcined* CAS # 64743-05-1

These substances are grouped together in one category based on a similarity of their manufacturing processes, which results in similar physical chemical characteristics and chemical composition. Green coke undergoes additional thermal processing to produce calcined coke. The additional processing removes volatile matter and increases the percentage of elemental carbon, which results in calcined coke having a lower potential for toxicity. Therefore, the hazard potential for the petroleum coke category was characterized by testing green coke, then 'reading across' from the green coke results to calcined coke.

## 3. TEST MATERIALS

### 3.1. PREVIOUS STUDIES

Analytical data for green coke samples used in previous and new toxicity studies are presented in Appendix B.

### 3.2. NEW STUDIES

To select a sample of green coke for studies to fill data gaps<sup>2</sup> with the highest potential for health and environmental effects, delayed green coke analytical data from a database on U.S. coke dating since 1983 were evaluated (Pace Consultants, Inc., 2001). Samples of green coke produced from the delayed coking process were selected over cokes derived using the fluid or flexicoking processes because delayed green coke constitutes 92% or more of the U.S. coking production (Pace Consultants, Inc., 2001), and delayed green coke typically contains higher percentages of volatile matter (CONCAWE, 1993). Specifically, data from 1998 and 1999 were evaluated for sulfur (wt %), nickel (ppm), vanadium (ppm), and volatile matter (wt %). The 1999 dataset contained data on over 92% of the coke produced in the U.S. that year. No single candidate refinery produced green coke with the highest content in all four properties, so some compromise was required for test material producer selection. Table 2 summarizes the ranges of sulfur, nickel, vanadium and hydrocarbon content for coke produced by the five candidate refineries and lists the coke quality data properties from the candidate refinery selected to provide test material for studies to fill the HPV endpoint data gaps (Pace Consultants Inc., 2001).

Table 2<sup>1</sup>

<sup>2</sup> OECD 203 Fish acute toxicity test; OECD 202 Invertebrate acute toxicity test; OECD 201 Algal growth inhibition test; OECD 208 Seedling emergence and growth of terrestrial plants; OECD 207 Earthworm acute toxicity test; OECD 421 Reproduction/developmental toxicity test

Comparison of Properties of Green Coke from Supplier Candidates and Selected Green Coke Supplier for HPV Test Material				
Property	Five Candidate Refinery Coke Quality Ranges		Coke Quality for Refinery that Provided HPV Testing Sample	
	Value	Percentile	Value	Percentile
Sulfur (Wt. %)	4.20 – 6.00	43 - 93	5.75	86
Nickel (ppm)	250 - 500	50 - 90	300	58
Vanadium (ppm)	1,000 – 1,500	65 - 84	1,200	75
Volatile Matter (Wt. %)	10.0 – 15.0	25 - 100	12.0	75

<sup>1</sup> Pace Consultants Inc., 2001

Detailed analysis of the selected green coke test sample is provided in Appendix B.

#### 4. PHYSICAL-CHEMICAL PROPERTIES

Petroleum coke is a product of extreme temperature and pressure treatments that convert heavy petroleum feedstocks into a solid substance composed predominately of carbon. Because of its structural and compositional characteristics, developing the physical-chemical and environmental fate endpoints of the HPV program would not be feasible using standard OECD testing methods.

##### 4.1. Physical-Chemical Screening Information Data Set (SIDS)

The physical-chemical endpoints in the HPV chemicals program include the following:

- Melting Point
- Boiling Point
- Vapor Pressure
- Octanol/Water Partition Coefficient
- Water Solubility

Green petroleum coke exists as a solid substance composed of predominately carbon in a polycrystalline porous matrix. Approximately nine to 21% by weight of green petroleum coke is volatile matter that it is driven off during calcinations. This substance exists in green coke as a hardened residuum in the carbon matrix (Al-Haj-Ibrahim and Morsi, 1992; Al-Haj-Ibrahim and Ali, 2005). Due to the extreme temperature and pressure under which petroleum coke is produced, melting point, boiling point, and vapor pressure measurements would not reveal meaningful data at ambient environmental conditions.

For similar reasons, measurements of partition coefficient and water solubility are not possible for green petroleum coke. Partition coefficient and water solubility require analytical measurements of the test substance in n-octanol and/or water. While selected organic solvents have demonstrated an ability to extract some of the organic fraction from the neat green coke (Dalbey *et al.*, 1998; Clayton Environmental Consultants, 1983; Monarca *et al.*, 1982; Klonne *et al.*, 1987), attempts to measure selected hydrocarbon compounds and inorganic components of petroleum coke in water extracts failed at the detection limits of the analytical methods (e.g. 5 µg/L for the organic fraction, 0.4 µg/L to 200 µg/L for metals, and 5.1 mg/L for sulfur (Wildlife International, Ltd., 2007a-c). Because components in green petroleum coke were insufficiently soluble in water, neither water solubility nor partition coefficient measurements can be made.

**Conclusions:** The HPV physical-chemical endpoints for green or calcined petroleum coke either cannot be measured or would not provide meaningful data at ambient environmental conditions.

#### 4.2. Assessment Summary for Physical-Chemical Endpoints

Green petroleum coke is a complex mixture of mostly elemental carbon with inorganic and organic constituents embedded in a solid poly-crystalline porous matrix. Under ambient environmental conditions, characteristics of melting point, boiling point, vapor pressure, partition coefficient, and water solubility cannot be measured in either green or calcined petroleum coke due to analytical limitations or the physical nature of petroleum coke.

### 5. ENVIRONMENTAL FATE

#### 5.1. Environmental Fate Endpoints

##### 5.1.1. Photodegradation

###### 5.1.1.1. Direct

A prerequisite for direct photodegradation is the ability of one or more bonds within a chemical to absorb ultraviolet (UV)/visible light in the 290 nm to 750 nm wavelength range. Light wavelengths longer than 750 nm do not contain sufficient energy to break chemical bonds, while wavelengths below 290 nm are shielded from the earth by the stratospheric ozone layer (Harris, 1982a). Because petroleum coke consists of mostly elemental carbon, there are no chemical bonds upon which direct or indirect photochemical reactions may act. Photodegradation of residual constituents in petroleum coke (e.g., metals and high molecular weight hydrocarbons) would not be expected to take place. These substances are neither water-soluble nor volatile at ambient temperatures, thus would not engage in direct or indirect photochemical reactions. Therefore, direct photodegradation is not an important fate process for petroleum coke.

###### 5.1.1.2. Indirect

Indirect photodegradation occurs in the atmosphere when organic chemicals react with photosensitized oxygen in the form of hydroxyl radicals. Atmospheric oxidation as a result of hydroxyl radical attack is not direct photochemical degradation but an indirect degradation process. Because petroleum coke consists mostly of elemental carbon and other residual constituents that are generally non-volatile at ambient temperatures, indirect photodegradation is not an important fate process for petroleum coke.

**Conclusion:** Direct and indirect photodegradation are not important fate processes for green or calcined petroleum coke.

#### 5.1.2. Stability in Water

Hydrolysis of an organic molecule occurs when a molecule (R-X) reacts with water (H<sub>2</sub>O) to form a new carbon-oxygen bond after the carbon-X bond is cleaved (Harris, 1982b). This reaction is referred to as nucleophilic substitution, where X is the leaving group being replaced by the incoming nucleophilic oxygen from the water molecule. The leaving group, X, must be a molecule other than carbon because carbon atoms lack sufficient electronegativity to serve as a good leaving group (i.e., carbon-carbon bonds are too stable to be cleaved by nucleophilic substitution). Chemicals that have a potential

to hydrolyze include alkyl halides, amides, carbamates, carboxylic acid esters and lactones, epoxides, phosphate esters, and sulfonic acid esters (Harris, 1982b).

Petroleum coke is composed of elemental carbon and other components that are not susceptible to nucleophilic substitution. Therefore, petroleum coke is not subject to hydrolysis, and this fate process will not be an important degradative pathway in the environment.

**Conclusion:** Hydrolysis is not an important degradative pathway for green or calcined petroleum coke.

#### 5.1.3. Transport Between Environment Compartments Fugacity/Distribution

Elemental carbon and the residual components are neither sufficiently water soluble nor volatile in the environment to be evaluated by fugacity-based multimedia modeling. If released to the environment, petroleum coke is expected to be chemically and physically inert. Depending on the particle size and density of the material, terrestrial releases will become incorporated into the soil or transported via wind or surface water flow. If released to the aquatic environment, petroleum coke will either be incorporated into sediment or float on the surface, depending on the particle size and density in relation to water.

**Conclusion:** Green and calcined petroleum coke are expected to be chemically and physically inert in the environment, with transport related to particle size and density in relation to wind and water.

#### 5.1.4. Biodegradation

Biodegradation occurs when microorganisms transform an organic molecule into carbon dioxide, water, and energy. The reduction or oxidation of chemical bonds in an organic molecule provides the energy and carbon to build new cell material. Petroleum coke is composed mainly of elemental carbon which does not contain the chemical bonds that microbes require for metabolism. Other constituents embedded in the carbon matrix include inorganic substances and high molecular weight hydrocarbon compounds remaining as residuum from the coking process. These constituents would not be expected to be available for microbial degradation. Therefore, biodegradation is not considered an important fate process for petroleum coke.

**Conclusion:** Biodegradation is not considered an important fate process for green or calcined petroleum coke.

### 5.2. Assessment Summary for Environmental Fate

Green and calcined petroleum coke are complex mixtures of mostly elemental carbon with inorganic and organic constituents embedded in the carbon matrix. In general, these constituents do not contain the chemical bonds that engage in photolytic or hydrolytic reactions. If released to the environment, petroleum coke would be expected to be non-reactive and either disperse or remain in the environmental compartment to which it was released.

Therefore, depending on factors such as particle size and density relationships of the petroleum coke and environmental media, releases to terrestrial or aquatic environments would result in incorporation of the material into soils/sediments or dispersal via wind/water action. Biodegradation would not be an important fate process because the

majority of the constituents in petroleum coke do not contain the chemical bonds needed for microbial metabolism.

## 6. ENVIRONMENTAL EFFECTS

### 6.1. AQUATIC TOXICITY

#### 6.1.1. Aquatic Endpoints

The potential hazard of green petroleum coke to freshwater aquatic organisms was assessed by testing a fish (*Pimephales promelas*), an invertebrate (*Daphnia magna*), and an alga (*Selenastrum capricornutum*). All studies employed aqueous exposure solutions prepared as water accommodated fractions (WAFs) in accordance with OECD recommendations for testing complex mixtures having low water solubility (OECD, 2000a). Green coke used to prepare the WAF solutions was milled and sieved to approximately 2 mm grain size and was separated from the aqueous phase following a period of mixing. Under an aquatic spill scenario, adverse effects of petroleum coke on aquatic organisms potentially could arise due to physical effects of coke particulate matter on respiratory membranes of the organisms. The 2 mm grain size allowed the segregation of the solid particles following the preparation of the WAF solutions.

Prior to testing, the test sample of green petroleum coke was characterized for a series of specific inorganic constituents and predominantly un-alkylated polycyclic aromatic hydrocarbons (PAH). A subset of those analytes and compounds were used as markers in the WAF solutions during each aquatic toxicity test. Attempts to measure these constituents in fresh and aged WAF solutions used in the three aquatic toxicity tests showed their concentrations to be less than the minimum quantifiable limits for the methods used (detection limits were 5 µg/L for PAHs, 0.4 µg/L to 200 µg/L for metals, and 5.1 mg/L for sulfur). The aquatic toxicity test endpoints are presented as nominal WAF loading rates. Acute effects on aquatic organisms are unlikely except at concentrations above the solubility limits of the measured constituents. However, the solubility limits could not be defined in these tests because of the extremely low solubility of those constituents from the coke matrix and the limits of the analytical methodology.

#### 6.1.2. Acute Toxicity to Aquatic Vertebrates

The test with the fathead minnow (*P. promelas*) was conducted following OECD (OECD, 1992) and EPA guidelines (US EPA, 1996a) as a 96-hour static-renewal limit test using a negative control group and a single petroleum coke (green coke) WAF prepared at a loading rate of 1000 mg/L. Each experimental group consisted of 30 fish divided among three test chambers (10 fish/replicate). Test chambers were completely filled with no headspace and sealed to mitigate potential loss of any component during the testing period. Fresh WAF solutions were prepared daily and fish were transferred to the fresh solutions after approximately 24, 48 and 72 hours of the 96-hour exposure period (Wildlife International Ltd., 2006a).

No mortality occurred, and no clinical signs of toxicity were evident among the fish of the control and 1000 mg/L WAF exposure groups during the 96-hour exposure period. The endpoints of the test were defined as follows:

96-hour  $LL_{50}$  > 1000 mg/L (WAF nominal loading rate)

96-hour no mortality level = 1000 mg/L (WAF nominal loading rate)

96-hour NOELR = 1000 mg/L (WAF nominal loading rate)

**Conclusion:** The results of this study indicate that WAFs of green petroleum coke are not acutely toxic to freshwater fish at the loading rate used in the test.

#### 6.1.3. Acute Toxicity to Freshwater Invertebrates

The test with the freshwater invertebrate, *Daphnia magna*, was conducted following OECD (OECD, 1984a) and EPA (US EPA, 1996b) guidelines as a 48-hour static-renewal limit test using a negative control group and a single petroleum coke (green coke) WAF prepared at a loading rate of 1000 mg/L. Each experimental group consisted of 30 *D. magna* divided among three test chambers (10 animals/replicate). Test chambers were completely filled with no headspace and sealed to mitigate loss of any component during the testing period. Fresh WAF solutions were prepared after approximately 24 hours, and animals were transferred to the fresh solutions (Wildlife International Ltd., 2006b).

No immobility occurred, and no clinical signs of toxicity were evident among the invertebrates of the control and 1000 mg/L WAF exposure groups during the 48-hour exposure period. The endpoints of the test were defined as follows:

48-hour  $EL_{50} > 1000$  mg/L (WAF nominal loading rate)

48-hour no immobility level = 1000 mg/L (WAF nominal loading rate)

48-hour NOELR = 1000 mg/L (WAF nominal loading rate)

**Conclusion:** The results indicate that WAFs of green petroleum coke are not toxic to freshwater aquatic invertebrates at the loading rate used in the test.

#### 6.1.4. Acute Toxicity to Aquatic Plants

The test with the freshwater alga, *Selenastrum capricornutum*, was conducted following OECD (OECD, 1984b) and EPA (US EPA, 1996c) guidelines as a 96-hour limit test using a negative control group and a single petroleum coke (green coke) WAF prepared at a loading rate of 1000 mg/L. The WAFs were prepared in freshwater algal nutrient medium and added to sterile 300-mL BOD bottles. Each bottle was inoculated with algal cells to achieve an initial cell density of 5,000 cells/mL. BOD bottles were completely filled and sealed to mitigate loss of any component during the test period. Bottles were incubated under constant illumination, and cell densities were determined using a hemocytometer and microscope from samples taken at 24, 48, 72, and 96 hours. Cell count data were used to calculate the area under the growth curve (AUGC) and average specific growth rate ( $\mu$ ) (Wildlife International Ltd., 2006c).

Some slight inhibition of growth (AUGC) and growth rate ( $\mu$ ) were found in the 1000 mg/L WAF when compared to the control group at 72 hours (26% and 12%, respectively) and at 96 hours (28% and 7.1%, respectively). Differences were noted as statistically significant ( $p = < 0.05$ ), although no such effect was observed in prior range finding testing of algae. The endpoints of the test were defined as follows:

72-hour  $E_bL_{50} > 1000$  mg/L (WAF nominal loading rate)

72-hour  $E_rL_{50} > 1000$  mg/L (WAF nominal loading rate)

72-hour NOELR  $< 1000$  mg/L (WAF nominal loading rate)

96-hour  $E_bL_{50} > 1000$  mg/L (WAF nominal loading rate)

96-hour  $E_{rL_{50}} > 1000$  mg/L (WAF nominal loading rate)

96-hour NOELR  $< 1000$  mg/L (WAF nominal loading rate)

**Conclusion:** The results indicate that WAFs of green petroleum coke may produce a slight growth inhibition in freshwater algae at the loading rate used in the test.

## 6.2. TERRESTRIAL TOXICITY

### 6.2.1. Terrestrial Endpoints

Petroleum coke is sometimes used in a manner that can result in exposure to selected terrestrial species. For example, it is used in soil as a grounding agent to protect sensitive installations from lightning strikes (NLSI, 2002), and it has been experimentally used as an absorbent for the removal of crude oil from soils (Narayannan and Arnold, 1997). Therefore the potential hazards to terrestrial organisms were evaluated.

The hazards of green petroleum coke to terrestrial organisms were assessed by testing an earthworm (*Eisenia fetida*), and three species of terrestrial plants (corn, *Zea mays*; radish, *Raphanus sativus*; and soybean, *Glycine max*). Testing methods followed OECD and/or EPA guidelines. All studies were conducted as limit tests using single maximum test concentrations of 1000 mg/kg (dry weight) of green petroleum coke incorporated into the soil. Petroleum coke used in terrestrial testing was milled to mean particle size of 3.3  $\mu$ m. The small particle size permitted the incorporation of the substance in soil and maximized the potential for contact between the coke particles and the test species.

Prior to testing, the test sample of green petroleum coke was characterized for selected inorganic constituents and predominantly un-alkylated polycyclic aromatic hydrocarbons (PAH). It was anticipated that those analytes and compounds could be used as dose verification markers when analyzed in the soil during each test. Subsequent analytical method verification trials showed that the PAH markers were below analytical detection limits, while the inorganic metals were not greater than soil background levels. Therefore, all terrestrial effects tests were based on the nominal concentration of petroleum coke in soil.

### 6.2.2. Toxicity to Terrestrial Plants

Toxicity of green petroleum coke to terrestrial plants was evaluated in a 21-day limit test using petroleum coke at a concentration of 1000 mg/kg (dry weight) in soil. Un-treated soil was used in the negative control group. Test methodology followed OECD (OECD 2000b) and EPA (US EPA 1996 d, e) guidelines. Corn (*Zea mays*), radish (*Raphanus sativus*), and soybean (*Glycine max*) were exposed to the soil-incorporated petroleum coke and assessed for seedling emergence, survival, growth (measured as both seedling height and above-ground dry weight), and seedling condition. The control and exposure groups for each test species consisted of four replicate containers holding 1.87 kg (dry weight) of soil and 10 seeds (Wildlife International Ltd., 2006d).

**Corn:** No statistically significant differences ( $p > 0.05$ ) were found for seedling emergence, seedling survival, seedling height, or shoot dry weight between the dosed and control groups. Condition scores revealed no treatment-related effects. The results for the test with corn were:

21-day  $LC_{50} > 1000$  mg/kg (nominal concentration)

21-day NOEC = 1000 mg/kg (nominal concentration)

Radish: No statistically significant differences ( $p > 0.05$ ) were found for seedling emergence, seedling survival, seedling height, or shoot dry weight between the dosed and control groups. Condition scores revealed no treatment-related effects. The results for the test with radish were:

21-day  $LC_{50} > 1000$  mg/kg (nominal concentration)

21-day NOEC = 1000 mg/kg (nominal concentration)

Soybean: No statistically significant differences ( $p > 0.05$ ) were found for seedling emergence, seedling survival, seedling height, or shoot dry weight between the dosed and control groups. Condition scores revealed no treatment-related effects. The results for the test with soybean were:

21-day  $LC_{50} > 1000$  mg/kg (nominal concentration)

21-day NOEC = 1000 mg/kg (nominal concentration)

**Conclusion:** The results indicate that green petroleum coke is not toxic to terrestrial plants at the concentration tested.

### 6.2.3. Toxicity to Soil Dwelling Organisms

Toxicity of green petroleum coke to earthworms (*E. fetida*) was evaluated following OECD guidelines (OECD, 1984c) in a 14-day limit test using soil-incorporated petroleum coke at a concentration of 1000 mg/kg (dry weight). Un-treated soil was used in the negative control group. The test and control experimental groups consisted of four replicate containers each holding 750 g of soil and 10 earthworms. During the 14-day test, the earthworms were assessed for survival, burrowing behavior, general appearance, and mean body weight (Wildlife International Ltd., 2006e).

No mortality occurred in any replicate of the control or the 1000 mg/kg treatment groups, and in general, earthworms were normal in appearance. None of the earthworms of the control or treatment groups showed any aversion to the soil or in soil burrowing behavior. There were no statistical differences ( $p > 0.05$ ) in earthworm body weight or change in body weight when measured at the end of the test. The results of the test were defined as follows:

14-day  $LC_{50} > 1000$  mg/kg (nominal concentration)

14-day no mortality concentration = 1000 mg/kg (nominal concentration)

14-day NOEC = 1000 mg/kg (nominal concentration)

**Conclusion:** The results indicate that green petroleum coke is not toxic to earthworms at the concentration tested.

### 6.3. Assessment Summary for Environmental Effects

Petroleum coke (green coke) had no effects on aquatic vertebrates and invertebrates and only a slight effect on algae at a WAF loading rate of 1000 mg/L. Petroleum coke did not produce any adverse effects in earthworms and three species of terrestrial vascular plants at 1000 mg/kg soil. Green coke is considered to have a higher potential to induce

environmental effects than calcined coke due to green coke's higher concentration of volatile matter. In lieu of testing calcined coke, green coke testing results have been conservatively extrapolated to calcined coke (see Table 3). Overall, petroleum coke has an extremely low environmental hazard potential.

## 7. HUMAN HEALTH ENDPOINTS

Humans are primarily exposed to petroleum coke via the dermal and inhalation routes (CONCAWE, 1993). Due to the physical-chemical characteristics of coke described above (Section 1), and the lack of systemic toxicity observed in a mouse lifetime dermal study (Wingate and Hepler, 1982), inhalation was considered to be the route of exposure with the highest hazard potential. Consequently, the inhalation route of exposure was used in the one new study (OECD 421 Reproductive/Developmental Toxicity Screening Test) performed to fill HPV program data gaps for reproductive and developmental endpoints. Similarly, the majority of mammalian health data provided in this report are from inhalation studies.

The majority of the existing animal toxicity studies have been conducted on green coke which has a higher volatile matter content than calcined coke. There has been one repeated-dose study of limited scope in which calcined coke was tested for comparison to the green coke. Summary evaluations of the existing studies and the one newly completed study are presented below. Results are summarized in Table 3.

### 7.1. Human Health Effects

#### 7.1.1. Acute Toxicity

There are no single-dose toxicity studies available on either green or calcined coke.

In the OECD 421 Reproductive/Developmental Toxicity Screening Test described in Section 7.1.2 below, male and female Sprague-Dawley rats were exposed for 6 h/day, 7 days/week to up to 300 mg/m<sup>3</sup> green coke in the two-week range-finding study and up to 300 mg/m<sup>3</sup> for a minimum of 35 days in the definitive study. No animals died prior to the scheduled termination of the studies. Consequently, the acute inhalation LC<sub>50</sub> for green coke in rats is estimated to be > 300 mg/m<sup>3</sup> (HLS, 2006).

A repeated-dose inhalation study was conducted to compare lung responses to green and calcined coke (HLS, 1999). In this study, rats were exposed by nose-only inhalation for five days to 50 mg/m<sup>3</sup> calcined coke or green coke. A silicon dioxide exposure group was also used as a benchmark to judge the potential for the coke samples to cause lung fibrosis. The average mass median aerodynamic particle sizes were 2.71 µm, 2.69 µm, and 1.74 µm for green coke, calcined coke and silicone dioxide, respectively. Lung response was evaluated by analysis of lung fluids at 7, 28 and 63 days after exposure. No animals died prior to the scheduled sacrifice date. Both green and calcined coke caused slight inflammatory responses in the lung, with the response to green coke being slightly higher. There was no indication of a fibrogenic response from exposure to either the green or calcined coke. The results from this study are consistent with results from the rat and monkey inhalation studies and the OECD 421 Reproductive/ Developmental Toxicity Screening Test described in more detail in section 7.1.2 below. Importantly, this study demonstrated that effects observed with calcined coke were less severe than those of green coke, thus supporting category read-across from green coke to calcined coke in this category analysis document.

**Conclusions:** There are no single dose studies on green or calcined petroleum coke. Repeated-dose and OECD 421 inhalation studies demonstrated a low degree of toxicity

with no treatment-related deaths. Based on the OECD 421 study, the acute inhalation toxicity of both green and calcined coke is estimated to be  $> 300 \text{ mg/m}^3$ .

#### 7.1.2. Repeated-Dose Toxicity

Two-year whole-body inhalation toxicity studies of sponge-form delayed process green coke were conducted in both Sprague-Dawley rats and Cynomolgus monkeys (IRDC, 1985; Klönne *et al.*, 1987). Both studies were conducted at concentrations of 10 and 30  $\text{mg/m}^3$  of green coke, which had been micronized into fine particles to aid in aerosol generation. The average mass median aerodynamic particle size of  $3.1 \pm 1.9 \mu\text{m}$  was stable over the entire exposure period. The animals were exposed 6 h/day, 5 days/week, except holidays, for two years. Group sizes in the studies were four mature adult monkeys per sex per control and exposed groups, and 150 rats per sex per control and exposed groups. In life parameters evaluated for monkeys and rats included weekly clinical observation, blood and clinical chemistry analyses prior to exposure and at 1, 3, 6, 12, 18, and 24 months, and comprehensive eye examinations at the same intervals that blood chemistries were conducted. Ten rats/sex/group were pre-selected for cytogenetic evaluation (results presented below under Section 7.1.3.2 for *in vivo* genotoxicity) at five days, 12 months and 24 months of exposure; however due to high mortality in control and exposed groups, only five to eight rats per group were evaluated at 22 months, rather than 24 months. For rats, interim sacrifices were conducted at 5 days, 1, 3, 6, 12 and 18 months with terminal sacrifice at 24 months. Fasting body weights and the weights of heart, lung plus trachea, liver, gonads, adrenals, thyroid/parathyroids, kidneys, spleen and brain were recorded at each scheduled necropsy. Thirty-one designated tissues from ten rats/sex in the control and high exposure groups were examined microscopically after 3, 6, 12 and 18 months; all remaining animals from control and high exposure level groups were evaluated after 24 months of exposure. All animals sacrificed *in extremis* or found dead were also evaluated. Only lung plus trachea (at 12, 18 and 24 months) and nasal turbinates (at 24 months) were examined microscopically from rats in the 10  $\text{mg/m}^3$  exposure group. All monkeys were sacrificed after 24 months of exposure. The same 31 tissues were evaluated microscopically in control and high dose groups; weights for the same organs listed for rats were also obtained. Again, only lung plus trachea and nasal turbinates were microscopically evaluated for monkeys in the 10  $\text{mg/m}^3$  exposure group. There were no treatment-related effects on body weights or mortality in rats or monkeys.

The only treatment-related effects reported from these chronic studies were for the lungs in both rats and monkeys. There were dose-related increases in lung plus trachea weights and inflammatory changes in the lungs in rat and monkey petroleum coke exposed groups, accompanied by pigment accumulation (presumed to be test material) in the lung and associated lymph nodes. The lung histological changes in treated rats included pulmonary interstitial inflammatory responses with focal fibrosis, bronchiolization, sclerosis, squamous alveolar metaplasia and the presence of keratin cysts. The keratin cysts were considered to be an advanced stage of squamous alveolar metaplasia but were not considered to be an oncogenic response. The severity of the rat histological changes was related to the duration and concentration of exposure, and was considered to be non-reversible. These lung effects in the rat are considered a non-specific response of the lung to high concentrations of insoluble particles rather than compound specific induced effects, also referred to as rat lung particle overload, and are unlikely to be relevant to humans (Snipes, 1995; Mauderly and McCunney, 1996). By contrast, the primates exhibited lung and pulmonary lymph node pigment accumulation (presumed to be test material) at both exposure levels as a result of phagocytosis by pulmonary macrophages; however, inflammatory or metaplastic changes, as observed in the rats, were absent. Petroleum coke was not found to be carcinogenic by the inhalation route in either the rat or monkey study. In both rats and monkeys, the portal of entry LOAEL was  $< 10 \text{ mg/m}^3$ , and the systemic toxicity NOAEL was  $> 30 \text{ mg/m}^3$ .

Although not a guideline repeated-dose toxicity study, the OECD 421 Reproductive/Developmental Toxicity Screening Test (described in Section 7.1.4) provides additional evidence for the conclusion that petroleum coke has low repeated-dose toxicity. Male and female Sprague-Dawley rats (12/sex/group) were exposed via nose-only inhalation to 0, 30, 100 or 300 mg/m<sup>3</sup> micronized green coke with an average mass median aerodynamic diameter of 2.29 µm. All rats were exposed for 6 h/day, 7 days/week for 2 weeks prior to mating. Males continued to be exposed for 28 days during the mating and post-mating periods. During the mating period, females were exposed until evidence of mating was observed or for 14 consecutive days. Once mated, female rats were treated daily during gestation (days 0-19) until euthanized on post-natal day 4. Viability, clinical observations, body weights, feed consumption, organ weights, macroscopic and microscopic findings were evaluated. The only exposure-related effects observed were portal-of-entry effects in the respiratory tract and associated lymphatic system effects (see Reproductive and Developmental section below). No systemic toxic effects were observed.

Additional support for the determination of low repeated-dose toxicity of petroleum coke is provided by a lifetime mouse dermal carcinogenicity study conducted on four samples of green coke and related substances (delayed process coke; fluid process coke; solid condensed emissions from delayed coke process; and process water from delayed process coke). Each of the petroleum coke samples was micronized and suspended in mineral oil, and applied to mouse skin three times per week for two years (Wingate and Hepler, 1982). Particle size was not provided in the assay or analytical reports. However, rough measurements based on scanning electron micrographs of the micronized particles indicate that particle size was uniform and approximately ≤ 5 µm in diameter. Groups of 25 male and 25 female C3H/HeJ mice were treated three times per week with 100 µl of 250 mg/mL test material dissolved in mineral oil. Body weights were taken once every two weeks, and clinical observation were made three times per week. Mice that died or were sacrificed in a moribund condition were necropsied and examined for occurrence of neoplasms in the viscera. Histological examination was limited to site of application and neoplasms found at necropsy. There were no treatment-related effects on survival or body weights. The number of visceral masses and other masses (other than treatment site) in the treated animals were comparable to controls. The only effect observed in the mice was a thickening of the skin in the area of treatment. None of the coke samples caused skin cancer in this study.

**Conclusion:** The repeated-dose inhalation and dermal toxicity studies indicate low systemic toxicity for green coke. In the inhalation studies there were portal-of-entry inflammatory changes in the lung attributed to non-specific particle burden, rather than a specific response to petroleum coke. Based on results of the two-year studies in rats and monkeys, the inhalation repeated-dose portal-of-entry LOAEL was < 10 mg/m<sup>3</sup>, and the systemic NOAEL was > 30 mg/m<sup>3</sup>.

### 7.1.3. Genetic Toxicity

#### 7.1.3.1. *In Vitro*

Both delayed and fluid process green coke were evaluated for bacterial mutagenicity in the standard bacterial mutagenesis test using *Salmonella typhimurium* strains TA 1535, 1537, 1538, 98 and 100, with and without metabolic activation (S-9 from Aroclor 1254-induced Sprague-Dawley rats). The solvent used in these studies was dimethyl sulfoxide (DMSO). None of the coke samples produced a positive response in any of the tested strains at concentrations up to 10,000 µg/0.1 mL (Hazleton, 1981 a; b).

As part of a workplace study on PAH concentrations and mutagenicity of petroleum coke, petroleum pitch, and airborne particulate matter, Monarca *et al.* (1982) tested petroleum

coke in *Salmonella typhimurium* strains TA 98 and TA 100. Petroleum coke was ground in a mortar, then 50 grams were sequentially extracted with four solvents of increasing polarity (benzene, chloroform, methanol and acetone). Samples were taken at each extraction step, dried, weighed and dissolved in DMSO. The non-extractable residual material (99.71% of starting material) was also tested as a DMSO suspension. The five samples (four extraction steps & the non-extractable residue) were tested for mutagenic potential in TA 98 and TA 100 at 0.1 – 4 mg/plate with and without metabolic activation (liver S-9 from Aroclor 1254 induced male Sprague-Dawley rats). The criteria for a positive response were defined as the observations of a dose-related response and a three-fold or higher increase in revertants per plate as compared to controls. By these criteria, no mutagenic activity was observed in any of the coke solvent fractions or non-extractable residue.

Green coke (sponge-form delayed process; same sample as used in the rat and monkey two-year studies described in Section 7.1.2) was evaluated in a modified bacterial mutagenicity assay (Dalbey *et al.*, 1998; ASTM International, 2004b). It has been shown previously that the standard bacterial assay is insensitive to certain classes of materials, including petroleum substances (Blackburn *et al.*, 1984; 1986). In the modified assay, samples are typically dissolved in cyclohexane and subsequently extracted with dimethyl sulfoxide (DMSO) to produce aqueous compatible solutions which readily interact with tester bacteria. Additionally, hamster, rather than rat, liver homogenate (S-9) is used, and only one bacterial strain tested, *Salmonella typhimurium* TA 98. In this particular study, 200 mg green coke was extracted with 1 ml DMSO and the extract tested with metabolic activation. Green coke was positive in this assay with a mutagenicity index of 12.5.

Jongeneelen *et al.* (1989) tested four petroleum coke samples in a bacterial mutagenicity assay. Samples were sonicated in DMSO for 30 minutes, and the resultant suspension tested in *Salmonella typhimurium* strains TA 98 and TA 100 in the absence and presence of Aroclor 1254-induced S-9 metabolizing system. All four petroleum coke samples demonstrated a concentration-related doubling of the number of revertants as compared to controls in both tester strains in the presence of S-9 (species of origin not specified), and were therefore considered to be mutagenic by the study authors.

Delayed and fluid process coke samples were also evaluated in a mammalian cell mutagenicity test using the L5178Y mouse lymphoma cells (Hazleton, 1981 a, b). The tests were conducted on DMSO extracts of coke with and without metabolizing enzymes in the assay system (S-9 from polychlorinated biphenyl-induced Sprague-Dawley rats). Neither coke sample was mutagenic.

**Conclusion:** Green coke was not mutagenic in standard *in vitro* genetic toxicity tests in bacteria and mammalian cells. However, when tested in a modification of the standard bacterial assay developed for petroleum substance testing, DMSO extracts of petroleum coke were mutagenic in the *Salmonella* mutagenicity assay.

#### 7.1.3.2. In Vivo

Fluid process green coke was evaluated for its ability to produce chromosome aberrations in a bone marrow cytogenetic assay (Hazleton, 1981b). Male Sprague-Dawley rats were exposed via inhalation to concentrations of 0, 10 and 40 mg/m<sup>3</sup> petroleum coke with a particle size of less than 5 µm. Rats in the 10 mg/m<sup>3</sup> group were exposed 6 h/day, 5 days/week for a total of 20 exposures. Rats in the 40 mg/m<sup>3</sup> were exposed 6 h/day for 5 days only. Control rats were held for the full 28 days of the study before assessment. The day after the last exposure, colchicine was administered to inhibit mitosis and bone marrow was subsequently analyzed for chromosomal changes. There were no treatment-related chromosomal effects in any treatment group as compared to controls. Fluid process coke was not genotoxic in this study.

Delayed process green coke was evaluated for its ability to produce chromosome aberrations in a bone marrow cytogenetic assay (Hazleton, 1981a). Male Sprague-Dawley rats were exposed via inhalation to concentrations of 0, 10 and 40 mg/m<sup>3</sup> petroleum coke with a particle size of less than 5 µm. Rats in the 10 mg/m<sup>3</sup> exposure group were exposed 6 h/day, 5 days/week for a total of 20 exposures. Rats in the 40 mg/m<sup>3</sup> were exposed 6 h/day for 5 days only. Control rats were held for the full 28 days of the study before assessment. The day after the last exposure, colchicine was administered to inhibit mitosis and bone marrow analyzed for chromosomal changes. There were no treatment-related chromosomal effects in the 10 mg/m<sup>3</sup> exposure group. In the 40 mg/m<sup>3</sup> exposure group, there were significant increases in the number of chromatid breaks, markers and total aberrations as compared to controls. The laboratory later determined that the slides had been inconsistently evaluated and misread in some cases. This study was therefore considered to be technically flawed and inconclusive.

To resolve uncertainty, a third *in vivo* cytogenetics study was conducted on bone marrow from male and female rats in the chronic inhalation study described in Section 7.1.2. (IRDC, 1985; Klonne *et al.*, 1987). Analysis was conducted on male and female Sprague-Dawley rats after exposure for five days, 12 months and 22 months to concentrations of 0, 10 and 30 mg/m<sup>3</sup> delayed process green coke dust. There were no significant differences from controls in chromosomal aberrations in any exposed animals at any of the three time points. Delayed process petroleum coke was not genotoxic under these test conditions.

**Conclusion:** The weight of the evidence from these three studies indicates that green coke was not genotoxic in *in vivo* bone marrow chromosome cytogenetic assays.

#### **7.1.4. Reproductive and Developmental Toxicity**

An OECD 421 Reproductive/Developmental Toxicity Screening Test (OECD, 1995) was conducted on delayed process green coke (HLS, 2006). A two-week range finding study was conducted to select exposure levels for the definitive study. Male and female Sprague-Dawley rats (12/sex/group) were exposed via nose-only inhalation to 0, 30, 100 or 300 mg/m<sup>3</sup> micronized green coke with an average mass median aerodynamic diameter of 2.29 µm. All rats were exposed for 6 h/day, 7 days/week for 2 weeks prior to mating. Males continued to be exposed for 28 days during the mating and post-mating period. During the mating period, females were exposed until evidence of mating was observed or for 14 consecutive days. Once mated, female rats were treated daily during gestation (days 0-19) until euthanized on post-natal day 4. Viability, clinical observations, body weights, feed consumption, survival, organ weights, macroscopic and microscopic findings were evaluated in parental rats. Standard reproductive (mating indices, pregnancy rates, male fertility indices, gestation length, number of implantation sites and corpora lutea, pre- and post-implantation loss, pups per litter, live born and stillborn pups, and incidence of dams with no viable pups) and developmental (pup physical examination, viability, weight, sex ratio, litter survival indices, and mean pup survival indices) endpoints were evaluated.

The only exposure-related parental effects observed were portal-of-entry effects in the respiratory tract and associated lymphatic system effects. Lungs from all test substance-treated rats were slightly to severely discolored black. Lung weights were increased in a dose-related manner up to 37% in males and 58% in females. Inhalation of petroleum coke was associated with the presence of pigment deposits (presumed to be test material) in the lungs, mediastinal lymph nodes and nasal olfactory epithelium of most male and female rats, and in the lumens of the nasal turbinates and pharynx of male rats. Test substance-related changes characterized by proliferative and/or inflammatory responses were observed in the lungs in all test substance-exposed rats. In the mediastinal lymph nodes draining the lungs, hyperplasia of the paracortical T lymphocyte

population accompanied the deposition of pigment. In the larynx, minimal squamous metaplasia of the respiratory epithelium was also observed. These effects were considered non-specific responses to high concentrations of insoluble particles rather than compound-specific induced effects (Snipes, 1995). A parental portal-of-entry NOAEL could not be determined since effects were observed at the lowest exposure. The parental portal-of-entry LOAEL was  $< 30 \text{ mg/m}^3$ , the lowest concentration tested.

No parental systemic or reproductive toxicity was observed in either sex. There were no treatment-related effects on the offspring. The parental systemic, reproductive, and developmental NOAELs were  $> 300 \text{ mg/m}^3$ .

**Conclusion:** Based on the OECD 421 Reproductive/Developmental Toxicity Screening Test, petroleum coke demonstrated low reproductive and developmental toxicity. Parental systemic toxicity, reproductive toxicity, and developmental toxicity NOAELs were  $> 300 \text{ mg/m}^3$ , which was the highest concentration tested.

## 7.2. Health Effects Other

### 7.2.1. Carcinogenicity

Petroleum coke was not carcinogenic in three carcinogenicity studies, which have already been described in Section 7.1.2 *Repeated-dose Toxicity*. Rats and monkeys were exposed via inhalation five days/week for two years to 0, 10, or  $30 \text{ mg/m}^3$  petroleum green coke and no excess cancers were observed. In a lifetime skin painting study, mice were exposed three times per week to 0 or  $100 \mu\text{L}$  of  $250 \text{ mg/mL}$  petroleum green coke and no excess skin or visceral cancers were observed. Petroleum coke was not carcinogenic via the inhalation and dermal routes of administration at the highest concentrations tested.

## 7.3. Assessment Summary for Health Effects

Overall, petroleum coke has a low health hazard potential. Green coke is not acutely toxic with an acute inhalation toxicity NOAEL estimated to be  $> 300 \text{ mg/m}^3$ . Findings observed in inhalation repeated-dose and chronic studies were confined to respiratory system (portal-of-entry) inflammatory changes that were attributed to non-specific effects of insoluble particles rather than petroleum coke-specific effects. The repeated-dose portal-of-entry LOAEL and systemic NOAEL were  $< 10 \text{ mg/m}^3$  and  $> 30 \text{ mg/m}^3$ , respectively. Green coke was not mutagenic *in vitro* in standard bacterial or mammalian cell assays. Green coke was mutagenic in modified *in vitro* bacterial assays developed to optimize detection of mutagenicity for certain classes of water-insoluble compounds that are negative in the standard bacterial assay. Green coke was not genotoxic in *in vivo* bone marrow chromosome cytogenetic assays. Green coke did not induce reproductive or developmental toxicity at exposures up to  $300 \text{ mg/m}^3$ . The reproductive and developmental toxicity NOAELs were  $> 300 \text{ mg/m}^3$ . Green coke was not carcinogenic in two inhalation studies (rat and monkey; high exposure =  $30 \text{ mg/m}^3$ ) and one mouse dermal study (one exposure level only =  $100 \mu\text{L}$  of a  $250 \text{ mg/mL}$  coke solution).

Green coke is considered to have a higher potential to induce health effects than calcined coke due to green coke having higher levels of volatile matter as compared to calcined coke. Green coke testing results have been conservatively extrapolated to calcined coke in lieu of testing calcined coke. Results from green coke health testing and extrapolation to calcined coke are summarized in Table 3 on the next page.

## 8. MATRIX OF PETROLEUM COKE CATEGORY DATA

Table 3		
PETROLEUM COKE CATEGORY DATA MATRIX		
Endpoint	Petroleum Coke (Green) CAS # 64741-79-3	Petroleum Coke (Calcined) CAS # 64743-05-1
<b>Physical-Chemical Properties</b>		
Melting Point	N/A <sup>a</sup>	N/A
Boiling Point	N/A	N/A
Vapor Pressure	N/A	N/A
Partition Coefficient	N/A	N/A
Water Solubility	N/A	N/A
<b>Environmental Fate</b>		
Photodegradation	N/A	N/A
Stability in Water	N/A	N/A
Environ. Transport	N/A	N/A
Biodegradation	N/A	N/A
<b>Environmental Effects</b>		
Acute Fish <sup>b</sup>	LL <sub>50</sub> > 1000 mg/L NOELR = 1000 mg/L	LL <sub>50</sub> > 1000 mg/L NOELR = 1000 mg/L
Acute Daphnia	EL <sub>50</sub> > 1000 mg/L NOELR = 1000 mg/L	EL <sub>50</sub> > 1000 mg/L NOELR = 1000 mg/L
Algae	EL <sub>50</sub> > 1000 mg/L NOELR < 1000 mg/L	EL <sub>50</sub> > 1000 mg/L NOELR < 1000 mg/L
Terrestrial	LC <sub>50</sub> > 1000 mg/kg NOEC = 1000 mg/kg	LC <sub>50</sub> > 1000 mg/kg NOEC = 1000 mg/kg
<b>Health Effects<sup>c</sup></b>		
Acute <sup>d</sup>	LC <sub>50</sub> > 300 mg/m <sup>3</sup>	LC <sub>50</sub> > 300 mg/m <sup>3</sup>
Repeated-Dose Systemic Portal-of-entry	NOAEL > 30 mg/m <sup>3</sup> LOAEL < 10 mg/m <sup>3</sup>	NOAEL > 30 mg/m <sup>3</sup> LOAEL < 10 mg/m <sup>3</sup>
Genotoxicity, in vitro, bacterial Standard assay Modified assay (optimize organic extractable compounds)	negative positive	negative positive
Genotoxicity, in vitro, non-bacterial	negative	negative
Genotoxicity, in vivo	negative	negative
Reproductive toxicity	NOAEL > 300 mg/m <sup>3</sup>	NOAEL > 300 mg/m <sup>3</sup>
Developmental toxicity	NOAEL > 300 mg/m <sup>3</sup>	NOAEL > 300 mg/m <sup>3</sup>
Carcinogenicity Inhalation Dermal	negative negative	negative negative

<sup>a</sup> N/A indicates that evaluation of endpoint is Not Applicable due to physical-chemical state.

Technical discussions are presented in text to address these endpoints as appropriate.

<sup>b</sup> Gray shading indicates category read-across from green coke empirical data to calcined coke.

<sup>c</sup> Inhalation was the route of exposure unless otherwise indicated.

<sup>d</sup> Yellow shading indicates values estimated from longer term studies

## 9. CATEGORY ANALYSIS CONCLUSIONS

It is appropriate for green coke and calcined coke to be grouped together in one category. This grouping is justified based on their manufacturing processes, which result in similar physical chemical characteristics and chemical composition. The hazard potential for the petroleum coke category was characterized by summarizing existing data, and testing delayed process green coke to fill in the data gaps identified in existing data. Green coke is considered to have a higher potential to induce environmental and/or human effects than calcined coke due to its higher volatile matter. Therefore, the green coke hazard study results have been conservatively extrapolated to calcined coke in lieu of testing calcined coke.

Petroleum coke is a complex mixture of mostly elemental carbon with inorganic and organic constituents embedded in the carbon matrix. In general, these constituents do not contain the chemical bonds that engage in photolytic or hydrolytic reactions. If released to the environment, petroleum coke would be expected to be non-reactive and either disperse or remain in the environmental compartment to which it was released. Therefore, depending on factors such as particle size and density relationships between the petroleum coke and environmental media, releases to terrestrial or aquatic environments would result in incorporation of the material in soils/sediments or dispersal via wind/water action. Biodegradation would not be an important fate process because the majority of the constituents in petroleum coke do not contain the chemical bonds needed for microbial metabolism.

Petroleum coke has an extremely low environmental hazard potential. Petroleum green coke demonstrated no effect on aquatic vertebrates and invertebrates, and only a slight effect on algae at 1000 mg/L (WAF). Petroleum green coke did not produce any adverse effects when tested against terrestrial soil-dwelling invertebrates and vascular plants at 1000 mg/kg soil.

Petroleum coke has a low health hazard potential. Green coke is not acutely toxic. The acute inhalation toxicity NOAEL was estimated to be  $> 300 \text{ mg/m}^3$ . Findings observed in repeated-dose and chronic inhalational toxicity studies were confined to portal-of-entry effects that are attributed to non-specific effects of insoluble particles rather than petroleum coke-specific effects. The repeated-dose portal-of-entry LOAEL and systemic NOAEL were estimated to be  $< 10 \text{ mg/m}^3$  and  $> 30 \text{ mg/m}^3$ , respectively. Green coke was not mutagenic *in vitro* in standard bacterial or mammalian cell assays. Green coke was mutagenic in modified *in vitro* bacterial assays developed to optimize detection of mutagenicity for certain classes of compounds that are negative in the standard bacterial assay. Green coke was not genotoxic in *in vivo* bone marrow chromosome cytogenetic assays. Green coke did not induce reproductive or developmental toxicity at exposures up to  $300 \text{ mg/m}^3$ . The parental systemic, reproductive, and developmental toxicity NOAELs were all  $> 300 \text{ mg/m}^3$ . Green coke was not carcinogenic in two inhalation (rat and monkey; highest exposure concentration was  $30 \text{ mg/m}^3$ ) studies and one mouse dermal study (one exposure level only equal to  $100 \mu\text{l}$  of a  $250 \text{ mg/mL}$  coke solution).

Based on the data presented in this report, both green coke and calcined coke (using read-across from green coke) have a low potential to cause adverse effects to the environment, and, with the exception of non-compound-specific, insoluble particle portal-of-entry effects, to human health.

## 10. REFERENCES

AIHA (American Industrial Hygiene Association). 2000. Risk Assessment Principles for the Industrial Hygienist. American Industrial Hygiene Association Press, Fairfax, VA.

Altgelt, K.H. and Boduszynski, M. M. 1994. Compositional Analysis: Dream and Reality. In: Composition and Analysis of Heavy Petroleum Fractions. Marcel Dekker, Inc. New York, New York.

Al-Haj-Ibrahim, H. and B.I. Morsi. 1992. Desulfurization of Petroleum Coke: A Review. Ind. Eng. Chem. Res., 321:1835-1840.

Al-Haj-Ibrahim, H. and M. M. Ali. 2005. Effect of the removal of sulphur and volatile matter on the true density of petroleum coke. Periodica polytechnica ser. Chem. Eng., 49(1):19-24.

API (American Petroleum Institute). 1985. Petroleum Process Streams Terms Included in the Chemical Substances Inventory Under the Toxic Substances Control Act (TSCA). Health and Safety Regulation Committee, Task Force on Toxic Substances Control, API, Washington, DC. 40 pp.

API (American Petroleum Institute). 2007. Report of the PAC Analysis Task Group, August 29. API, Washington, DC

ASTM International. 2004a. Standard Test Method for Volatile Matter in Green Petroleum Coke Quartz Crucible Procedure. D 6374 – 99 (Reapproved 2004).

ASTM International. 2004b. Standard Test Method for Determining Carcinogenic Potential of Virgin Base Oils in Metalworking Fluids. E 1687-04.

ASTM International. 2005. Standard Terminology Relating to Petroleum, Petroleum Products, and Lubricants. D 4175-05.

Aveka, Inc. 2003. Report to the American Petroleum Institute on the Analysis of Particle Size Distribution of Green Petroleum Coke. Order No. 5369, Aveka Incorporated, Woodbury, Minnesota. 7 pp.

Blackburn, G.R., Deitch, R.A., Schreiner, C.A., Mehlman, M.A., and Mackerer, C.R. 1984. Estimation of the dermal carcinogenic activity of petroleum fractions using a modified Ames assay. *Cell Biol. Toxicol.*, 1:67-80.

Blackburn, G.R., Deitch, R.A., Schreiner, C.A., and Mackerer, C.R. 1986. Predicting carcinogenicity of petroleum distillation fractions using a modified *Salmonella* mutagenicity assay. *Cell Biol. Toxicol.*, 2:63-84.

Chevron Products Company. 2003. Email Communication from M. Horton to P. Beatty Reporting the Results of Metals Analysis of Green Petroleum Coke.

Chevron Products Company. 2005. Email Communication to R. White Reporting the Results of Metals Analysis of Green Petroleum Coke.

Clayton Environmental Consultants, Inc. 1983. Evaluation of appropriate methodologies for measuring PNA exposures in the petroleum coking environment for the American Petroleum Institute. API Health and Environmental Science Department Report 36-30038, 268 pp.

CONCAWE. 1993. Petroleum Coke. Product Dossier No. 93/105, CONCAWE, Brussels. 16 pp.

Dalbey, W.E., G.R. Blackburn, T.A. Roy, S. Sasaki, A.J. Krueger, and C.R. Mackerer. 1998. Use of a surrogate aerosol in a preliminary screening for the potential carcinogenicity of coal coated with No. 6 fuel oil. *Am. Ind. Hyg. Assoc. J.*, 59:90-95.

EC (European Commission). 2003. Integrated Pollution Prevention and Control (IPPC); Reference Document on Best Available Techniques for Mineral Oil and Gas Refineries. 490 pp.

Ellis, P.J. and C.A. Paul. 2000a. Tutorial: Petroleum coke calcining and uses of calcined petroleum coke. Presented at the March 5-9, 2000, AIChE 2000 Spring National Meeting, Atlanta, GA.

Ellis, P.J. and C.A. Paul. 2000b. Tutorial: Delayed coking fundamentals. Presented at the March 5-9, 2000, AIChE 2000 Spring National Meeting, Atlanta, GA.

Harris, J. 1982a. Rate of aqueous photolysis. In: *Handbook of Chemical Property Estimation Methods*. Chapter 8. Edited by W.J. Lyman, W.F. Reehl, and D.H. Rosenblatt. McGraw-Hill Book Company, New York, NY, USA.

Harris, J. 1982b. Rate of hydrolysis. In: *Handbook of Chemical Property Estimation Methods*. Chapter 7. Edited by W.J. Lyman, W.F. Reehl, and D.H. Rosenblatt. McGraw-Hill Book Company, New York, NY, USA.

Hazleton Laboratories of America, Inc. 1981a. In Vitro and In Vivo Mutagenicity Studies; Delayed Process Coke; (Petroleum coking sample 4-1-140). API Medical Research Publication 28-30728.

Hazleton Laboratories of America, Inc. 1981b. In Vivo and In Vitro Mutagenicity Studies; Fluid Process Coke; (Petroleum Coking Sample 6-1-468). API Medical Research Publication 28-30726.

HLS (Huntingdon Life Sciences). 1999. Study No. 97-6119. Calcined coke (F284) & green coke (F-285): fibrogenic screening study in the rat. Report submitted to ARCO 20 October 1999.

HLS (Huntingdon Life Sciences). 2006. Study No. 03-4246. Petroleum Coke: Reproduction/Developmental Toxicity Screening Study in Rats via Nose-Only Inhalation Exposures.

IRDC (International Research & Development Corporation). 1985. Chronic Inhalation Toxicity Study of Petroleum Coke (Delayed Process) in Rats and Monkeys. API Publication number 32-30234.

IUPAC (International Union of Pure and Applied Chemistry). 1995. Recommended Terminology for the Description of Carbon as a Solid. *Pure Appl. Chem.* 67(3):473-506.

Jongeneelen, F.J., Anzion, R.B.M., Theuws, J.L.G., and Bos, R.P. 1989. Urinary 1-hydroxypyrene levels in workers handling petroleum coke. *J. Toxicol. Environ. Health*, 26(1):133-136.

Klonne, D. R., Burns, J. M., Halder, C. A., Holdsworth, C. E. and Ulrich, C. E. 1987. Two Year Inhalation Study of Petroleum Coke in Rats and Monkeys. *Am. J. Ind. Med.*, 11:375-389.

Lancaster Laboratories, Inc. 2003. Report to Chevron Products Company on the Analysis of Green Petroleum Coke. Lancaster Laboratories Incorporated, Lancaster, Pennsylvania. 5 pgs.

Lancaster Laboratories, Inc. 2005. Report to Chevron Products Company on the Analysis of Green Petroleum Coke. Lancaster Laboratories Incorporated, Lancaster, Pennsylvania. 7 pgs.

Lee, J. M., Baker, J.J., Murray, D., Llerena, R., and Rolle, J.G. 1997. Quality analysis of petroleum cokes and coals for export specifications required in use of specialty products and utility fuels. Preprints of Symposia, Division of Fuel Chemistry, 214<sup>th</sup> National Meeting, American Chemical Society Volume 42(3):844-853.

Mauderly, J.L. and McCunney, R.L. (Eds.). 1996. Particle Overload in the Rat Lung and Lung Cancer; Implications for Human Risk Assessment, Taylor and Francis, Washington, DC.

Monarca, S., Pasquini, R., Sforzolini, G.S., Viola, V., and Fagioli, F. 1982. Application of salmonella mutagenicity assay and determination of polycyclic aromatic hydrocarbons in workplaces exposed to petroleum pitch and petroleum coke. *Int. Arch. Occup. Environ. Health*, 49:223-239.

Narayanan, P.S. and D.W. Arnold. 1997. Remediation of Sucarnoochee Soil by Agglomeration with Petroleum Coke. *Adv. Environ. Res.* 1(1):27-35.

NLSI (National Lightning Safety Institute). 2002. 21<sup>st</sup> Century Lightning Safety for Explosives Facilities. Web URL: <http://www.lightningsafety.com>

OECD (Organization for Economic Cooperation and Development). 1984a. OECD Guideline 202: *Daphnia sp. Acute Immobilization Test and Reproduction Test*. Adopted 4 April 1984. Paris.

OECD (Organization of Economic Cooperation and Development). 1984b. OECD Guidelines 201: *Algal Growth Inhibition Test*. OECD Guideline for Testing of Chemicals. Paris.

OECD (Organization for Economic Cooperation and Development). 1984c. OECD Guideline 207: *Earthworm, Acute Toxicity Tests*. Organization for Economic Cooperation and Development. Paris.

OECD (Organization for Economic Cooperation and Development). 1992. OECD Guideline 203: *Fish, Acute Toxicity Test*. Paris.

OECD (Organization for Economic Cooperation and Development). 1995. OECD Guideline 421: *Reproductive/Developmental Toxicity Screening Test*. Paris.

OECD (Organization for Economic Cooperation and Development). 2000a. *Guidance Document on Aquatic Toxicity Testing of Difficult Substances and Mixtures*. OECD Series on Testing and Assessment No. 23, ENV/JM/MONO (2000) 6, Paris, France.

OECD (Organization for Economic Cooperation and Development). 2000b. Proposal for Revision of Guideline 208: *Terrestrial Non-Target Plant Tests*. Paris.

OECD (Organization for Economic Cooperation and Development). 2007. Manual for Investigation of HPV Chemicals. www URL:  
[http://www.oecd.org/document/7/0,3343,en\\_2649\\_201185\\_1947463\\_1\\_1\\_1\\_1,00.html](http://www.oecd.org/document/7/0,3343,en_2649_201185_1947463_1_1_1_1,00.html)

Onder, H. and E.A. Bagdoyan. 1993. Everything You Wanted to Know About Petroleum Coke, A Handbook. Allis Mineral Systems, Kennedy Van Saun. 131 pp.

Pace Consultants Inc. 2001. U.S. Delayed Coker Petroleum Coke Quality Survey 1998-1999. Prepared for the American Petroleum Institute, February, 2001.

Roundtree, E.M. 1998. EXXON Flexicoking Including Fluid Coking. Pgs 12.3-12.24 in Handbook of Petroleum Refining Processes, 2<sup>nd</sup> Edition (Meyers, R.A., ed.)

Siskin, M., S.R. Kelemen, C.P. Eppig, L.D. Brown, and M. Afeworki. 2006. Asphaltene molecular structure and chemical influences on the morphology of coke produced in delayed coking. Energy & Fuels, 20:1227-1234.

Snipes, M. B. 1995. Pulmonary Retention of Particles and Fibers: Biokinetics and Effects of Exposure Concentrations. In McClellan, R.O. and Henderson, R.F. (Eds.), Concepts in Inhalation Toxicology, 2<sup>nd</sup> ed., Taylor & Francis, Washington, DC, pp. 225-248.

Speight, J. G. 2007. The Chemistry and Technology of Petroleum. Fourth Edition. CRC Press. Boca Raton, FL.

US DOE (U. S. Department of Energy). 2007. Glossary, Energy Information Administration: Official Energy Statistics from the U.S. Government. www URL:  
<http://www.eia.doe.gov/glossary/index.html>.

US EPA (U.S. Environmental Protection Agency). 1994. Methods for Derivation of Reference Concentrations and Application of Inhalation Dosimetry. EPA/600/8-90/066F.

US EPA (U.S. Environmental Protection Agency). 1996a. Series 850 – Ecological Effects Test Guidelines (*draft*), OPPTS Number 850.1075: *Fish Acute Toxicity Test, Freshwater and Marine*.

US EPA (U.S. Environmental Protection Agency). 1996b. Series 850 – Ecological Effects Test Guidelines (*draft*), OPPTS Number 850.1010: *Aquatic Invertebrate Acute Toxicity Test, Freshwater Daphnids*.

US EPA (U.S. Environmental Protection Agency). 1996c. Series 850 – Ecological Effects Test Guidelines (*draft*), OPPTS Number 850.5400: *Algal Toxicity, Tiers I and II*.

US EPA (U.S. Environmental Protection Agency). 1996d. Series 850- Ecological Effects Test Guidelines (*draft*), OPPTS Number 850.4100: *Terrestrial Plant Toxicity, Tier I (Seedling Emergence)*.

US EPA (U.S. Environmental Protection Agency). 1996e. Series 850- Ecological Effects Test Guidelines (*draft*), OPPTS Number 850.4225: *Seedling Emergence, Tier II*.

US EPA (U.S. Environmental Protection Agency). 1996f. Series 870- Health Effects Test Guidelines, OPPTS Number 870.3550: *Reproduction/Developmental Toxicity Screening Test*.

US EPA (U.S. Environmental Protection Agency). 1999. Determining the Adequacy of Existing Data. www URL: <http://www.epa.gov/chemrtk/datadfin/htm>.

US EPA (U.S. Environmental Protection Agency). 2002. A Review of the Reference Dose and Reference Concentration Processes. Report EPA/630/P-02/002F, Risk Assessment Forum, U.S. EPA, Washington, DC.

US EPA (U.S. Environmental Protection Agency). 2007. Development of Chemical Categories in the HPV Challenge Program. www URL: <http://www.epa.gov/HPV/pubs/general/categuid.htm> (updated November 28, 2007)

US NLM (U.S. National Library of Medicine). 2007. Integrated Risk Information System (IRIS). www URL: <http://toxnet.nlm.nih.gov/cgi-bin/sis/htmlgen?IRIS>

Wikipedia. (2007a). Definition of elemental carbon. www URL: [http://en.wikipedia.org/wiki/Main\\_Page](http://en.wikipedia.org/wiki/Main_Page)

Wikipedia. (2007b). Definition of thermal decomposition. www URL: [http://en.wikipedia.org/wiki/Main\\_Page](http://en.wikipedia.org/wiki/Main_Page)

Wildlife International, Ltd. 2006a. Petroleum Coke: A 96-Hour Static-Renewal Acute Toxicity Test with the Fathead minnow (*Pimephales promelas*). Final Report, Project No. 472A-1134.

Wildlife International, Ltd. 2006b. Petroleum Coke: A 48-Hour Static-Renewal Acute Immobilisation Test with the Cladocern (*Daphnia magna*). Final Report, Project No. 472A-112.

Wildlife International, Ltd. 2006c. Petroleum Coke: A 96-Hour Toxicity Test with the Freshwater Alga (*Selenastrum capricornutum*). Final Report, Project No. 472A-114.

Wildlife International Ltd. 2006d. Petroleum Coke: A 21-Day Toxicity Test to Determine the Effects of the Test Substance on Seedling Emergence and Growth of Terrestrial Plants. Final Report, Project No. 472-102.

Wildlife International Ltd. 2006e. Petroleum Coke: A 14-Day Acute Toxicity Test with the Earthworm (*Eisenia fetida*). Final Report, Project No. 472-101.

Wingate, D. A. and Hepler, D. I. 1982. "Carcinogenic Potential of Petroleum Coke and Process Products". Report to American Petroleum Institute on Project 1402 by Elars Bioresearch Laboratories, Inc., API-#PS-22-EBL (131/840).

## 11. LIST OF ABBREVIATIONS AND ACRONYMS

API – American Petroleum Institute  
 BOD – biological oxygen demand  
 Btu/lb – British thermal unit per pound  
 Btu/scf – British thermal unit per standard cubic feet  
 AUGC – area under the growth curve  
 CASRN/CAS #/CAS No. – Chemical Abstract Service Registry Number  
 °C – degrees Celsius  
 CONCAWE – Conservation of Clean Air and Water in Europe  
 d - day  
 DMSO – Dimethyl sulfoxide  
 EINECS – European Inventory of Existing Commercial Chemical Substances  
 EL<sub>50</sub> – effective loading rate lethal to 50% of the test population  
 E<sub>b</sub>L<sub>50</sub> – effective loading rate that causes 50% reduction in algal cell biomass  
 E<sub>r</sub>L<sub>50</sub> – effective loading rate that causes 50% reduction in algal growth rate  
 EPA/US EPA – United States Environmental Protection Agency  
 g/cm<sup>3</sup> – grams per cubic centimeter  
 h - hour  
 HLS – Huntingdon Life Sciences  
 HPV – High Production Volume  
 IRDC – International Research and Development Corporation  
 °K – degrees Kelvin  
 kPa - kilopascal  
 LC<sub>50</sub> – lethal concentration for 50% of the test population  
 LL<sub>50</sub> – lethal loading rate for 50% of the test population  
 Loading Rate – total amount of test substance added to dilution water to  
     prepare water accommodated fractions (WAFs) for ecotoxicity testing  
 LOAEL – lowest observable adverse effect level  
 mg/kg – milligrams per kilogram  
 mg/L – milligrams per liter  
 mg/m<sup>3</sup> – milligrams per cubic meter  
 mL - milliliter  
 mm - millimeter  
 nm - nanometer  
 NOAEL – no observable adverse effect level  
 NOEC – no observable effect concentration  
 NOELR – no observable effect loading rate  
 OECD – Organization for Economic Cooperation and Development  
 OPPTS – US EPA Office of Prevention, Pesticides and Toxic Substances  
 PAC - Polycyclic aromatic compound  
 PAH – polycyclic aromatic hydrocarbon  
 PNA – polynuclear aromatic  
 ppm – part per million  
 SIDS – Screening Information Data Set  
 US EPA – United States Environmental Protection Agency  
 UV - ultraviolet  
 WAF – water accommodated fraction  
 wt% - weight percent  
 µg - microgram  
 µg/L – microgram/liter  
 > greater than  
 < less than  
 = equal to

## 12. GLOSSARY

**NOTE:** The following terms are used in this document. To the extent possible definitions were taken from relevant authoritative sources such as EPA, OECD, ASTM and IUPAC.

**Bioavailability:** The state of being capable of being absorbed and available to interact with the metabolic processes of an organism. Typically a function of chemical properties, physical state of the material to which an organism is exposed, and the ability of the individual organism to physiologically take up the chemical. Also, the term used for the fraction of the total chemical in the environmental which is available for uptake by organisms. (AIHA 2000)

**Calcined Coke:** A petroleum coke or coal-derived pitch coke obtained by heat treatment of green coke to about 1600° K. It will normally have a hydrogen content of less than 0.1 wt.%. (IUPAC 1995)

**Carbonization:** The process by which solid residues with increasing content of the element carbon are formed from organic material usually by pyrolysis in an inert atmosphere. (IUPAC 1995)

**Catalytic Cracking:** The refining process of breaking down the larger, heavier, and more complex hydrocarbon molecules into simpler and lighter molecules. Catalytic cracking is accomplished by the use of a catalytic agent and is an effective process for increasing the yield of gasoline from crude oil. Catalytic cracking processes fresh feeds and recycled feeds. (US DOE 2007)

**Category Member:** The individual chemical or substance entities that constitute a chemical category.

**Category:** A chemical category, for the purposes of the HPV Challenge Program, is a group of chemicals whose physicochemical and toxicological properties are likely to be similar or follow a regular pattern as a result of structural similarity. These structural similarities may create a predictable pattern in any or all of the following parameters: physicochemical properties, environmental fate and environmental effects, and/or human health effects. (US EPA 2007)

**Dose:** The amount of a substance available for interactions with metabolic processes or biologically significant receptors after crossing the outer boundary of an organism. The **potential dose** is the amount ingested, inhaled, or applied to the skin. The **applied dose** is the amount presented to an absorption barrier and available for absorption (although not necessarily having yet crossed the outer boundary of the organism). The **absorbed dose** is the amount crossing a specific absorption barrier (e.g., the exchange boundaries of the skin, lung, and digestive tract) through uptake processes. **Internal dose** is a more general term denoting the amount absorbed without respect to specific absorption barriers or exchange boundaries. The amount of the chemical available for interaction by an particular organ or cell is termed the delivered or **biologically effective dose** for that organ or cell (US EPA 2002).

**Dose-Response Relationship:** The relationship between a quantified exposure (dose) and the proportion of subjects demonstrating specific biological changes in incidence or in degree of change (response) (US EPA 2002).

**Ecological Effects – all endpoints (OECD definitions)**

**Fish, Acute Toxicity Test:** In a four-day exposure, acute toxicity is defined by the LC<sub>50</sub>, the concentration of test substance in water which kills 50% of the test population of fish.

Test methodology is described in OECD Guideline 203, in OECD Guidelines for the Testing of Chemicals.

***Daphnia* sp., Acute Immobilization Test:** In a one or two-day exposure, acute toxicity is defined by the EC<sub>50</sub>, the concentration of test substance in water which causes immobilization to 50% of the test population of invertebrates. Test methodology is described in OECD Guideline 202, Part 1, in OECD Guidelines for the Testing of Chemicals.

**Alga, Growth Inhibition Test:** In a three-day exposure, growth inhibition is defined by the EC<sub>50</sub>, the concentration of test substance in growth medium which results in a 50% reduction in either alga cell growth or growth rate relative to a control group. Test methodology is described in OECD Guideline 201, in OECD Guidelines for the Testing of Chemicals.

**Elemental Carbon:** Elemental refers to the adjective form of the word, *element*. Thus for example, in chemistry, it refers to matter composed of only one chemical element. Graphite and diamond are types of elemental carbon. (Wikipedia 2007a  
[http://en.wikipedia.org/wiki/Main\\_Page](http://en.wikipedia.org/wiki/Main_Page))

**Endpoint:** In the context of the EPA High Production Volume Challenge Program, an endpoint is a physical-chemical, environmental fate, ecotoxicity, and human health attribute measurable by following an approved test methodology (e.g., OECD Guidelines for Testing of Chemicals). Melting point, biodegradation, fish acute toxicity, and genetic toxicity are examples of endpoints that are measured by an approved test method. (US EPA 1999)

#### Environmental Fate Effects – all endpoints (OECD definitions)

**Photodegradation:** The photochemical transformation of a molecule into lower molecular weight fragments, usually in an oxidation process. This process may be measured by Draft OECD Guideline, "*Phototransformation of Chemicals in Water – Direct and Indirect Photolysis*". This process also may be estimated using a variety of computer models.

**Stability in Water:** This environmental fate endpoint is achieved by measuring the hydrolysis of the test substance. Hydrolysis is defined as a reaction of a chemical RX with water, with the net exchange of the group X with OH at the reaction center. Test methodology for hydrolysis is described in OECD Guideline 111, in OECD Guidelines for the Testing of Chemicals.

**Transport Between Environmental Compartments:** This endpoint describes the distribution of a chemical between environmental compartments using fugacity-based computer models. The results of the model algorithms provide an estimate of the amount of the chemical within a specific compartment. The environmental compartments included in many models are air, water, soil, sediment, suspended sediment, and aquatic biota.

**Biodegradation:** Breakdown of a substance catalyzed by enzymes *in vitro* or *in vivo*. As an endpoint in EPA's HPV program, biodegradation is measured by one of six methodologies described in OECD Guidelines 301A-F, in OECD Guidelines for the Testing of Chemicals.

**Exposure:** Contact made between a chemical, physical, or biological agent and the outer boundary of an organism. Exposure is quantified as the amount of an agent available at the exchange boundaries of the organism (e.g., skin, lungs, gut). (US EPA 2002).

**Feedstock:** A refinery product that is used as the raw material for another process; the term is also generally applied to raw materials used in other industrial processes. (Speight, 2007).

**Female Mating Index:** Number of females with confirmed mating (sperm and/or vaginal plug)/number of females placed with males. (HLS 2006).

**Green coke (raw coke):** This is the primary solid carbonization product from high boiling hydrocarbon fractions obtained at temperatures below 900° K. It contains a fraction of matter that can be released as volatiles during subsequent heat treatment at temperatures up to approximately 1600° K. This mass fraction, the so-called volatile matter, is in the case of green coke between 4 and 15%, but it depends also on the heating rate. (IUPAC 1995).

**Hazard Assessment:** The process of determining whether exposure to an agent can cause an increase in the incidence of a particular adverse health effect (e.g., cancer, birth defect) and whether the adverse health effect is likely to occur in humans (US EPA 2002).

**Hazard Characterization:** A description of the potential adverse health effects attributable to a specific environmental agent, the mechanisms by which agents exert their toxic effects, and the associated dose, route, duration, and timing of exposure (US EPA 2002).

**Hazard:** A potential source of harm (US EPA 2002).

**Health Effects – all endpoints (OECD definitions, unless otherwise specified)**

**Acute Toxicity:** The adverse effects occurring within a short time-frame of administration of a single dose of a substance, multiple doses given within 24 hours, or uninterrupted exposure over a period of 24 hours or less. Exposure may be via oral, dermal or inhalation routes as described in OECD Guidelines 401, 402, 403, and 420 in OECD Guidelines for the Testing of Chemicals.

**Developmental Toxicity:** Adverse effects on the developing organism that may result from exposure prior to conception (either parent), during prenatal development, or postnatally until the time of sexual maturation. The major manifestations of developmental toxicity include death of the developing organism, structural abnormality, altered growth, and functional deficiency. (US NLM 2007)

**Genetic Toxicity *in vivo* (Chromosomal Aberrations):** The assessment of the potential of a chemical to exert adverse effects through interaction with the genetic material of cells in the whole animal. Genotoxicity may be studied in the whole animal using methods described in OECD Guideline 475, in OECD Guidelines for the Testing of Chemicals.

**Genetic Toxicity *in vitro* (Gene Mutations):** The assessment of the potential of a chemical to exert adverse effects through interaction with the genetic material of cells in cultured mammalian cells. Genotoxicity may be studied in cultured cells using methods described in OECD Guideline 476, in OECD Guidelines for the Testing of Chemicals.

**Repeated Dose Toxicity:** The adverse effects occurring due to repeated doses that may not produce immediate toxic effects, but due to accumulation of the chemical in tissues or other mechanisms, produces delayed effects. Repeated dose toxicity may be studied following methods described in OECD Guidelines 407, 410, or 412 in OECD Guidelines for the Testing of Chemicals.

**Reproductive Toxicity:** The occurrence of biologically adverse effects on the reproductive systems of females or males that may result from exposure to environmental agents. The toxicity may be expressed as alterations to the female or male

reproductive organs, the related endocrine system, or pregnancy outcomes. The manifestation of such toxicity may include, but not be limited to, adverse effects on onset of puberty, gamete production and transport, reproductive cycle normality, sexual behavior, fertility, gestation, parturition, lactation, developmental toxicity, premature reproductive senescence, or modifications in other functions that are dependent on the integrity of the reproductive systems. (US EPA 1996f)

**Heavy Petroleum Process Streams:** Petroleum streams boiling higher than approximately 650°F (345°C), including distillation residues and the absence of low-boiling components. (Altgelt and Boduszynski 1994).

**Lowest-Observed-Adverse-Effect Level (LOAEL):** The lowest exposure level at which there are statistically or biologically significant increases in frequency or severity of adverse effects between the exposed population and its appropriate control group (US EPA 2002).

**No-Observed-Adverse-Effect Level (NOAEL):** The highest exposure level at which there are no biologically significant increases in frequency or severity of adverse effects between the exposed population and its appropriate control group; some effects may be produced at this level, but they are not considered adverse or precursors to adverse effects (US EPA 2002).

**Petroleum** (crude oil): A naturally occurring mixture of gaseous, liquid, and solid hydrocarbon compounds usually found trapped deep underground beneath impermeable cap rock and above a lower dome of sedimentary rock such as shale; most petroleum reservoirs occur in sedimentary rocks of marine, deltaic, or estuarine origin (Speight 2007).

**Petroleum Coke:** A solid, carbonaceous residue produced by thermal decomposition of heavy petroleum fractions or cracked stocks, or both (ASTM 2005).

**Polycyclic aromatic compound (PAC):** PAC includes multi-ringed aromatic hydrocarbons in which one or more atoms of nitrogen, oxygen or sulfur (a heteroatom) replace one of the carbon atoms in a ring system. The PACs can be grouped according to the heteroatom they contain. (API 2007)

**Polycyclic Aromatic Hydrocarbon (PAH):** A fused aromatic-ring compound consisting only of carbon and hydrogen. Similar compounds include chrysene, pyrene, benzo[a]pyrene, perylene, etc. Naphthalene, the simplest PAH consists of two fused benzene rings. (API 2007)

**Polynuclear Aromatic (PNA):** This term is an obsolete term that is not recognized as valid by either the International Union on Pure and Applied Chemistry or the American Chemical Society. Historically, the term was used to describe the multi-ringed aromatic hydrocarbons now called PAHs. (API 2007)

**Portal-of-Entry Effect:** A local effect produced at the tissue or organ of first contact between the biological system and the toxicant (US EPA 1994).

**Read Across:** Read-across can be regarded as using data available for some members of a category to estimate values (qualitatively or quantitatively) for category members for which no such data exist. (OECD 2007)

**Residues:** Residues, also called residua or resids, are those fractions which are non-distillable under given conditions and remain at the bottom of a distillation tower. (Altgelt and Boduszynski 1994).

**Systemic Effects or Systemic Toxicity:** Toxic effects as a result of absorption and distribution of a toxicant to a site distant from its entry point (US EPA 2002).

**Target Organ:** The biological organ(s) most adversely affected by exposure to a chemical or physical agent (**US EPA 2002**).

**Thermal Cracking:** A refining process in which heat and pressure are used to break down, rearrange, or combine hydrocarbon molecules. Thermal cracking includes gas oil visbreaking, fluid coking, delayed coking, and other thermal cracking processes (e.g., flexicoking). (**US DOE 2007**)

**Thermal Decomposition:** Thermal decomposition is a chemical reaction where a chemical substance breaks up into at least two chemical substances when heated. [**Wikipedia 2007b** [http://en.wikipedia.org/wiki/Main\\_Page](http://en.wikipedia.org/wiki/Main_Page)]

**Volatile Matter:** The mass loss on heating expressed as a percent loss of the moisture free sample used. Samples having a thermal history above 600° C are excluded. Volatile matter is determined by measuring the mass loss of the coke when heated under the exact conditions of the ASTM standard method D 6374 – 99). To ensure the sample is moisture free it is dried to a constant weight at 95 to 105° C prior to the procedure. The procedure involves heating the sample to 950 ± 20 ° C for five minute periods to constant mass (± 0.5 mg) (**ASTM 2004a**).

**APPENDIX A - Category Members****CAS No.****EINECS No.**

64741-79-3

265-080-3

Coke (petroleum)

A solid material resulting from high temperature treatment of petroleum fractions. It consists of carbonaceous material and contains some hydrocarbons having a high carbon-to-hydrogen ratio (API, 1985).

64743-05-1

265-210-9

Coke (petroleum), calcined

A complex combination of carbonaceous material including extremely high molecular weight hydrocarbons obtained as a solid material from the calcining of petroleum coke at temperatures in excess of 1,000°C (1800°F). The hydrocarbons present in calcined coke have a very high carbon-to-hydrogen ratio (API, 1985).

## APPENDIX B – Composition of Green Coke Samples Used In Toxicology Studies

Sample	Delayed Process Green Coke - 2003 Sample <sup>1</sup>				API Sample # 4-1-140 <sup>2</sup>	Micronized Delayed Process Green Coke – 1981 sample <sup>3</sup>	
	pellet (initial) <sup>4</sup>	pellet (final) <sup>5</sup>	micro-nized (initial)	micro-nized (final)	Delayed Process Coke	1981 Analysis	1984 Analysis
Average Mass Median Aerodynamic Particle Size, $\mu\text{m}$	2000*	2000*	2.3/3.3*		$\leq 5^{**}$	3.1	3.1
Elemental Analysis, % wt							
Carbon					89.93	89.97	89.58
Hydrogen					3.71	5.04	3.89
Oxygen					1.3	1.62	2.14
Sulphur	7.4		5.8		3.36	3.27	3.42
Nitrogen					1.1	1.1	1.2
Other Analysis, % wt							
SiO <sub>2</sub>					0.04	<0.04	<0.02
Ash					0.21	0.19	0.28
Trace Metals, ppm							
Al (aluminum)	321	205.1	300.2	250.7			
As (arsenic)	<19.3	<2.3	<29.6	<2.3	<0.001	0.3	0.7
B (boron)	<19.3		<29.6				
Ba (barium)	<19.3	7.74	<29.6	6.9			
Be (beryllium)	<9.6		<14.8				

(EPA)

Sample	Delayed Process Green Coke - 2003 Sample <sup>1</sup>				API Sample # 4-1-140 <sup>2</sup>	Micronized Delayed Process Green Coke - 1981 sample <sup>3</sup>	
	pellet (initial) <sup>4</sup>	pellet (final) <sup>5</sup>	micro-nized (initial)	micro-nized (final)	Delayed Process Coke	1981 Analysis	1984 Analysis
Bi (bismuth)	<19.3		<29.6				
Ca (calcium)	178	81.7	121.6	158.7			
Cd (cadmium)	<9.6		<14.8				
Co (cobalt)	<9.6	1.9	<14.8	1.7			
Cr (chromium)	<9.6	3.9	<14.8	4.6			
Cu (copper)	<11.6	1.8	<17.8	2.3			
Fe (iron)	310	215.9	247	276.1			
Hg (mercury)					<1	<1	<0.01
K (potassium)	<28.9	10.9	<44.4	20.5			
Li (lithium)	<9.6	<1.2	<14.8	<1.16			
Mg (magnesium)	77.4	50.3	60.9	65.5			
Mn (manganese)	<19.3	5.3	<29.6	7.3			
Mo (molybdenum)	<19.3	16.7	<29.6	16.0			
Na (sodium)	133	87.8	114.6	99.0			
Ni (nickel)	367.1	319.6	351.7	304.6	95	78	85
P (phosphorus)	<19.3	19.8	30.3	25.0			
Pb (lead)	<19.3	4.88	<29.61	7.4			
Pd (palladium)		<6.9		<6.9			
Pt (platinum)		3.8		4.5			
S (sulfur)	73920		58060				
Sb (antimony)	<48.2		<74.0				
Se (selenium)	<19.3		<29.6		4.5	<0.2	<0.5
Si (silicon)	743.2	86.75		204			
Sn (tin)	<28.9	<2.3		<2.3			

(EPA)

Sample	Delayed Process Green Coke - 2003 Sample <sup>1</sup>				API Sample # 4-1-140 <sup>2</sup>	Micronized Delayed Process Green Coke - 1981 sample <sup>3</sup>	
	pellet (initial) <sup>4</sup>	pellet (final) <sup>5</sup>	micro-nized (initial)	micro-nized (final)	Delayed Process Coke	1981 Analysis	1984 Analysis
Ti (titanium)	12.9	11.7	<14.8	14.4			
V (vanadium)	1938	1559	1805	1580	145	140	130
Zn (zinc)	12.0	8.9	<14.8	11.2			
<b>Benzene Extract, % wt</b>					1.79	2.08	2.64
<b>PAHs, ppm</b>							
Naphthalene	3.6	3.6	11	11			
1-methyl naphthalene	2.7	3.1	10	12			
2-methyl naphthalene	11	12	26	26			
Acenaphthene	ND	0.18	ND	0.51			
Acenaphthylene	ND	0.12	ND	0.5			
Fluorene	0.34	0.37	1.5	1.5	11	ND	ND
Phenanthrene	0.69	0.64	7.8	8.2	ND	ND	ND
Anthracene	ND	0.29	3.3	3.6			
Pyrene	1.3	1.2	8.6	10	ND	165	158
Fluoranthene	ND	0.1	1.4	1.6			
Benzofluorenes					ND	ND	ND
Benzo(a)anthracene	0.58	0.59	7.1	8	544		
Benzo(b,a)anthracene						280	287
Chrysene	0.88	1.1	9.4	10	126	210	255
Benzo(a)pyrene	1.8	1.7	11	13	440	175	190
Benzo(e)pyrene					110	85	134
Benzo(b)fluoranthene	0.52	0.62	3.8	3.9	ND	ND	ND
Benzo(k)fluoranthene	ND	ND	ND	1.5			

(EPA)

Sample	Delayed Process Green Coke - 2003 Sample <sup>1</sup>				API Sample # 4-1-140 <sup>2</sup>	Micronized Delayed Process Green Coke - 1981 sample <sup>3</sup>	
	pellet (initial) <sup>4</sup>	pellet (final) <sup>5</sup>	micro-nized (initial)	micro-nized (final)	Delayed Process Coke	1981 Analysis	1984 Analysis
Perylene					ND		
Methyl benzo(a)pyrene					ND	ND	
Benzo(g,h,i)perylene	1.1	1.4	8.7	12	439	120	167
Dibenzo(a,h)anthracene	0.49	0.51	4.1	4.3	ND	NQ	ND
Benzo(g,h,i)fluoranthene					ND	ND	ND
Indeno(1,2,3-cd)pyrene	0.34	0.45	3.5	3.3			
Dimethylbenz(a)anthracene							ND
Methylbenzo(g,h,i)perylene							377
Coronene					ND	ND	ND

Toxicology study(s) in which samples were used:

<sup>1</sup> OECD 203 Fish acute toxicity test; OECD 202 Invertebrate acute toxicity test; OECD 201 Algal growth inhibition test; OECD 208 Seedling emergence and growth of terrestrial plants; OECD 207 Earthworm acute toxicity test; OECD 421 Reproduction/developmental toxicity screening test

<sup>2</sup> Mouse dermal carcinogenicity study; *Salmonella* assay; mouse lymphoma cell assay

<sup>3</sup> Rat chronic inhalation study; Monkey chronic inhalation study; *Salmonella* assay; Rat *in vivo* cytogenicity assay

<sup>4</sup> initial refers to analyses conducted prior to initiation of the toxicology studies

<sup>5</sup> final refers to analyses conducted following completion of the toxicology studies

ND = not detected

NQ = detected, but not quantifiable

Blank cells = analysis not performed

\* values are average mean particle size

\*\* size not measured; value estimated from scanning electron micrographs

References: Aveka, Inc., 2003; CONCAWE, 1993; Chevron Products Company, 2003, 2005; Lancaster Laboratories, Inc., 2003, 2005.

**SCREENING-LEVEL HAZARD CHARACTERIZATION****Petroleum Coke Category****SPONSORED CHEMICALS****Petroleum coke, green CASRN 64741-79-3****Petroleum coke, calcined CASRN 64743-05-1**

The High Production Volume (HPV) Challenge Program<sup>1</sup> was conceived as a voluntary initiative aimed at developing and making publicly available screening-level health and environmental effects information on chemicals manufactured in or imported into the United States in quantities greater than one million pounds per year. In the Challenge Program, producers and importers of HPV chemicals voluntarily sponsored chemicals; sponsorship entailed the identification and initial assessment of the adequacy of existing toxicity data/information, conducting new testing if adequate data did not exist, and making both new and existing data and information available to the public. Each complete data submission contains data on 18 internationally agreed to "SIDS" (Screening Information Data Set<sup>1,2</sup>) endpoints that are screening-level indicators of potential hazards (toxicity) for humans or the environment.

The Environmental Protection Agency's Office of Pollution Prevention and Toxics (OPPT) is evaluating the data submitted in the HPV Challenge Program on approximately 1400 sponsored chemicals by developing hazard characterizations (HCs). These HCs consist of an evaluation of the quality and completeness of the data set provided in the Challenge Program submissions. They are not intended to be definitive statements regarding the possibility of unreasonable risk of injury to health or the environment.

The evaluation is performed according to established EPA guidance<sup>2,3</sup> and is based primarily on hazard data provided by sponsors; however, in preparing the hazard characterization, EPA considered its own comments and public comments on the original submission as well as the sponsor's responses to comments and revisions made to the submission. In order to determine whether any new hazard information was developed since the time of the HPV submission, a search of the following databases was made from one year prior to the date of the HPV Challenge submission to the present: (ChemID to locate available data sources including Medline/PubMed, Toxline, HSDB, IRIS, NTP, ATSDR, IARC, EXTOXNET, EPA SRS, etc.), STN/CAS online databases (Registry file for locators, ChemAbs for toxicology data, RTECS, Merck, etc.) and Science Direct. OPPT's focus on these specific sources is based on their being of high quality, highly relevant to hazard characterization, and publicly available.

OPPT does not develop HCs for those HPV chemicals which have already been assessed internationally through the HPV program of the Organization for Economic Cooperation and Development (OECD) and for which Screening Initial Data Set (SIDS) Initial Assessment Reports (SIAR) and SIDS Initial Assessment Profiles (SIAP) are available. These documents are presented in an international forum that involves review and endorsement by governmental

<sup>1</sup> U.S. EPA. High Production Volume (HPV) Challenge Program; <http://www.epa.gov/chemrtk/index.htm>.

<sup>2</sup> U.S. EPA. HPV Challenge Program – Information Sources; <http://www.epa.gov/chemrtk/pubs/general/guidocs.htm>.

<sup>3</sup> U.S. EPA. Risk Assessment Guidelines; <http://cfpub.epa.gov/ncea/raf/rafguid.cfm>.

authorities around the world. OPPT is an active participant in these meetings and accepts these documents as reliable screening-level hazard assessments.

These hazard characterizations are technical documents intended to inform subsequent decisions and actions by OPPT. Accordingly, the documents are not written with the goal of informing the general public. However, they do provide a vehicle for public access to a concise assessment of the raw technical data on HPV chemicals and provide information previously not readily available to the public.

<b>Chemical Abstract Service Registry Number (CASRN)</b>	<u><b>Sponsored Chemicals</b></u> <b>64741-79-3</b> <b>64743-05-1</b>
<b>Chemical Abstract Index Name</b>	<u><b>Sponsored Chemicals</b></u> <b>Coke (petroleum)</b> <b>Coke (petroleum), calcined</b>
<b>Structural Formula</b>	<b>See Appendix</b>
<p style="text-align: center;"><b>Summary</b></p> <p>CASRN 64741-79-3 is a grayish-black, carbonaceous solid that is obtained from the heaviest portions of crude oil. CASRN 64743-05-1 is a product derived from CASRN 64741-79-3 under reducing conditions in kilns or hearths heated to over 1,200°C. These substances possess negligible vapor pressure and negligible water solubility. Volatilization is negligible. The rate of hydrolysis is negligible. The rate of atmospheric photooxidation is negligible. CASRN 64741-79-3 and CASRN 64743-05-1 both possess high persistence (P3) and low bioaccumulation potential (B1).</p> <p>A guideline study is not available for acute inhalation toxicity; however, no mortality occurred following five days of repeated inhalation exposure to CASRN 64741-79-3 (0.058 mg/L) or CASRN 64743-05-1 (0.045 mg/L) in rats. No other data are available for CASRN 64743-05-1. Repeated exposure to CASRN 64741-79-3 dust during a 2-year inhalation toxicity study produced irreversible respiratory effects (chronic pulmonary inflammation and significantly increased absolute/relative lung weights) in rats and primates (both sexes) at all concentrations tested. Histological examination revealed macrophage accumulation (with test article deposits), focal fibrosis, bronchiolization, sclerosis and squamous alveolar metaplasia in rats at concentrations <math>\geq 0.01</math> mg/L; the NOAEC for systemic toxicity is not established. A combined reproductive/developmental toxicity screening test with CASRN 64741-79-3 dust showed no reproductive or developmental effects following inhalation exposure in rats; however, pulmonary inflammation (macrophage accumulation, lymphocyte hyperplasia and squamous metaplasia of respiratory epithelium) was observed in all exposed parental animals. The NOAEC for maternal toxicity is not established. The NOAEC for reproductive/developmental toxicity is 0.30 mg/L (highest concentration tested). CASRN 64741-79-3 was not mutagenic in bacteria or mammalian cells when tested <i>in vitro</i> and did not induce chromosomal aberrations in mice following inhalation exposure <i>in vivo</i>. Repeated dermal exposure to CASRN 64741-79-3</p>	

(as a 25% suspension in mineral oil) during a 2-year cancer bioassay produced acanthosis and hyperkeratosis in mice; however, no neoplastic changes were observed.

Based on the category member CASRN 64741-79-3, the 96-h  $LC_{50}$  for fish and the 48-h  $EC_{50}$  for aquatic invertebrates are no effects at saturation. Based on the category member CASRN 64741-79-3, the 96-h  $EL_{50}$  for aquatic plants is greater than 1000 mg/L (WAF nominal loading rate). Based on the category member CASRN 64741-79-3, the 21-d terrestrial plants (corn, radish and soybean) NOEC and the 14-d earthworms NOEC are no effects at saturation.

No data gaps for were identified under the HPV Challenge Program.

The sponsor, the American Petroleum Institute (API) Petroleum HPV Testing Group, submitted a Test Plan and Robust Summaries to EPA for petroleum coke on March 31, 2000. EPA posted the submission on the ChemRTK HPV Challenge website on April 21, 2000 (<http://www.epa.gov/chemrtk/pubs/summaries/ptrlcoke/c12563tc.htm>). EPA comments on the original submission were posted to the website on August 14, 2000. Public comments were also received and posted to the website. The sponsor submitted updated/revised documents on December 28, 2007, which were posted to the ChemRTK website on June 30, 2008. The petroleum coke category consists of the following substances:

Coke (petroleum), "green coke"      CASRN 64741-79-3

Coke (petroleum), calcined      CASRN 64743-05-1

### **Category Justification**

This category contains both green and calcined petroleum coke. The sponsor's rationale for this grouping is based on similarities in manufacture and processing. Their reasoning suggests that as byproducts of oil refining processes (at high temperature and pressure), these substances share similar physical-chemical characteristics that are expected to produce comparable toxicity. The sponsor proposed use of test data for green petroleum coke in a read across approach to estimate potential toxicities that may be associated with exposure to calcined petroleum coke. EPA agrees that it is appropriate for green and calcined petroleum coke to be grouped in one category and accepts the proposed read across approach for this hazard characterization.

## **1. Chemical Identity**

### **1.1 Identification and Purity**

Petroleum coke (both green and calcined) is a black solid produced by the high pressure thermal decomposition of heavy (high boiling) petroleum process streams and residues. The specific chemical composition of any given batch of petroleum coke is determined by the quality of feedstocks used in the coking process. Green coke is the initial product formed during the cracking and carbonization of feedstocks used to produce a substance with a high carbon-to-hydrogen ratio. Green coke may undergo additional thermal processing at very high temperatures to produce calcined coke. The additional processing required to form calcined coke removes most of the remaining volatile matter (< 0.5%), thereby increasing the percentage of elemental carbon and the relative abundance of metals. Compositional information on green coke is shown in Table 6 of the Appendix.

### **1.2 Physical-Chemical Properties**

The physical-chemical properties of coke (petroleum) "green coke" and coke (petroleum), calcined are summarized in Table 1, while the environmental fate properties are provided in Table 2. In general, most physical-chemical and environmental fate properties are not applicable for these substances as they cannot be measured or estimated accurately.

Coke (petroleum) “green coke” and coke (petroleum), calcined are both grayish-black, solid (carbonaceous) materials that are produced during the thermal conversion process with crude oil. These substances possess negligible vapor pressure and negligible water solubility.

<b>Table 1. Physical-Chemical Properties of Petroleum Coke<sup>1,2</sup></b>		
<b>Property</b>	<b>Coke (petroleum)</b>	<b>Coke (petroleum), calcined</b>
CASRN	64741-79-3	64743-05-1
Molecular Weight	Complex mixture	Complex mixture
Physical State	Black-colored solid	Black-colored solid
Melting Point	Not applicable	Not applicable
Boiling Point	Not applicable	Not applicable
Vapor Pressure	<.000001 mm Hg (Negligible)	Negligible
Dissociation Constant (pK <sub>a</sub> )	Not applicable	Not applicable
Henry's Law Constant	Negligible	Negligible
Water Solubility	< 0.0000001 g/L (Negligible)	Negligible
Log K <sub>ow</sub>	Not applicable	Not applicable

<sup>1</sup> American Petroleum Institute Petroleum HPV Testing Group. 2007. Revised Robust Summary and Test Plan for Petroleum Coke. Available online at <http://www.epa.gov/chemrtk/pubs/summaries/ptrlcoke/c12563tc.htm> as of January 21, 2011.

<sup>2</sup> Predel, H. 2005. Petroleum Coke. Ullmann's Encyclopedia of Chemical Technology. Wiley Online Library.

## **2. General Information on Exposure**

### **2.1 Production Volume and Use Pattern**

The Petroleum Coke category chemicals had an aggregated production and/or import volume in the United States greater than two billion pounds in calendar year 2005.

- CASRN 64741-79-3: 1 billion pounds and greater;
- CASRN 64743-05-1: 1 billion pounds and greater;

CASRN 64743-05-1:

No industrial processing and uses or commercial and consumer uses were reported for this chemical.

CASRN 64741-79-3:

Non-confidential information in the IUR indicated that the industrial processing and uses for this chemical include petroleum refineries as fuels. Non-confidential commercial and consumer uses of this chemical include “other.”

### **2.2 Environmental Exposure and Fate**

If released to soils, coke (petroleum) and coke (petroleum), calcined will become incorporated into the soil, as they have no mobility. They are essentially inert; therefore, biodegradation,

atmospheric photooxidation, and hydrolysis will be negligible. Volatilization is negligible. These substances are not bioaccumulative. Coke (petroleum) and coke (petroleum), calcined both possess high persistence (P3) and low bioaccumulation potential (B1).

**Table 2. Environmental Fate Properties of Petroleum Coke<sup>1,2</sup>**

Property	Coke (petroleum)	Coke (petroleum), calcined
CASRN	64741-79-3	64743-05-1
Photodegradation Half-life	Stable	Stable
Hydrolysis Half-life	Stable	Stable
Biodegradation	Stable	Stable
Bioaccumulation Factor	Not applicable	Not applicable
Log K <sub>oc</sub>	Not applicable	Not applicable
Fugacity (Level III Model)		
Air (%)	Not applicable	Not applicable
Water (%)		
Soil (%)		
Sediment (%)		
Persistence	P3 (High)	P3 (High)
Bioaccumulation	B1 (Low)	B1 (Low)

<sup>1</sup> American Petroleum Institute Petroleum HPV Testing Group. 2007. Revised Robust Summary and Test Plan for Petroleum Coke. Available online at <http://www.epa.gov/chemrtk/pubs/summaries/ptrlcoke/c12563tc.htm> as of January 21, 2011.

<sup>2</sup> Traditional environmental fate properties cannot be measured or accurately estimated for these substances; however, it is assumed that these substances will be stable in the environment and non-bioaccumulative due to their high molecular weight.

**Conclusion:** Coke (petroleum) “green coke” is a grayish-black carbonaceous solid that is obtained from the heaviest portions of crude oil. Petroleum (coke), calcined is a product derived from coke (petroleum) under reducing conditions in kilns or hearths heated to over 1,200°C. These substances possess negligible vapor pressure and negligible water solubility. Volatilization is negligible. The rate of hydrolysis is negligible. The rate of atmospheric photooxidation is negligible. Coke (petroleum) and coke (petroleum), calcined possess high persistence (P3) and low bioaccumulation potential (B1).

### 3. Human Health Hazard

A summary of health effects data submitted for SIDS endpoints is provided in Table 3. The table also indicates where data for the supporting chemical are read-across (RA) to the sponsored chemical.

#### **Acute Inhalation Toxicity**

A guideline acute inhalation toxicity study (OECD 403) is not available for green petroleum coke; however, no mortalities occurred in the 5-day or 2-year repeated-dose inhalation studies described below.

***Green petroleum coke (CASRN 64741-79-3)******Calcined petroleum coke (CASRN 64743-05-1)***

(1) Male Fischer 344 rats (40/group) were administered green petroleum coke dust (100% purity) at 58.2 mg/m<sup>3</sup> or calcined petroleum coke dust (99.5% purity) at 45.0 mg/m<sup>3</sup> (~ 0.058 or 0.045 mg/L, respectively) via (nose-only) inhalation 6 hours/day for 5 consecutive days. Positive and negative controls received silicon dioxide and titanium dioxide, respectively. The mass median aerodynamic diameters for green and calcined petroleum coke particles were 2.71 and 2.69 µm, respectively. Ten animals from each group were sacrificed at 7, 28 and 63 days post-exposure. No mortalities occurred. An increased incidence of chromodacryorrhea (red tears) was apparent in all treatment groups except titanium dioxide. At terminal sacrifice, biochemical and cytological examinations were made of bronchoalveolar lavage fluid. Histological examination of lung tissue was confined to animals sacrificed at 63 days post-exposure. Examination of bronchoalveolar lavage fluid obtained at 7 and 28 days post-exposure revealed no indication of pulmonary toxicity in exposed or control rats; however, evidence of pulmonary inflammation (increased n-acetylglucosamidase, neutrophils, lymphocytes, total protein and total cell count) was evident in both silicon dioxide and petroleum coke exposed rats at 63 days post-exposure. Macroscopic examination showed red discoloration of the lungs and parabronchial lymph nodes in petroleum coke-exposed animals. The rank order of increasing severity was: titanium dioxide < calcined petroleum coke < green petroleum coke < silicon dioxide. No signs of pulmonary fibrosis were observed in this study.

**LC<sub>50</sub> (Green petroleum coke) > ~ 0.058 mg/L**

**LC<sub>50</sub> (Calcined petroleum coke) > ~ 0.045 mg/L**

***Repeated-Dose Toxicity******Green petroleum coke (CASRN 64741-79-3)***

(1) Sprague-Dawley rats (150/sex/group) were administered (Delayed process) green petroleum coke dust (average mass median aerodynamic diameter = 3.1 ± 1.9 µm) via whole-body inhalation of the aerosol at 0, 10.2 or 30.7 mg/m<sup>3</sup> (~ 0.010 or 0.031 mg/L, respectively) for 6 hours/day, 5 days/week for 2 years (Klonne et al., 1987). Clinical chemistry (alanine aminotransferase, alkaline phosphatase, aspartate aminotransferase, blood urea nitrogen, calcium, phosphorus, total bilirubin, total protein, and glucose) and hematologic evaluations (mean corpuscular volume, hematocrit, hemoglobin, erythrocyte, reticulocyte, leukocyte and platelet counts) were conducted after 3, 6, 12, 18 and 24 months of exposure using ten randomly selected rats per group. Interim sacrifices were made at 5 and 30 days (10/sex/group), at 3, 6 and 12 months (20/sex/group) and at 18 months (10/sex/group) post-exposure. All surviving animals were sacrificed at 24 months. All animals sacrificed in extremis or found dead were also evaluated. Fasting body and organ weights (heart, lung plus trachea, liver, gonads, adrenals, thyroid/parathyroids, kidneys, spleen and brain) were recorded at each scheduled necropsy. Thirty-one designated tissues (not specified) from control and high exposure groups (10 rats/sex) were examined microscopically after 3, 6, 12 and 18 months; all remaining animals from control and high exposure groups were similarly evaluated after 24 months of exposure. Only the lung plus trachea (at 12, 18 and 24 months) and nasal turbinates (at 24 months) were examined microscopically in the lowest exposure group.

There were no treatment-related effects on body/organ weights, serum biochemistry, cytogenetic evaluations, ophthalmologic examinations or mortality; however, macroscopic examination revealed pigment accumulation (presumably test material) and gray/black discoloration of the lungs and thoracic lymph nodes in exposed animals. Significant, dose-related increases in absolute and relative lung (plus trachea) weights and chronic pulmonary inflammation (significant elevations in the number of segmented neutrophils and leukocytes and a decreased number of lymphocytes) was also observed following exposure at 0.010 and 0.03 mg/L. Histological changes observed in treated rats include macrophage accumulation, bronchiolization (adenomatous hyperplasia), focal fibrosis, sclerosis and squamous alveolar metaplasia (keratin cysts). Observed lung effects were non-reversible and increased in severity with increasing concentration and duration of exposure.

**LOAEC ~ 0.010 mg/L** (based on pulmonary inflammation and histopathology)

**NOAEC = Not established**

#### ***Green petroleum coke (CASRN 64741-79-3)***

(2) Mature Cynomolgus (*Macaca fascicularis*) monkeys (4/sex/group) were administered (Delayed process) green petroleum coke dust (average mass median aerodynamic diameter =  $3.1 \pm 1.9 \mu\text{m}$ ) via whole body inhalation of the aerosol at 0, 10.2 or 30.7  $\text{mg}/\text{m}^3$  (~ 0.010 or 0.031  $\text{mg}/\text{L}$ , respectively) 6 hours/day, 5 days/week for 2 years (Klonne et al., 1987). No mortalities occurred. Ophthalmologic, clinical chemistry (alanine aminotransferase, alkaline phosphatase, aspartate aminotransferase, blood urea nitrogen, calcium, phosphorus, total bilirubin, total protein, and glucose) and hematologic evaluations (mean corpuscular volume, hematocrit, hemoglobin, erythrocyte, reticulocyte, leukocyte and platelet counts) were conducted at 1, 3, 6, 12, 18 and 24 months. At scheduled sacrifice (24 months), fasting body and organ weights (heart, lung plus trachea, liver, gonads, adrenals, thyroid/parathyroids, kidneys, spleen and brain) were recorded and thirty-one tissues (unspecified) from control and high exposure groups were examined microscopically. Only the lung (plus trachea) and nasal turbinates were examined in the lowest exposure group. There were no treatment-related effects on body/organ weights, serum chemistry, hematology, cytogenetic evaluations, ophthalmologic examinations or mortality; however, significant, dose-related increases in absolute and relative lung (plus trachea) weights were observed in both sexes at 0.010 and 0.03  $\text{mg}/\text{L}$ . Histological examination showed macrophage accumulation (with test material deposits) and discoloration within the alveoli, thoracic lymph nodes and in paratracheal lymphoid tissue of all exposed animals. Observed lung effects were non-reversible and increased in severity with increasing concentration and duration of exposure. These findings are consistent with the development of pulmonary inflammation; however, no other evidence of inflammatory or metaplastic changes was reported.

**LOAEC ~ 0.010 mg/L** (based on pulmonary effects)

**NOAEC = Not established**

#### ***Reproductive/Developmental Toxicity***

##### ***Green petroleum coke (CASRN 64741-79-3)***

In a combined reproductive/developmental toxicity screening test, Sprague-Dawley rats (12/sex/group) were exposed via nose-only inhalation to micronized green petroleum coke (average mass median aerodynamic diameter =  $2.29 \mu\text{m}$ ) at 0, 30, 100 or 300  $\text{mg}/\text{m}^3$  (~ 0.030, 0.10 or 0.30  $\text{mg}/\text{L}$ , respectively) for up to 52 days (Klonne et al., 1987). A two week range finding study was conducted initially to select exposure levels for the definitive study. In the

main study, rats were exposed for 6 hours/day for two weeks prior to mating. Males were then exposed for 28 days during the mating and post-mating period. Females continued to be exposed until evidence of mating, or for 14 consecutive days. Pregnant females were treated throughout gestation until scheduled sacrifice on postnatal day 4. Viability, clinical observations, body weights, feed consumption, survival, organ weights and macroscopic and microscopic findings were evaluated in parental rats. Standard reproductive (mating indices, pregnancy rates, male fertility indices, gestation length, number of implantation sites and corpora lutea, pre- and post-implantation loss, pups per litter, live born and stillborn pups and incidence of dams with no viable pups) and developmental indices (pup viability, weight, sex ratio and survival) were evaluated. Exposure-related parental effects included pigment deposition and associated discoloration of the lungs, mediastinal lymph nodes and nasal olfactory epithelium of male and female rats. Pigment deposits were also observed in the nasal turbinates and pharynx of male rats. Hyperplasia of paracortical T lymphocytes (in the mediastinal lymph nodes) and squamous metaplasia of respiratory epithelium (in the larynx) were also observed. All exposed animals showed evidence of pulmonary inflammation and discoloration. Significant dose-related increases in lung weights were observed in males (37%) and females (58%). No effects on reproductive or developmental parameters were reported in this study.

**NOAEC (reproductive toxicity) > ~ 0.30 mg/L** (highest concentration tested)

**LOAEC (maternal toxicity) ~ 0.030 mg/L** (based on pulmonary effects and histopathology)

**NOAEC (developmental toxicity) > ~ 0.30 mg/L** (highest concentration tested)

#### ***Genetic Toxicity – Gene Mutation***

##### ***In vitro***

##### ***Green petroleum coke (CASRN 64741-79-3)***

(1) *Salmonella typhimurium* strains TA98, TA100, TA1535, TA1537 and TA1538 were exposed to micronized green petroleum coke (Delayed process) dissolved in dimethylsulfoxide (DMSO) at 123.5, 370.4, 111.1, 333.3 and 10,000 µg/plate in the presence and absence of metabolic activation. No evidence of cytotoxicity was observed; however, precipitation occurred at the highest concentration tested (10,000 µg/plate). Results for positive and negative (solvent) controls were not reported in the robust summary.

**Green petroleum coke was not mutagenic in this assay.**

(2) *S. typhimurium* strains TA98, TA100, TA1535, TA1537 and TA1538 were exposed to micronized green petroleum coke (Fluid process) dissolved in dimethylsulfoxide (DMSO) at 123.5, 370.4, 111.1, 333.3 and 10,000 µg/plate in the presence and absence of metabolic activation. No evidence of cytotoxicity was observed; however, precipitation occurred at the three highest concentrations tested. Heavy bacterial contamination also occurred at the highest concentration (~10,000 µg/plate). Results for positive and negative (solvent) controls were not reported in the robust summary.

**Green petroleum coke was not mutagenic in this assay.**

(3) L5417Y mouse lymphoma cells were exposed to (Delayed process) green petroleum coke dissolved in DMSO at concentrations up to 2000 µg/plate in the presence and absence of metabolic activation. Positive and negative controls were tested concurrently and responded appropriately. No precipitation or cytotoxicity was observed. Green petroleum coke did not induce forward mutations at the thymidine kinase locus in L5417Y mouse lymphoma cells.

**Green petroleum coke was not mutagenic in this assay.**

***Genetic Toxicity – Chromosomal Aberrations******In vivo******Green petroleum coke (CASRN 64741-79-3)***

(1) In the chronic inhalation study described above, cytogenetic evaluations were performed on bone marrow from Sprague-Dawley rats (10/sex/group) after five days, 1, 3 and 6 months, 1 year and 22 months of inhalation exposure to (Delayed process) green petroleum coke dust at 0, 10.2 or 30.7 mg/m<sup>3</sup>. Due to high mortality in control and treated groups, only five to eight rats per group were evaluated after 22 months on test. No significant differences in chromosome aberrations were observed in treated rats when compared to controls.

**Green petroleum coke did not induce chromosomal aberrations in this assay.**

(2) In a 28-day inhalation repeated-dose toxicity study, cytogenetic evaluations were performed on bone marrow from Sprague-Dawley rats (8 males/group) that were exposed to (Delayed process) green petroleum coke (powder) at 0, 10 or 40 µg/L (nominal concentrations) 6 hours/day for 5 (high-dose group) or 20 consecutive days (low-dose group). A mitosis inhibitor (colchicine) was administered 24 hours post-exposure and bone marrow smears were made from the femur. No significant differences in chromosome aberrations were observed in treated versus control animals [TSCATS (OTS00001654)].

**Green petroleum coke did not induce chromosomal aberrations in this assay.**

***Additional Information******Carcinogenicity******Green petroleum coke (CASRN 64741-79-3)***

C3H mice (25/sex/group) were exposed to 100 µL green petroleum coke (as a 25% suspension in mineral oil) via topical application to shaved dorsal skin 3 times per week throughout their lifespan (two years). The positive control group was similarly exposed to benzo-a-pyrene via topical application twice per week. The negative control group was shaved, but remained untreated. Histological assessments were conducted on all mice. A wide range of tissues and organs (not specified) were examined. The incidence of acanthosis and hyperkeratosis increased with dermal exposure to green petroleum coke; however, no neoplastic changes were observed at the application site in petroleum coke-exposed animals. Positive controls developed squamous epithelial cell neoplasms at treated sites.

**Green petroleum coke was not carcinogenic to mice in this study.**

**Conclusion:** A guideline study is not available for acute inhalation toxicity; however, no mortality occurred following five days of repeated inhalation exposure to CASRN 64741-79-3 (0.058 mg/L) or CASRN 64743-05-1 (0.045 mg/L) in rats. No other data are available for CASRN 64743-05-1. Repeated exposure to CASRN 64741-79-3 dust during a 2-year inhalation toxicity study produced irreversible respiratory effects (chronic pulmonary inflammation and significantly increased absolute/relative lung weights) in rats and primates (both sexes) at all concentrations tested. Histological examination revealed macrophage accumulation (with test article deposits), focal fibrosis, bronchiolization, sclerosis and squamous alveolar metaplasia in rats at concentrations ≥ 0.01 mg/L; the NOAEC for systemic toxicity is not established. A

combined reproductive/developmental toxicity screening test with CASRN 64741-79-3 dust showed no reproductive or developmental effects following inhalation exposure in rats; however, pulmonary inflammation (macrophage accumulation, lymphocyte hyperplasia and squamous metaplasia of respiratory epithelium) was observed in all exposed parental animals. The NOAEC for maternal toxicity is not established. The NOAEC for reproductive/developmental toxicity is 0.30 mg/L (highest concentration tested). CASRN 64741-79-3 was not mutagenic in bacteria or mammalian cells when tested *in vitro* and did not induce chromosomal aberrations in mice following inhalation exposure *in vivo*. Repeated dermal exposure to CASRN 64741-79-3 (as a 25% suspension in mineral oil) during a 2-year cancer bioassay produced acanthosis and hyperkeratosis in mice; however, no neoplastic changes were observed.

<b>Table 3. Summary Table of the Screening Information Data Set as Submitted under the U.S. HPV Challenge Program - Human Health Data</b>		
<b>Endpoints</b>	<b>Green Petroleum Coke (CASRN 64741-79-3)</b>	<b>Calcined Petroleum Coke (CASRN 64743-05-1)</b>
<b>Acute Inhalation Toxicity</b> <b>LC<sub>50</sub> (mg/L)</b>	<b>&gt; ~ 0.058</b>	<b>&gt; ~ 0.045</b>
<b>Repeated-Dose Toxicity</b> <b>NOAEC/LOAEC</b> <b>Inhalation (mg/L/day)</b>	<b>NOAEC = Not established</b> <b>LOAEC ~ 0.010</b> (based on chronic pulmonary inflammation and associated histopathology observed in a 2-year inhalation study)	No Data <b>NOAEC = Not established</b> <b>LOAEC ~ 0.010</b> (RA)
<b>Reproductive/Developmental Toxicity</b> <b>NOAEC/LOAEC</b> <b>Inhalation (mg/L/day)</b> <b>Maternal Toxicity</b> <b>Reproductive Toxicity</b> <b>Developmental Toxicity</b>	<b>NOAEL = Not established</b> <b>LOAEC ~ 0.030</b>  <b>NOAEC &gt; ~ 0.30</b>  <b>NOAEC &gt; ~ 0.30</b>	No Data <b>LOAEC ~ 0.030</b> (RA) <b>NOAEC &gt; ~ 0.30</b> (RA) <b>NOAEC &gt; ~ 0.30</b> (RA)
<b>Genetic Toxicity –</b> <b>Gene Mutation</b> <b><i>In vitro</i></b>	<b>Negative</b>	No Data <b>Negative</b> (RA)
<b>Genetic Toxicity –</b> <b>Chromosomal Aberrations</b> <b><i>In vivo</i></b>	<b>Negative</b>	No Data <b>Negative</b> (RA)
<b>Additional Information</b> <b>Carcinogenicity</b>	<b>Negative</b>	No Data <b>Negative</b> (RA)

Measured data in bold text; (RA) = Read Across

#### 4. Hazard to the Environment

A summary of aquatic toxicity data submitted for SIDS endpoints is provided in Table 4. The table also indicates where data for tested category members are read-across (RA) to untested members of the category.

EPA suggested that the sponsor conduct a chronic toxicity test in aquatic invertebrates with CASRN 64741-79-3 instead of acute toxicity for fish, aquatic invertebrates and aquatic plants because of a concern that leaching of hydrocarbons and metals from test substances into water may be too slow to result in effects during the acute toxicity period. The sponsor conducted acute toxicity tests using a water accommodated fraction (WAF) of the coke sample, which EPA believes that this approach can resolve the original EPA's concern.

Petroleum coke is sometimes used in a manner that can result in exposure to selected terrestrial species; therefore, the sponsor submitted the terrestrial plants test and earthworm test in addition to the acute toxicity tests for aquatic organisms.

##### *Acute Toxicity to Fish*

###### ***Green petroleum coke (CASRN 64741-79-3)***

Fathead minnows (*Pimephales promelas*) were exposed to CASRN 64741-79-3 as water accommodated fractions (WAFs) under semi-static conditions for 96 hours in the closed system. The loading rates were 0 and 1000 mg/L (limit test). Milled and sieved CASRN 64741 to approximately 2 mm grain was used to prepare the WAF solutions. No mortality occurred and no clinical signs of toxicity were noted. Attempts to measure the constituents of the test substance (i.e. unalkylated polycyclic aromatic hydrocarbons (unalkylated PAHs), metals and sulfur) in aged and fresh WAFs showed that concentrations were below detection limits.

**96-h LC<sub>50</sub> = No effects at saturation.**

##### *Acute Toxicity to Aquatic Invertebrates*

###### ***Green petroleum coke (CASRN 64741-79-3)***

Daphnia (*Daphnia magna*) were exposed to CASRN 64741-79-3 as WAFs under semi-static conditions for 48 hours in the closed system. The loading rates were 0 and 1000 mg/L (limit test). Milled and sieved CASRN 64741 to approximately 2 mm grain was used to prepare the WAF solutions. No immobility occurred and no clinical signs of toxicity were noted. Attempts to measure the constituents of the test substance (i.e. unalkylated PAHs, metals and sulfur) in aged and fresh WAFs showed that concentrations were below detection limits.

**48-h EC<sub>50</sub> = No effects at saturation.**

##### *Toxicity to Aquatic Plants*

###### ***Green petroleum coke (CASRN 64741-79-3)***

Freshwater algae (*Selenastrum capricornutum*) were exposed to CASRN 64741-79-3 as WAFs under static conditions for 96 hours in the closed system. The loading rates were 0 and 1000 mg/L (limit test). Milled and sieved CASRN 64741 to approximately 2 mm grain was used to prepare the WAF solutions. Some statistically significant ( $p < 0.05$ ) inhibition of growth (the

area under the growth curve; biomass) and growth rate were observed in the 1000 mg/L WAF at 72 hours (26 and 12%, respectively) and at 96 hours (28 and 7.1%, respectively), although no such effect was observed in prior range finding test. Attempts to measure the constituents of the test substance (i.e. unalkylated PAHs, metals and sulfur) in aged and fresh WAFs showed that concentrations were below detection limits.

**96-h  $EL_{50}$  (biomass) > 1000 mg/L (WAF nominal loading rate)**

**96-h  $EL_{50}$  (growth rate) > 1000 mg/L (WAF nominal loading rate)**

### ***Toxicity to Terrestrial Plants***

#### ***Green petroleum coke (CASRN 64741-79-3)***

Corn (*Zea mays*), radish (*Raphanus sativus*) and soybean (*Glycine max*) were exposed to soil-incorporated CASRN 64741-79-3 at 0 and 1000 mg/kg (limit test) for 21 days. CASRN 64741-79-3 milled to mean particle size of 3.3  $\mu$ m was used to prepare soil-incorporated CASRN 64741-79-3. No statistically significant differences in all three species were found for seedling emergence, seedling survival, seedling height, and shoot dry weight between the dosed and control groups. Attempts to measure the constituents of the test substance (i.e. unalkylated PAHs, metals) in soil showed unalkylated PAHs were below detection limits and metals were not greater than soil background levels.

**21-d  $LC_{50}$  = No effects at saturation.**

**21-d NOEC = No effects at saturation.**

### ***Toxicity to Soil Dwelling Organisms***

#### ***Green petroleum coke (CASRN 64741-79-3)***

Earthworms (*E. fetida*) were exposed to soil-incorporated CASRN 64741-79-3 at 0 and 1000 mg/kg for 14 days. CASRN 64741-79-3 milled to mean particle size of 3.3  $\mu$ m was used to prepare soil-incorporated CASRN 64741-79-3. No mortality, aversion to the soil or soil burrowing behavior was observed. There were no statistical differences in earthworm body weight or change in body weight when measured at the end of the test. Attempts to measure the constituents of the test substance (i.e. unalkylated PAHs, metals) in soil showed unalkylated PAHs were below detection limits and metals were not greater than soil background levels.

**14-d  $LC_{50}$  = No effects at saturation.**

**14-d NOEC = No effects at saturation.**

**Conclusion:** Based on the category member CASRN 64741-79-3, the 96-h  $LC_{50}$  for fish and the 48-h  $EC_{50}$  for aquatic invertebrates are no effects at saturation. Based on the category member CASRN 64741-79-3, the 96-h  $EL_{50}$  for aquatic plants is greater than 1000 mg/L (WAF nominal loading rate). Based on the category member CASRN 64741-79-3, the 21-d terrestrial plants (corn, radish and soybean) NOEC and the 14-d earthworms NOEC are no effects at saturation.

<b>Table 4. Summary Table of the Screening Information Data Set as Submitted under the U.S. HPV Challenge Program - Aquatic Toxicity Data</b>		
<b>Endpoints</b>	<b>Green Petroleum Coke (64741-79-3)</b>	<b>Calcined Petroleum Coke (64743-05-1)</b>
<b>Fish</b> <b>96-h LC<sub>50</sub> (mg/L)</b>	NES	No Data NES (RA)
<b>Aquatic Invertebrates</b> <b>48-h EC<sub>50</sub> (mg/L)</b>	NES	No Data NES (RA)
<b>Aquatic Plants</b> <b>96-h EL<sub>50</sub> (mg/L; WAF nominal loading rate) (growth rate) (biomass)</b>	  <b>&gt; 1000</b> <b>&gt; 1000</b>	No Data   <b>&gt; 1000</b> <b>&gt; 1000</b> (RA)

**Bold**=experimental data (i.e. derived from testing); NES = No effects at saturation (water solubility limit); (RA) = Read Across

## 5. References

Klonne, D. R., Burns, J.M., Halder C.A., Holdsworth C.E., Ulrich C.E. Two-Year Inhalation Toxicity Study of Petroleum Coke in Rats and Monkeys. *Am. J. Indust. Med.* 11:375-389 (1987).

**APPENDIX**

The following pages show:

- Table 5 with a list of representative structures
- Table 6 with compositional information on green coke

<b>Table 5. Structural Information on the Petroleum Coke Category</b>		
<b>Sponsored Chemicals</b>		
<b>Chemical Name</b>	<b>CASRN</b>	<b>Structure<sup>1</sup></b>
Coke (petroleum)	64741-79-3	A solid material resulting from high temperature treatment of petroleum fractions. It consists of carbonaceous material and contains some hydrocarbons having a high carbon-to-hydrogen ratio.
Coke (petroleum), calcined	64743-05-1	A complex combination of carbonaceous material including extremely high molecular weight hydrocarbons obtained as a solid material from the calcining of petroleum coke at temperatures in excess of 1,000°C (1,832°F). The hydrocarbons present in calcined coke have a very high carbon-to-hydrogen ratio.
<sup>1</sup> Meaningful molecular structures cannot be drawn for these highly carbonaceous, high molecular weight materials.		

Table 6. Compositional Data for Green Coke (taken from the Petroleum Coke Category Analysis and Hazard Characterization document:

<http://www.epa.gov/chemrtk/pubs/summaries/ptrlcoke/c12563rr2.pdf>)

Sample	Delayed Process Green Coke - 2003 Sample <sup>1</sup>				API Sample # 4-1-140 <sup>2</sup>	Micronized Delayed Process Green Coke - 1981 sample <sup>3</sup>	
	pellet (initial) <sup>4</sup>	pellet (final) <sup>5</sup>	micro-nized (initial)	micro-nized (final)	Delayed Process Coke	1981 Analysis	1984 Analysis
Bi (bismuth)	<19.3		<29.6				
Ca (calcium)	178	81.7	121.6	158.7			
Cd (cadmium)	<9.6		<14.8				
Co (cobalt)	<9.6	1.9	<14.8	1.7			
Cr (chromium)	<9.6	3.9	<14.8	4.6			
Cu (copper)	<11.6	1.8	<17.8	2.3			
Fe (iron)	310	215.9	247	276.1			
Hg (mercury)					<1	<1	<0.01
K (potassium)	<28.9	10.9	<44.4	20.5			
Li (lithium)	<9.6	<1.2	<14.8	<1.16			
Mg (magnesium)	77.4	50.3	60.9	65.5			
Mn (manganese)	<19.3	5.3	<29.6	7.3			
Mo (molybdenum)	<19.3	16.7	<29.6	16.0			
Na (sodium)	133	87.8	114.6	99.0			
Ni (nickel)	367.1	319.6	351.7	304.6	95	78	85
P (phosphorus)	<19.3	19.8	30.3	25.0			
Pb (lead)	<19.3	4.88	<29.61	7.4			
Pd (palladium)		<6.9		<6.9			
Pt (platinum)		3.8		4.5			
S (sulfur)	73920		58060				
Sb (antimony)	<48.2		<74.0				
Se (selenium)	<19.3		<29.6		4.5	<0.2	<0.5
Si (silicon)	743.2	86.75		204			
Sn (tin)	<28.9	<2.3		<2.3			

U.S. Environmental Protection Agency  
Hazard Characterization Document

June, 2011

Sample	Delayed Process Green Coke - 2003 Sample <sup>1</sup>				API Sample # 4-1-140 <sup>2</sup>	Micronized Delayed Process Green Coke - 1981 sample <sup>3</sup>	
	pellet (initial) <sup>4</sup>	pellet (final) <sup>5</sup>	micro-nized (initial)	micro-nized (final)	Delayed Process Coke	1981 Analysis	1984 Analysis
Average Mass Median Aerodynamic Particle Size, $\mu\text{m}$	2000*	2000*	2.3/3.3*		$\leq 5^{**}$	3.1	3.1
Elemental Analysis, % wt							
Carbon					89.93	89.97	89.58
Hydrogen					3.71	5.04	3.89
Oxygen					1.3	1.62	2.14
Sulphur	7.4		5.8		3.36	3.27	3.42
Nitrogen					1.1	1.1	1.2
Other Analysis, % wt							
SiO <sub>2</sub>					0.04	<0.04	<0.02
Ash					0.21	0.19	0.28
Trace Metals, ppm							
Al (aluminum)	321	205.1	300.2	250.7			
As (arsenic)	<19.3	<2.3	<29.6	<2.3	<0.001	0.3	0.7
B (boron)	<19.3		<29.6				
Ba (barium)	<19.3	7.74	<29.6	6.9			
Be (beryllium)	<9.6		<14.8				

Sample	Delayed Process Green Coke - 2003 Sample <sup>1</sup>				API Sample # 4-1-140 <sup>2</sup>	Micronized Delayed Process Green Coke - 1981 sample <sup>3</sup>	
	pellet (initial) <sup>4</sup>	pellet (final) <sup>5</sup>	micro-nized (initial)	micro-nized (final)	Delayed Process Coke	1981 Analysis	1984 Analysis
Ti (titanium)	12.9	11.7	<14.8	14.4			
V (vanadium)	1938	1559	1805	1580	145	140	130
Zn (zinc)	12.0	8.9	<14.8	11.2			
Benzene Extract, % wt					1.79	2.08	2.64
PAHs, ppm							
Naphthalene	3.6	3.6	11	11			
1-methyl naphthalene	2.7	3.1	10	12			
2-methyl naphthalene	11	12	26	26			
Acenaphthene	ND	0.18	ND	0.51			
Acenaphthylene	ND	0.12	ND	0.5			
Fluorene	0.34	0.37	1.5	1.5	11	ND	ND
Phenanthrene	0.69	0.64	7.8	8.2	ND	ND	ND
Anthracene	ND	0.29	3.3	3.6			
Pyrene	1.3	1.2	8.6	10	ND	165	158
Fluoranthene	ND	0.1	1.4	1.6			
Benzofluorenes					ND	ND	ND
Benzo(a)anthracene	0.58	0.59	7.1	8	544		
Benzo(a,b)anthracene						280	287
Chrysene	0.88	1.1	9.4	10	126	210	255
Benzo(a)pyrene	1.8	1.7	11	13	440	175	190
Benzo(e)pyrene					110	85	134
Benzo(b)fluoranthene	0.52	0.62	3.8	3.9	ND	ND	ND
Benzo(k)fluoranthene	ND	ND	ND	1.5			

Sample	Delayed Process Green Coke - 2003 Sample <sup>1</sup>				API Sample # 4-1-140 <sup>2</sup>	Micronized Delayed Process Green Coke - 1981 sample <sup>3</sup>	
	pellet (initial) <sup>4</sup>	pellet (final) <sup>5</sup>	micro-nized (initial)	micro-nized (final)	Delayed Process Coke	1981 Analysis	1984 Analysis
Perylene					ND		
Methyl benzo(a)pyrene					ND	ND	
Benzo(g,h,i)perylene	1.1	1.4	8.7	12	439	120	167
Dibenzo(a,h)anthracene	0.49	0.51	4.1	4.3	ND	NQ	ND
Benzo(g,h,i)fluoranthene					ND	ND	ND
Indeno(1,2,3-cd)pyrene	0.34	0.45	3.5	3.3			
Dimethylbenz(a)anthracene							ND
Methylbenzo(g,h,i)perylene							377
Coronene					ND	ND	ND

Toxicology study(s) in which samples were used:

<sup>1</sup> OECD 203 Fish acute toxicity test; OECD 202 Invertebrate acute toxicity test; OECD 201 Algal growth inhibition test; OECD 208 Seedling emergence and growth of terrestrial plants; OECD 207 Earthworm acute toxicity test; OECD 421 Reproduction/developmental toxicity screening test

<sup>2</sup> Mouse dermal carcinogenicity study, *Salmonella* assay, mouse lymphoma cell assay

<sup>3</sup> Rat chronic inhalation study; Monkey chronic inhalation study; *Salmonella* assay; Rat *in vivo* cytogenicity assay

<sup>4</sup> initial refers to analyses conducted prior to initiation of the toxicology studies

<sup>5</sup> final refers to analyses conducted following completion of the toxicology studies

ND = not detected

NQ = detected, but not quantifiable

Blank cells = analysis not performed

\* values are average mean particle size

\*\* size not measured; value estimated from scanning electron micrographs

References: Aveka, Inc., 2003; CONCAWE, 1993; Chevron Products Company, 2003, 2005; Lancaster Laboratories, Inc., 2003, 2005.